




Aerospace Medicine  
and Biology  
A Continuing  
Bibliography  
with Indexes

NASA SP-7011(237)  
October 1982



National Aeronautics and  
Space Administration

(NASA-SP-7011(237)) AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES, SUPPLEMENT 237 (National Aeronautics and Space Administration) 74 p HC \$7.00 N83-14891 Unclassified CSCL 06E 00/52 01691

Aerospace Medicine & Biology  
space Medicine & Biology Aero  
e Medicine & Biology Aerospace  
dicine & Biology Aerospace M  
ne & Biology Aerospace Medici  
Biology Aerospace Medicine &  
gy Aerospace Medicine & Biolo  
erospace Medicine & Biology A  
pace Medicine & Biology Aeros  
Medicine & Biology Aerospace  
cine & Biology Aerospace Med  
& Biology Aerospace Medicine &

NASA SP-7011(237)

Aerospace Medicine and Biology  
A Continuing Bibliography with Indexes

Pages 277 - 303

October 1982



## ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges.

STAR (N-10000 Series)

N82-26199 - N82-28242

IAA (A-10000 Series)

A82-34965 - A82-38102

# **AEROSPACE MEDICINE AND BIOLOGY**

**A CONTINUING BIBLIOGRAPHY  
WITH INDEXES**

**(Supplement 237)**

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in September 1982 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA)*



Scientific and Technical Information Branch

**National Aeronautics and Space Administration**

Washington, DC

1982

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.

This supplement is available as NTISUB/123/093 from the National Technical Information Service (NTIS), Springfield, Virginia 22161 at the price of \$7.00 domestic, \$14 00 foreign



# INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* lists 224 reports, articles and other documents announced during September 1982 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections: *IAA Entries* and *STAR Entries*, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes -- subject and personal author -- are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1982 Supplements.

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A82-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc (AIAA), as follows Paper copies of accessions are available at \$8.00 per document Microfiche<sup>(1)</sup> of documents announced in IAA are available at the rate of \$4.00 per microfiche on demand, and at the rate of \$1.35 per microfiche for standing orders for all IAA microfiche

Minimum air-mail postage to foreign countries is \$2.50 and all foreign orders are shipped on payment of pro-forma invoices

All inquiries and requests should be addressed to AIAA Technical Information Service Please refer to the accession number when requesting publications

## STAR ENTRIES (N82-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line

Avail NTIS Sold by the National Technical Information Service Prices for hard copy (HC) and microfiche (MF) are indicated by a price code preceded by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on page vii

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, Va. 22161

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the \* symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number It is also advisable to cite the title and other bibliographic identification

Avail SOD (or GPO) Sold by the Superintendent of Documents, U.S Government Printing Office, in hard copy. The current price and order number are given following the availability line (NTIS will fill microfiche requests, at the standard \$4 00 price, for those documents identified by a # symbol )

Avail. NASA Public Document Rooms Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Document Room (Room 126), 600 Independence Ave , S W , Washington, D C 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

(1) A microfiche is a transparent sheet of film 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26:1 reduction)



- Avail DOE Depository Libraries Organizations in U S cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts* Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center
- Avail Univ Microfilms Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm All requests should cite the author and the Order Number as they appear in the citation
- Avail USGS Originals of many reports from the U S Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction
- Avail HMSO Publications of Her Majesty's Stationery Office are sold in the U S by Pendragon House, Inc (PHI), Redwood City, California The U S price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI
- Avail BLL (formerly NLL) British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England Photocopies available from this organization at the price shown (If none is given, inquiry should be addressed to the BLL )
- Avail Fachinformationszentrum, Karlsruhe Sold by the Fachinformationszentrum Energie, Physik, Mathematik GMBH, Eggenstein Leopoldshafen, Federal Republic of Germany, at the price shown in deutschmarks (DM)
- Avail Issuing Activity, or Corporate Author, or no indication of availability Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document
- Avail U S Patent and Trademark Office Sold by Commissioner of Patents and Trademarks, U S Patent and Trademark Office, at the standard price of 50 cents each, postage free
- Other availabilities If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line

## ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and Astronautics Technical Information Service 555 West 57th Street, 12th Floor New York, New York 10019	National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161
British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England	Pendragon House, Inc. 899 Broadway Avenue Redwood City, California 94063
Commissioner of Patents and Trademarks U S Patent and Trademark Office Washington, D C. 20231	Superintendent of Documents U.S. Government Printing Office Washington, D C 20402
Department of Energy Technical Information Center P O Box 62 Oak Ridge, Tennessee 37830	University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, Michigan 48106
ESA-Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy	University Microfilms, Ltd. Tylers Green London, England
Fachinformationszentrum Energie, Physik, Mathematik GMBH 7514 Eggenstein Leopoldshafen Federal Republic of Germany	U S Geological Survey 1033 General Services Administration Building Washington, D C 20242
Her Majesty's Stationery Office P O Box 569, S.E 1 London, England	U S. Geological Survey 601 E Cedar Avenue Flagstaff, Arizona 86002
NASA Scientific and Technical Information Facility P.O. Box 8757 B W I Airport, Maryland 21240	U S. Geological Survey 345 Middlefield Road Menlo Park, California 94025
National Aeronautics and Space Administration Scientific and Technical Information Branch (NST-41) Washington, D C 20546	U.S. Geological Survey Bldg. 25, Denver Federal Center Denver, Colorado 80225



# NTIS PRICE SCHEDULES

## Schedule A STANDARD PAPER COPY PRICE SCHEDULE

(Effective January 1, 1982)

Price Code	Page Range	North American Price	Foreign Price
A01	Microfiche	\$ 4 00	\$ 8 00
A02	001-025	6 00	12 00
A03	026-050	7 50	15 00
A04	051-075	9 00	18 00
A05	076-100	10 50	21 00
A06	101-125	12 00	24 00
A07	126-150	13 50	27 00
A08	151-175	15 00	30 00
A09	176-200	16 50	33 00
A10	201-225	18 00	36 00
A11	226-250	19 50	39 00
A12	251-275	21 00	42 00
A13	276-300	22 50	45 00
A14	301-325	24 00	48 00
A15	326-350	25 50	51 00
A16	351-375	27 00	54 00
A17	376-400	28 50	57 00
A18	401-425	30 00	60 00
A19	426-450	31 50	63 00
A20	451-475	33 00	66 00
A21	476-500	34 50	69 00
A22	501-525	36 00	72 00
A23	526-550	37 50	75 00
A24	551-575	39 00	78 00
A25	576-600	40 50	81 00
	601-up	-- 1/	-- 2/

A99 - Write for quote

- 1/ Add \$1 50 for each additional 25 page increment or portion thereof for 601 pages up  
 2/ Add \$3 00 for each additional 25 page increment or portion thereof for 601 pages and more


## Schedule E EXCEPTION PRICE SCHEDULE Paper Copy & Microfiche

Price Code	North American Price	Foreign Price
E01	\$ 6 50	\$ 13 50
E02	7 50	15 50
E03	9 50	19 50
E04	11 50	23 50
E05	13 50	27 50
E06	15 50	31 50
E07	17 50	35 50
E08	19 50	39 50
E09	21 50	43 50
E10	23 50	47 50
E11	25 50	51 50
E12	28 50	57 50
E13	31 50	63 50
E14	34 50	69 50
E15	37 50	75 50
E16	40 50	81 50
E17	43 50	88 50
E18	46 50	93 50
E19	51 50	102 50
E20	61 50	123 50
E-99 - Write for quote		
N01	30 00 <sup>1</sup>	45 00


# TABLE OF CONTENTS

	Page
IAA ENTRIES (A82-10000) .....	277
STAR ENTRIES (N82-10000) .....	293
Subject Index .....	I-1
Personal Author Index .....	I-27

## TYPICAL CITATION AND ABSTRACT FROM STAR



## TYPICAL CITATION AND ABSTRACT FROM IAA





# AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 237)

OCTOBER 1982

## IAA ENTRIES

**A82-34965**      **Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects.** A Roy (Zaragoza, Universidad, Saragossa, Spain) and L L Sutro *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC-12, May-June 1982, p 276-288 30 refs

Simulation of two forms of eye motion has been carried out with a view to developing automated means of recognizing regular three-dimensional objects from any direction. The visual system includes a binocular graded-resolution video camera assembly, a planner, and a self-command computer. The discussion covers the following topics: simulation of eye movement in tracking, design of a scan path generating algorithm, simulation of the generation of a scan path, detection and display of edges, design of adjustment-of-fixation algorithm, and simulation of adjustment of fixation  
V L

**A82-34968**      **Linguistic decision structures for hierarchical systems** J H Graham and G N Sardis (Rensselaer Polytechnic Institute, Troy, NY) *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC-12, May-June 1982, p 325-333 13 refs NSF Grant No ECS-79-16882

The development of a new hierarchical linguistic-based learning control structure for complex systems is described. The complete system will be able to interact with a human operator in a high-level language at the highest level of the hierarchy and will be able to control detailed motions of a complex physical system at the lowest level of the hierarchy. Each level of the hierarchy is defined by a formal grammar which can generate exactly the class of admissible control actions at that level. A new linguistic structure, the linguistic decision schema, is proposed to specify the mapping between linguistic elements in adjacent levels. In the most general form, the decision schema incorporates a learning algorithm to obtain asymptotically optimal mappings for control under stochastic environments  
(Author)

**A82-34970**      **Analysis and classification of human errors in troubleshooting live aircraft power plants.** W B Johnson (Illinois, University, Urbana, IL) and W B Rouse (Georgia Institute of Technology, Atlanta, GA) *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC-12, May-June 1982, p 389-393 12 refs Contract No MDA903-79-C-0421

Two experimental studies were employed to develop and evaluate a scheme for classifying human errors in troubleshooting tasks. Both experiments involved trainees in a Federal Aviation Administration (FAA) certificate program in power plant maintenance. Each trainee received one of three training methods, two of which were computer-based, and then transferred to troubleshooting live aircraft power plants. The transfer data from the first experiment (N = 36) were used to develop the error analysis and classification procedures. In addition results of this analysis led to modifications of the training methods. The transfer data from the second experiment (N = 22) were employed to evaluate the effects of the changes in training methods. Results indicated a decrease in errors due to these changes. The development of the methodology is discussed and the resulting behavioral interpretations are presented  
(Author)

**A82-34971**      **A study on human tracking performance in a complex G field experiment.** D W Repperger, D B Rogers, J W Frazier, and R E Van Patten (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, OH) *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC-12, May-June 1982, p 393-401 30 refs

Various aspects of analyzing closed-loop tracking error within a phase plane context for a man-machine experiment are investigated. A study is conducted on candidate density functions that could characterize such boundaries. Using a cumulative distribution function (CDF), a definition of such a boundary is obtained

Kolmogorov-Smirnov (K-S) tests are performed on empirical data from an acceleration stress experiment to investigate certain assumptions concerning normality of the distributions of these boundaries  
(Author)

**A82-35248**      **Signal analysis at the periphery of the auditory system (Analiz signalov na periferii slukhovoï sistemy).** Edited by Ia A Al'tman (Leningrad, Izdatel'stvo Nauka, 1981 136 p. In Russian)

Papers are presented on mechanisms of information processing at the peripheral parts of the auditory system. Particular consideration is given to the oscillatory properties of cochlea structures, digital simulation of the frequency selectivity of the basilar membrane, statistical methods of signal analysis in the processing of neuroelectrical data, and two-tone inhibition in the peripheral auditory system  
B J

**A82-35272**      **Human visual orientation.** I P Howard (York University, Toronto, Canada) Chichester, Sussex, England and New York, John Wiley and Sons, 1982 704 p 2184 refs \$66 50

It is shown how information relevant to judgements about direction and orientation is dealt with in the visual system, starting at the most peripheral level and proceeding to higher levels in the nervous system. General concepts and terms are introduced, and theories and terminology are critically appraised. Topics discussed include visual acuity and associated optical and retinal mechanisms, neurophysiology of orientation detectors in the visual system, coding of spatial information, the relationship between vision and the vestibular, auditory, and kinaesthetic systems, visual motor coordination, and the judgement of orientation of shapes. Suggestions for future research are made  
C D

**A82-35638 \* #**      **United States and Soviet Life Sciences factors in long-duration space flights** J C Sharp (NASA, Ames Research Center, Moffett Field, CA) In *Space manufacturing 4, Proceedings of the Fifth Conference*, Princeton, NJ, May 18-21, 1981. New York, American Institute of Aeronautics and Astronautics, 1981, p 403-405

A general review of the Life Sciences issues affecting long-duration manned missions is presented. Descriptions and examples of the similarities and differences between the Soviet and U.S. life sciences programs are discussed  
(Author)

**A82-35639 \* #**      **Behavioral and biological interactions with confined microsocieties in a programmed environment.** H H Emurian, J V Brady (Johns Hopkins University, Baltimore, MD), J L Meyerhoff, and E H Mougey (U.S. Army, Walter Reed Army Institute of Research, Washington, DC) In *Space manufacturing 4, Proceedings of the Fifth Conference*, Princeton, NJ, May 18-21, 1981. New York, American Institute of Aeronautics and Astronautics, 1981, p 407-421 22 refs Grants No NGR-21-001-111, No PHS-DA-00018, Contract No N00014-80-C-0467

This paper presents a summary of the background, objectives, and methodological approach of an ongoing research project devoted to the analysis of individual and small group performance effectiveness under conditions of isolation and confinement during extended residences in a continuously programmed environment. A more detailed description is provided of the results of a recent series of experiments designed and conducted to assess hormonal and behavioral effects of a change in group membership and size  
(Author)

**A82-35641 #**      **Influential factors of negative effects in the isolated and confined environment.** S R McNeal and B J Bluth (California State University, Northridge, CA) In *Space manufacturing 4, Proceedings of the Fifth Conference*, Princeton, NJ, May 18-21, 1981. New York, American Institute of Aeronautics and Astronautics, 1981, p 435-442 28 refs

Studies have been conducted on the isolated and confined environment (ICE) in order to identify potential problems for the space traveler. Maladaptive characteristics, both physical and psychological in nature, as well as individual and group behavior changes have been identified and it has been shown that the ICE symp-

tomology is very similar to that of stress. It is suggested that the ICE acts as a catalyst to other factors of greater influence in the development of negative effects observed in an ICE. Stress management is discussed with reference to training, coping strategies, preparedness for social and psychological problems, and alterations of the social and physical environment. V L

**A82-35651 †** Structural changes of the thymus of irradiated animals that were also subjected to heat trauma (Strukturnye izmeneniia timusa obluhenykh zhivotnykh, dopolnitel'no podvergshikhsia termicheskoi travme) R S Budagov (Akademiia Meditsinskikh Nauk SSSR, Obninsk, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 278, 279 5 refs In Russian

**A82-35652 †** Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress (Issledovanie obshchei prispособlennosti potomstva obluhenykh zhivotnykh. III - Ustoichivost' myshei k obluheniiu, gipoksii, deistviu endotoksina, fizicheskoi nagruzkam). I E Vorobitsova and K L Gol'zberg (Ministerstvo Zdravookhraneniia SSSR, Tsentral'nyi Nauchno-Issledovatel'skii Rentgeno-Radiologicheskii Institut, Leningrad, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 261-264 11 refs In Russian

**A82-35653 †** Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress (Zashchitnyi effekt gazovoi gipoksicheskoi smesi pri sochetannom vozdeistvii na organizm radiatsii i fizicheskoi nagruzkam) A I Britun, R B Strelkov, N G Kucherenko, and O I Kurochkina (Akademiia Meditsinskikh Nauk SSSR, Obninsk, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 250-252 13 refs In Russian

**A82-35654 †** The effect of several pharmacologically active substances on the transformation of cystamine in mouse tissues (Vlianie nekotorykh farmakologicheskii aktivnykh veshchestv na prevrashchenie tsistamina v tkaniakh myshei). L G Tarnopol'skaia *Radiobiologiya*, vol 22, Mar-Apr 1982, p 246-250 12 refs In Russian

The effect of mexamine, ethirone, and gutimine on the rate of cystamine transformation in the liver and spleen of white mice was studied. It is shown that, administered in combination with cystamine, these preparations decrease the rate of the sulfur-containing radio-protector metabolism. It is suggested that radio-protective drugs be produced on the basis of cystamine and include substances that have an effect on the pharmacokinetics of the sulfur-containing component. B J

**A82-35655 †** Possibility of evaluating radiation injury to skin on the basis of changes in its functional state (Vozmozhnost' otsenki luchevogo porazheniia kozhi po izmeneniiu ee funktsional'nogo sostoiianiia). V O Sudakova and I A Rappoport *Radiobiologiya*, vol 22, Mar-Apr 1982, p 226-229 14 refs In Russian

Experiments on male rats have shown that the evaluation of the neutralizing capacity of the skin can be used as a quantitative method to study the functional status of the skin, this is the case because this evaluation makes possible an early disclosure of the impairment of the protective function of beta-irradiated skin. The neutralizing capacity of the skin is a direct function of the beta-radiation dose and may be a criterion for the prediction and assessment of the severity of radiation dermatitis. B J

**A82-35656 †** Bone-marrow haemopoiesis in dogs exposed to various repeated total-body nonuniform irradiations (Kostnomozgovoe krovetvorenie u sobak pri razlichnykh variantakh povtornykh obshchikh neravnomernykh obluhenii). M P Kalandarova and V G Gorlov *Radiobiologiya*, vol 22, Mar-Apr 1982, p 215-219 9 refs In Russian

Dogs were exposed to total-body nonuniform irradiation, the absorbed doses varying by 2.8 to 8 times and doses on the dog's back amounting to 0.0774 C/kg and 0.01290 C/kg. It is shown that, after a three-fold exposure at 90-day intervals between the fractions, a haemopoiesis affection develops which is analogous to that observed in the case of a typical form of radiation sickness induced by a single exposure. Long-term hypoplasia and aplasia of the bone marrow and the impairment of postirradiation recovery are indicative of the exhaustion of the haemopoietic resources upon repeated exposure to ionizing radiation. B J

**A82-35657 †** Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation (Modelirovaniie protsessov vosstanovleniia kletok ot luchevykh povrezhdenii i printsip umen'sheniia effektivnoi dozy I - Modeli vosstanovleniia kletok pri ostrom obluhenii). A D Andreev and Iu A Kutlakhmedov (Akademiia Nauk Ukrainskoi SSR, Institut Fizologii Rastenii, Kiev, Ukrainian SSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 187-193 12 refs In Russian

**A82-35658 †** Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the

gastrointestinal tract (Sravnitel'naia otsenka effektivnosti radioprotektorov po kriteriiam zashchity kostnogo mozga i zheludочно-kishechnogo trakta). N N Piatovskaia and I E Brumberg (Voenno-Meditsinskaiia Akademiia, Leningrad, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 183-186 14 refs In Russian

Gamma-ray experiments on mice have shown that, unlike cystamine, 4-aminobenzo-2,1,3-thiadiazol has a radio-protective effect on the haemopoietic tissue and fails to protect the gastrointestinal tract. In the bone marrow, this preparation is effective only in regard to stem cells. B J

**A82-35659 †** Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda (Izucheniie radiozashchitnogo deistviia tsistamina na modeli termoinduitsiruemogo profaga lambda) S E Bresler, V L Kalinin, and I N Suslova (Akademiia Nauk SSSR, Leningradskii Institut Iadernoi Fiziki, Gatchina, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 176-182 12 refs In Russian

Lethal and mutagenic effects of Co-60 gamma rays on the prophage lambda c 1857 in lysogenic E. coli cells AB1186 uvrA6 and AB2463 recA13 after irradiation in the absence or in the presence of cystamine (0.05 M) were investigated. Cystamine was found to produce a marked radio-sensitizing effect, with the prophage thermally induced immediately after irradiation (DMF = 1.5). In this case, the yield of gamma-radiation-induced c-mutations was significantly higher in the presence of cystamine than in its absence in AB1186 but not in AB2463 (which was deficient in SOS repair). When the prophage was thermally induced after 90 minutes of postirradiation incubation in broth neither the survival nor the yield of c-mutations depended on the presence of cystamine at the time of exposure or on the presence of the recA+ gene product. B J

**A82-35660 †** Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation (Issledovanie izmenenii kletochnykh membran fibroblastov kitaiskogo khomiachka pri lazernom i rentgenovskom obluheniiakh s pomoshch'iu fluorestsennogo zonda). A K Abdvakhitova, I M Parkhomenko, and T N Sokolova (Moskovskii Gosudarstvennyi Universitet, Moscow, USSR) *Radiobiologiya*, vol 22, Mar-Apr 1982, p 155-159 11 refs In Russian

**A82-35661 †** Structural changes of the plasmatic membrane under the effect of ionizing radiation (Strukturnye izmeneniia plazmaticheskoi membrany pod deistviem ioniziruiushchei radiatsii) B S Fomenko and I G Akoev (Akademiia Nauk SSSR, Institut Biologicheskoi Fiziki, Pushchino, USSR) *Uspekhi Sovremennoi Biologii*, vol 93, Mar-Apr 1982, p 183-195 137 refs In Russian

**A82-35662 †** Kanic acid as a tool in brain research (Kainovaia kislota - sredstvo issledovaniia golovnogo mozga). I A Sytinskii (Leningradskii Gosudarstvennyi Universitet, Leningrad, USSR) and V S Turovskii (Akademiia Meditsinskikh Nauk SSSR, Leningrad, USSR) *Uspekhi Sovremennoi Biologii*, vol 93, Mar-Apr 1982, p 253-269 123 refs In Russian

Data are presented on the neurotoxicity of L-kanic acid, a structural analog of L-glutamic acid, and the use of kanic acid as a specific tool in neurobiological research is discussed. Kanic acid destroys nerve cells in the injection zone without any damage to axons having endings in this particular part of the brain or extending across it. The specific effect of kanic acid is used for determining neuroanatomical connections and neurochemical indices of functional systems located in specific portions of the brain as well as for identifying changes in animal behavior due to nerve damage. V L

**A82-35663 †** Evolutionary significance of the adaptation of animals to heat (Evolutsionnoe znachenie temperaturnykh adaptatsii zhivotnykh). B P Ushakov (Akademiia Nauk SSSR, Institut Tsitologii, Leningrad, USSR) *Uspekhi Sovremennoi Biologii*, vol 93, Mar-Apr 1982, p 302-319 36 refs In Russian

The ability of a population as a whole to achieve physiological homeostasis aimed at preserving the population size and genetic structure in the case of a rise in temperature to a dangerous level is discussed. Physiological homeostasis of a population is realized through a reactive increase in the thermal stability of individual animals in response to an increase in ambient temperature. While the reactive increase in thermal stability results in reduced elimination of individuals, it also leads to reduced efficiency of selection due to heat. This may result in insufficiently selective or completely nonselective death of individuals. V L

**A82-35664 †** Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport (Ranniia diagnostika perenapriazheniia serdechno-sosudistoi sistemy u sportsmenov tsiklicheskikh vidov sporta). V G Kukes, V A Siluanova, S N Popov, E V Sokova, B R Al'perovich, V V Gorodetski, A M Alaverdian, and L S Blis-tanova (I Moskovskii Meditsinskii Institut, Tsentral'nyi Institut Fizicheskoi Kul'tury, Moscow, USSR) *Sovetskaiia Meditsina*, no 4, 1982, p 18-21 20 refs In Russian

The effects of a beta blocker on values of the general work capacity, gas exchange, acid-alkali balance, lactic acid level, and central body temperature were studied in 74 athletes subjected to a bicycle-ergometer exercise until fully tired. A vegetative-provision tension (VPT) manifested itself in a marked economizing effect of the drug on these parameters. It is shown that negative EKG changes in response to this effect are associated with the VPT syndrome. The elevated VPT which is accompanied by energy losses in the form of heat may lead to the development of dystrophic changes in the myocardium. B J

**A82-35665 † The combined effect of medicines (Kombinirovannoe deistvie lekarstvennykh veshchestv).** A. N. Kudrin (I Moskovskii Meditsinskii Institut, Moscow, USSR) *Sovetskaya Meditsina*, no. 4, 1982, p. 89-94. 17 refs. In Russian.

Several mechanisms of the combined effect of drugs on the human body are examined. These include (1) the direct interaction of drug molecules with one another, (2) the change in the pharmacokinetic properties of drugs, (3) metabolic incompatibility, (4) the competition of drugs for sites of binding with biomolecules, and (5) changes of the pharmacodynamics of drugs. B J

**A82-35666 † Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise (Izmenenie kislorod-transportnoi funktsii krovi i nekotorykh pokazatelei metabolizma u bol'nykh gipertonicheskoi bolezn'iu i khronicheskoi ishemicheskoi bolezn'iu serdtsa pri ergometrii).** V. N. Popova, I. L. Beketova, B. A. Malikov, and L. A. Evstigneeva (II Moskovskii Meditsinskii Institut, Moskovskii Meditsinskii Stomatologicheskii Institut, Moscow, USSR) *Vrachebnoe Delo*, Apr. 1982, p. 56-61. In Russian.

**A82-35667 † The determination of capillary resistance (Ob opredelenii rezistentnosti kapillarov).** L. K. Dzhanan (Ministerstvo Zdravookhraneniia SSSR, Vsesoiuznyi Nauchno-Issledovatel'skii Institut Gigieny i Toksikologii, Pestitsidov, Polimernykh i Plasticheskikh Mass, Kiev, Ukrainian SSR) *Vrachebnoe Delo*, Apr. 1982, p. 64-66. 8 refs. In Russian.

An objective method for studying the durability and permeability of capillaries in the skin is presented. The method is based on electrical pumping and a vacuum manometer to create a negative pressure of a known magnitude over an area of skin in the lower third of the forearm, computation of the quantity of petechiae produced allows the estimation of capillary resistance. Use of the present method in the evaluation of workers in forestry and the woodworking industry exposed to formaldehyde and styrene has demonstrated its usefulness in monitoring the course of treatment for contact dermatitis. A L W

**A82-35668 † Investigation of the functional state of the central nervous system and the motor apparatus for various regimes of rest and physical exercise (Issledovanie funktsional'nogo sostoiianiia ts. n. s. i dvigatel'nogo apparata v usloviakh razlichnykh rezhimov otdykh i fizicheskoi nagruzki).** P. L. Levakovskii (Lutskii Gosudarstvennyi Pedagogicheskii Institut, Lutsk, Ukrainian SSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 31. In Russian.

**A82-35669 † Dynamics of blood flow rate in athletes upon changes in environmental conditions (Dinamika skorosti krovotoka u sportsmenov pri izmenenii uslovii uneshnei sredy).** P. K. Prusov, N. G. Kartashov, and N. K. Snesarev (Vitebskii Oblastnoi Vrachebno-Fizkul'turnyi Dispanser, Vitebsk, Belorussian SSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 29-31. 7 refs. In Russian.

The response of the blood flow rate of athletes and its daily and seasonal variation to changes in environmental and geographical conditions is investigated. The method of oxyhemometry was used to assess blood flow rates in the pulmonary-aural circulatory branch in adult track and field athletes under lowland conditions and in the 23 days following ascent to 1600 m altitude, and in swimmers aged 11 to 12 having relocated from their homes in the European part of the Soviet Union to Sakhalin Island. Blood flow is observed to accelerate in the initial period of altitude acclimatization, in geographically acclimatized persons in the winter and spring-summer periods, and following exercise training conducted for several days in a row. Blood flow slows during the period of reacclimatization to lowland conditions, and in the morning hours as compared with the evening. The demonstrated variability of blood flow rate is thus concluded to be a factor which must be taken into account in the evaluation of the state of training of an athlete. S C S

**A82-35670 † Characteristics of hemopoiesis in athletes undergoing endurance-training (Osobennosti krovotvoreniia u sportsmenov, treniruushchikhsia na vyнослиvost').** L. A. Matvienko (Gomel'skii Politekhnikeskii Institut, Gomel, Belorussian SSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 27-29. 5 refs. In Russian.

**A82-35671 † Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue (Izmenenie biomekhanicheskikh**

**kharakteristik bega na 800m pod vlianiem utomleniia).** V. V. Tiupa, Iu. G. Travin, F. A. Guseinov, and F. P. Riabintsev (Moskovskii Institut Narudnogo Khoziaistva, Gosudarstvennyi Tsentral'nyi Institut Fizicheskoi Kul'tury, Moscow, USSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 20-23. 9 refs. In Russian.

**A82-35672 † Discriminative biomechanical characteristics in middle-distance running (Diskriminativnye biomekhanicheskie kharakteristiki pri bega na srednie distantsii).** V. M. Zatsiorskii, N. A. Iakunin, and N. G. Mikhailov (Gosudarstvennyi Tsentral'nyi Institut Fizicheskoi Kul'tury, Moscow, USSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 14-17. 19 refs. In Russian.

The mechanical energy expended by middle-distance runners of varying ability is determined. The way in which the biomechanical characteristics (in particular, of vertical, horizontal, and total external mechanical work) change during middle-distance running is described. It is found that when long strides are taken and high speeds are involved, runners of great ability expend considerably less energy in displacing 1 kg of weight through 1 m than runners of lesser ability. Running 1,000 m entails an insignificant increase in the vertical work and moderate changes in the horizontal work performed. C R

**A82-35673 † Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes (Spetsializirovannaya laboratoriya dlia uchebno-issledovatel'skoi raboty studentov i psikhodiagnosticheskogo obsledovaniia sportsmenov).** A. G. Barabanov, O. N. Mazurov, S. V. Sumerkin, and S. G. Shinkarev (Krasnodarskii Gosudarstvennyi Institut Fizicheskoi Kul'tury, Krasnodar, USSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 48, 49. In Russian.

**A82-35674 † An empirical equation of elementary motion (Empiricheskoe uravnenie elementarnogo dvizheniia).** P. N. Khlomenok, Zh. K. Kholodov, and A. P. Khlomenok (Moskovskii Oblastnoi Gosudarstvennyi Institut Fizicheskoi Kul'tury, Moscow, USSR) *Teoriia i Praktika Fizicheskoi Kul'tury*, Apr. 1982, p. 12-14. 14 refs. In Russian.

An approach based on the black box method is used to obtain an empirical equation describing the motion of man. The approach involves experimental determination of the temporal characteristics of the repeated motion of man, selection, with the aid of an analog computer, of a simple model with the same temporal characteristics, mathematical description of the model, i.e., derivation of an empirical equation, and validation of the equation. The study has yielded a model described by a second-order linear differential equation with a delay term. The model can be used in simulators and for complex motion synthesis. V L

**A82-35676 † The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation (Diagnostika i lechenie narushenii ritma serdtsa - Rol' metoda vnutriserdechnogo elektrofizicheskogo issledovaniia).** A. S. Smetnev, S. P. Golitsyn, and S. F. Sokolov (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR) *Kardiologiya*, vol. 22, May 1982, p. 38-42. 12 refs. In Russian.

Studies of electrophysiological mechanisms and diagnostic criteria for the more frequent reciprocal tachycardias are discussed: sino-atrial, atrial, atrioventricular nodal, tachycardias in Wolff-Parkinson-White syndrome, ventricular tachycardia, and rhythm disorder caused by automatic activity of the ectopic focus. The problem of assessing antiarrhythmic drugs is examined, along with the problem of the differentiated treatment of rhythm disorders. Finally, the role of electrophysiological studies in the choice of individual medicinal therapy for patients with heart arrhythmias is considered. B J

**A82-35677 † The role of stress in the pathogenesis of ischemic heart disease (Rol' stressa v patogeneze ishemicheskoi boleznii serdtsa).** F. Z. Meerson, M. G. Pshennikova, and A. A. Ugolev (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR) *Kardiologiya*, vol. 22, May 1982, p. 54-61. 47 refs. In Russian.

**A82-35678 † The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm (Pervyi opyt klinicheskogo primeneniia novogo otechestvennogo antiaritmicheskogo preparata - dietilaminovogo analoga etmozina - u bol'nykh s razlichnymi narusheniami ritma serdtsa).** Kh. Kh. Shugushev, A. S. Smetnev, L. V. Rozenshtaukh, and N. V. Kaverina (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR) *Kardiologiya*, vol. 22, May 1982, p. 71-75. In Russian.

**A82-35679 † The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart (Vlianie nitroglicerina na funktsional'noe sostoianie levogo zheludochka u bol'nykh ostrym infarktom miokarda po dannym ul'trazvukovogo issledovaniia serdtsa).** L. O. Ivanishvili and I. Iu. Ashmarin (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR) *Kardiologiya*, vol. 22, May 1982, p. 91-96. 25 refs. In Russian.

**A82-35680 † Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion (Novoe v otsenke distrofii miokarda vsledstvie khronicheskogo fizicheskogo perenapriazhenia u sportmenov).** E V Zemstovskii and A A Uderman (Institut Fizicheskoi Kul'tury, Leningrad, USSR) *Kardiologiya*, vol 22, Apr 1982, p 20-23 9 refs In Russian

It is noted that the diagnosis of myocardial dystrophy in athletes is at present based exclusively on electrocardiographic criteria, that is, on detecting irregularities in the repolarization of heart ventricles. It is pointed out, however, that athletes subjected to extremely demanding regimens can develop heart rhythm disorders, the most common of which are extrasystole and arrhythmia of the 'suppressed sinoatrial node'. Since studies have shown that repolarization irregularities are often accompanied by heart rhythm disorders, it is thought that the latter may indicate myocardial dystrophy. The various types of dystrophy, which differ from one another in the changes that occur in the function and shape of the myocardium, are discussed. Attention is also given to the similarity in the changes that occur in indicators of myocardial shape and heart rhythms during ventricle repolarization irregularities and extrasystole and migration of the rhythm leader. The possibility of interpreting these irregularities in rhythm as symptoms of myocardial dystrophy is considered. C R

**A82-35681 † Electrocardiographic diagnosis of the chronic pulmonary heart (Elektrokardiograficheskaya diagnostika khronicheskogo legochnogo serdtsa).** L N Matveev (Moskovskii Meditsinskii Stomatologicheskii Institut, Moscow, USSR) *Kardiologiya*, vol 22, Apr 1982, p 26-30 17 refs In Russian

**A82-35682 † The pharmacokinetic characteristics of trimecain as compared to lidocain in patients with myocardial infarction (Farmakokineticheskie kharakteristiki trimekaina v sravnenii s lidokainom u bol'nykh infarktom miokarda).** V K Piotrovskii, E B Smirnova, O S Riabokon', and V I Metelitsa (Akademiya Meditsinskikh Nauk SSSR, Moscow, USSR) *Kardiologiya*, vol 22, Apr 1982, p 62-65 6 refs In Russian

**A82-35683 † Mechanisms of the development of hypersensitivity to strophanthin in experimental myocardial infarction and its pharmacological correction (Mekhanizmy razvitiya giperchuvstvitelnosti k strofantinu pri eksperimental'nom infarkte miokarda i ee farmakologicheskaya korektsiia).** E I Gendenshtein and L N Sernov (Mordovskii Gosudarstvennyi Universitet, Saransk, USSR) *Kardiologiya*, vol 22, Apr 1982, p 65-69 15 refs In Russian

**A82-35684 † Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test (O redkikh sluchaiakh tiazhelykh narushenii ritma serdtsa pri gipoksicheskoi funktsional'noi probe).** V B Malin and V I Plakhatniuk *Kardiologiya*, vol 22, Apr 1982, p 92-95 23 refs In Russian

Cases of reversible heart stoppage in persons undergoing hypoxia at simulated altitude to measure cardiovascular adaptive capabilities are presented. Tests were performed on apparently healthy men breathing a hypoxic gas mixture at a simulated altitude of 5000 m while EKGs, arterial pressure, EEGs, respiratory rate and general condition were monitored. In about 6% of the subjects examined, physiological changes characteristic of unstable, ineffective adaptation were found, which were marked in about 3% by a pronounced bradycardia and disturbances in heart rhythm. In rare cases, sinus bradycardia was accompanied by ventricular asystole lasting from 3 to 34 sec. Sinus rhythm was restored by oxygen breathing in all but one case, where fibrillation developed. Sinus bundle arrest was also observed following sinus arrhythmia at a normal heart rate. The disturbances are attributed to a breakdown in neurohumoral regulation under conditions of reduced hypoxia tolerance. The occurrence of the serious instances in apparently healthy subjects is argued to require the presence of a specially trained physician to stop the test and provide immediate aid in such situations. S C S

**A82-35687 † Cultivation of the luminescent bacterium Photobacterium leiognathi with control by luminescence (Kul'tivirovanie svetiaschikhsia bakterii Photobacterium leiognathi s regulirovaniem luminesentsii).** V V Zavoruev and V V Mezhevikin (Akademiya Nauk SSSR, Institut Fiziki, Krasnoyarsk, USSR) *Mikrobiologiya*, vol 51, Mar-Apr 1982, p 224-229 8 refs In Russian

**A82-35688 † State of the hearing function in diesel locomotive crewmen (Sostoianie slukhovoii funktsii u pabotnikov teplovoznykh brigad).** M M Buzinnik, V P Nechiporenko, G F Boiarskii, and V F Chumakov (Donetskii Meditsinskii Institut, Donetsk, Kievskii Gosudarstvennyi Institut Usovshenstvovaniia Vrachei, Yasinovataya, Ukrainian SSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 17-20 6 refs In Russian

**A82-35689 † The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection (Primenenie trentala pri**

**ostrykh vestibulo-kokhlearnykh narusheniakh u bol'nogo s menin-gokokovoi infektsiei).** R M Shaimardanov (Kuibyshevskii Meditsinskii Institut, Kuibyshev, USSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 76, 77 In Russian

**A82-35690 † Postural vertigo as a specific symptom of Meniere's disease (Pozitsionnoe golovokruzhenie kak osobennost' proiavleniia bolezni Men'era).** G G Lapshina (Kuibyshevskii Meditsinskii Institut, Kuibyshev, USSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 75, 76 In Russian

**A82-35691 † Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation (Klassifikatsiia vestibularnykh narushenii v zavisimosti ot fazy bolezni i stepeni kompensatsii vestibularnoi funktsii).** N S Blagoveshchenskaya (Akademiya Meditsinskikh Nauk SSSR, Moscow, USSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 57-63 7 refs In Russian

Consideration is given to factors other than the site of the lesion affecting the symptomatology of vestibular disorders. On the basis of clinical evidence, it is shown that the severity of vestibular symptoms depends to a significant extent on the phase of the disease, whether acute, subacute, chronic or residual, and on the degree of compensation. Vestibular disorders are then divided into three groups as a function of these factors: (1) the decompensated stage with the predominance of whole brain stem vestibular symptoms, found in coma and the recovery from coma; (2) the decompensated state with the predominance of vestibular symptoms, in which an asymmetry is noted in vestibular tests and vestibulo-autonomic and vestibulo-sensory reactions are elevated; and (3) the compensated state, where vestibular reactions are symmetrical, experimental nystagmus is inhibited or normalized, and vestibulo-autonomic and vestibulo-sensory reactions are reduced. It is noted that whereas central vestibular syndromes may fall into any of the above classifications, peripheral vestibular syndromes are restricted to the latter two. S C S

**A82-35692 † The use of nondamping sinusoidal rotation in the study of vestibular function (O primeneniі nezatukhaushchego sinusoidal'nogo vrashcheniia dlia issledovaniia vestibularnoi funktsii).** E V Lapaev and O A Vorob'ev *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 11-17 25 refs In Russian

The qualitative and quantitative characteristics of nystagmus induced in healthy persons by nondamping sinusoidal rotation are examined. Horizontal nystagmus was measured by electronystagmometry in 49 subjects aged 25 to 45 experiencing sinusoidal rotation in a rotating chair programmed for various angular velocities and accelerations. At rotation periods greater than 10 sec, the change in nystagmus direction is observed to occur before the pause between rotation in opposite directions, with the magnitude of the phase advance proportional to the rotational period. A definite asymmetry in the phase advance is observed in normal subjects, and a more marked asymmetry in persons with certain disorders. It is concluded that tests with nondamping sinusoidal rotation provide an additional means for characterizing the phase relation between the nystagmus reaction and the stimulus, allowing the study of vestibular function. S C S

**A82-35693 † Characteristics of brain electric activity in different otoneurologic syndromes with vestibular asymmetry (Kharakteristika mozgovoi elektricheskoi aktivnosti pri razlichnykh otonevrologicheskikh sindromakh, protekaiushchikh s vestibularnoi assimetriie).** Kh Kolchev (Bigarska Akademiya na Naukite, Tsentralna Laboratoriya za Izuchavane na Moz'ka, Sofia, Bulgaria) and Zh Vasileva (Meditsinska Akademiya, Sofia, Bulgaria) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Mar-Apr 1982, p 8-11 9 refs In Russian

**A82-35694 † Some questions open to discussion in clinical labyrinthology (Nekotorye diskussionnye voprosy klinicheskoi labirintologii).** V S Olisov (Leningradskii Sanitarno-Gigienicheskii Meditsinskii Institut, Leningrad, USSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Jan-Feb 1982, p 53-59 45 refs In Russian

Various aspects of the clinical characteristics and course of dysfunctions of the labyrinth organs of the inner ear are discussed. Four principle classes of labyrinthine disturbances - acute, primarily nonrecurring labyrinthine attacks, recurring episodes of vertigo termed Meniere's disease or syndrome, short-duration episodes of vertigo triggered by specific circumstances, and positional vertigo are distinguished, and questions as to the nature, existence and etiology of Meniere's disease and Meniere's syndrome are considered. Attention is then given to cochleo-vestibular disturbances of peripheral origin, and the merits of the two sets of terms used to describe such conditions, i.e. labyrinthopathy and vestibular or cochleo-vestibular syndrome, are discussed. Further efforts necessary to achieve an acceptable classification system for labyrinthine disorders are then indicated. S C S

**A82-35695 † Synchronized nystagmus calibrator (Sinkhronizirovaniy kalibrator nistagma).** I B Soldatov, L N As'kova, and R M Shaimardanov



(Kuibyshevskii Meditsinskii Institut, Kuibyshev, USSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Jan-Feb 1982, p 76, 77 5 refs In Russian

A synchronized nystagmus calibrator is proposed in which neon lamps light up intermittently at intervals continuously adjustable from 1 to 4 sec, the calibrator can also be used with the central lamp remaining lit. High precision in the operation of the instrument, essentially a symmetric long-pulse multivibrator, is achieved by using a stabilized power source. The continuous adjustment feature makes it possible to synchronize the lighting of the lamps with periodic changes in the corneoretinal potential by adjusting the lamp switching period in accordance with the chart recorder motion V L

**A82-35696 † Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages (Zabolevaniia verkhnikh dykhatel'nykh putei u moriakov transportnogo flota i ikh profilaktika v dal'nem plavanii).** A I Akulinin, V D Dragomiretskii, L M Shafran, and O V Diumin (Odesskii Meditsinskii Institut, Ministerstvo Zdravookhraneniia SSSR, Nauchno-Issledovatel'skii Institut Gigieny Vodnogo Transporta, Odessa, Ukrainian SSR) *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Jan-Feb 1982, p 35-40 12 refs In Russian

**A82-35697 † Caloric methods for stimulation of the vestibular apparatus /Survey of the literature/ (Kaloricheskie sposoby stimulatsii vestibularnogo apparata /Obzor literatury/)** V I Pivnikas *Zhurnal Ushnykh, Nosovykh i Gorlovykh Boleznii*, Jan-Feb 1982, p 80-85 64 refs In Russian

**A82-35698 † A day off in space (Vykhodnoi den' v kosmose)** P Pelekhov (Gosteleradio SSSR, USSR) *Soviet Soizuz*, Apr 1982, p 20, 21 In Russian

The ways in which cosmonauts arrange their personal time off from space tasks aboard the Salyut space stations are described. Attention is given to the frequent disruptions of rest time that characterize space flight, the choice of some cosmonauts to perform space tasks during their personal time, and housekeeping activities B J

**A82-35700 † Blood circulation in weightlessness (Krovoobrashchenie v nevesomosti)** O G Gazenko and A M Genin *Zdorovie*, no 4, 1982, p 10, 11 In Russian

The characteristics of blood circulation under conditions of weightlessness are discussed. The effects of normal gravity on the circulatory system are first considered, with particular attention given to the gravitational distention of vascular walls and the necessary increase in blood volume to fill the expanded vessels. The absence of gravity is then shown to be accompanied by a contraction of the distended vessels in the lower extremities, the loss of the hydrostatic blood store and the shift of blood and intercellular fluids to the upper part of the body, resulting in an impairment in cerebral circulation, increased load on the right ventricle and an increased risk of pulmonary insufficiency. Mechanisms of decreasing circulating blood volume under weightless conditions are then examined, and it is noted that disturbances of hemodynamics have not posed any serious dangers to space flights. Finally, adaptations in hemodynamics necessary upon return to earth following an extended-duration space flight are discussed along with methods used in flight to prevent hemodynamic disturbances A L W

**A82-35768 Conditioned tilt naming - A modified absolute judgment method is used to measure the oblique effect** E Matin, A Drivas, and V Valle (Long Island University, Greenvale, NY) *Perception and Psychophysics*, vol 31, no 5, May 1982, p 421-428 25 refs Grant No NIH-R01-EY-02951

Two naive human observers were conditioned to report on the slant of a 3.8-cpd sinusoidal grating viewed monocularly with a light-adapted eye and presented at various orientations extending from -45 to +135 deg. The procedures used yielded a baseline measure of performance and measures obtained during conditioning, extinction, and reconditioning of the tilt-naming response. Both subjects learned rapidly, achieving a level of performance that permits efficient measurement of meridional differences in perceived orientation (the oblique effect) at a large number of angles (Author)

**A82-35769 \* Mass estimation and discrimination during brief periods of zero gravity** H E Ross (Stirling, University, Stirling, Scotland) and M F Reschke (NASA, Johnson Space Center, Neuroscience and Behavior Laboratory, Houston, TX) *Perception and Psychophysics*, vol 31, no 5, May 1982, p 429-436 30 refs Research supported by the Medical Research Council of England

Under zero gravity, the gravitational cues to mass are removed, but the inertial cues remain. A sensation of heaviness is generated if objects are shaken, and hence given a changing acceleration. A magnitude estimation experiment was conducted during the 0-G phase of parabolic flight and on the ground, and the results suggested that objects felt lighter under 0 G than under 1 G. Mass discrimination was also measured in flight, and yielded Weber fractions of 18 under 0 G, 16 under 1.8 G, and 09 under 1 G. Poor performance under microgravity and macrogravity was probably due mainly to lack of time for adaptation

to changed G levels. It is predicted that discrimination should improve during the course of prolonged spaceflight, and that there should be an aftereffect of poor discrimination on return to earth (Author)

**A82-35809 The measurement of heart rate variability spectra with the help of a personal computer.** O Rompelman, C J Van Spronsen (Delft, Technische Hogeschool, Delft, Netherlands), and J B I M Snijders (Staatsbedrijf der Posterijen, Telegrafie en Telefonie, Leidschendam, Netherlands) *IEEE Transactions on Biomedical Engineering*, vol BME-29, July 1982, p 503-510 14 refs

The analysis of fluctuations in heart rate or heart rate variability (HRV) has found applications in, among others, the study of the neural cardiovascular system and ergonomic psychology. In particular, the study of the frequency components of HRV is becoming increasingly important. A method for the computation of HRV spectra directly from the heart beat event series as derived from the electrocardiogram has been developed. Because of the computational efficiency achieved, this method is implemented on a personal computer. Apart from an external QRS detector, a completely stand-alone system is realized. User interaction takes place on a menu card display basis. The system can operate at both real time and up to eightfold increased speed. The resultant spectra are displayed as histograms. Different ways of smoothing and segment averaging are possible (Author)

**A82-35810 Measurement of eye movement with a ferromagnetic contact ring.** Y Y Zeevi and J Ish-Shalom (MIT, Cambridge, MA) *IEEE Transactions on Biomedical Engineering*, vol BME-29, July 1982, p 511-522 14 refs Research supported by the United States-Israel Binational Science Foundation, Technion - Israel Institute of Technology, and Massachusetts Institute of Technology

A new magnetic method for measurement of eye movement is presented. It is based on measurement of differential inductance variations of two C-shaped coils due to the movement of a conical ferromagnetic ring which fits on the sclera. High sensitivity over a wide dynamic range is obtained by using a tuned bridge and synchronous detector. Separation of the detector coils from the magnetic field source improves the resolution and stability, and enables a two-dimensional measurement with one pair of C-coils (Author)

**A82-35811 Auditory perception of radio-frequency electromagnetic fields.** C-K Chou, A W Guy (Washington, University, Seattle, WA), and R Galambos (California, University, La Jolla, CA) *Acoustical Society of America, Journal*, vol 71, June 1982, p 1321-1334 55 refs U.S. Department of Education Grant No. G0080003029, Contract No. N00014-80-C-0354

Absorption of pulsed microwave energy can produce an auditory sensation in human beings with normal hearing. The phenomenon manifests itself as a clicking, buzzing, or hissing sound depending on the modulatory characteristics of the microwaves. While the energy absorbed and the resulting increment of temperature per pulse at the threshold of perception are small, most investigators of the phenomenon believe that it is caused by thermoelastic expansion. In this paper, literature that describes psychological, behavioral, and physiological observations as well as physical measurements pertinent to the microwave-hearing phenomenon is reviewed (Author)

**A82-35826 † Physiological adaptations and maintenance of vegetative homeostasis (Fiziologicheskie adaptatsii i podderzhanie vegetativnogo homeostaza).** A D Slonim (Akademiia Nauk Kirgizskoi SSR, Institut Fiziologii i Eksperimental'noi Patologii Vysokogoria, Frunze, Kirgiz SSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 355-361 41 refs In Russian

The current status of the theory of physiological adaptations is reviewed, and the basic premises underlying the study of such adaptations are examined. Attention is given to two fundamental mechanisms for the formation of stability: non-specific, associated with the appearance of stress reaction, and specific, characterized by an increase and mutual substitution of functions maintaining homeostasis at all levels of physiological integration. Energy sources for adaptation and the involvement of systems of the organism in individual increases of stability are examined. A global energy factor of adaptation, applicable to the main physiogeographical regions, is developed B J

**A82-35827 † A classification of behavioral adaptation (Klassifikatsiia povedencheskoi adaptatsii)** V I Medvedev (Voenno-Meditsinskaya Akademiia, Leningrad, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 362-374 10 refs In Russian

A classification of the types of the behavioral adaptation of man is presented and briefly explained. Four main classes of such adaptation are delineated: (1) preventive (including overall change of activity, avoidance reaction, and active search for a preferendum), (2) stabilizational (including the conservation of the general structure of behavior and changes of the structure of behavior), (3) socially conditioned forms of behavior, and (4) psychologically conditioned forms of behavior (individual and group) B J

**A82-35828 † Human adaptation in arid regions (Adaptatsiia cheloveka v aridnoi zone)** F F Sultanov and A I Freink (Akademiia Nauk

Turkmen SSR, Ashkhabad, Turkmen SSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 375-388 35 refs In Russian

Mechanisms of human adaptation to desert conditions are examined on the basis of a systems analysis of the complex of reactions developing under the effect of the natural climatic factors of the arid region on the organism. Groups of specific and nonspecific elements of urgent protection against overheating in desert conditions are delineated, and the interaction of these groups of elements is considered. The separation of factors into primary (directed at protection against overheating) and secondary (directed at the compensation of the effect of primary factors) makes possible a more adequate evaluation of the degree of adaptability of physiological processes in arid regions. A classification is presented of methods of acclimatization in arid regions, with allowance for the underlying physiological mechanisms B J

**A82-35829 † Stages of the adaptation of human lungs in conditions of the Far North (Stadii adaptatsii legkikh cheloveka v usloviakh Krainego Severa)** A P Avtsyn and A P Milovanov (Akademiya Meditsinskikh Nauk SSSR, Moscow, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 389-398 51 refs In Russian

A survey is presented of studies of respiratory adaptation to Arctic conditions. Several stages of adaptation are delineated which depend on various levels of bronchial permeability, ventilation, ventilation-perfusion relationships, and systolic pressure of the lung artery system: the stage of adaptive strain of the lungs (the first three to six months of living in the Far North), the stage of stabilization (after one-and-one-half to three years), the stage of adaptedness (three to ten or fifteen years), and the stage of deadaptation (which can occur during any of the aforementioned stages). Problems of developing a terminology for describing respiratory adaptation to Arctic conditions are considered, and possible future directions of Arctic pulmonology are discussed B J

**A82-35830 † Regional changes of pulmonary functions in inhabitants of the North (Regionalnye izmeneniya funktsii legkikh u zhitelei Severa)** L N Matveev, A G Marachev, and S N Medvedev (Moskovskii Meditsinskii Stomatologicheskii Institut, Akademiya Meditsinskikh Nauk SSSR, Moscow, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 399-406 36 refs In Russian

Tetrapolar rheopneumopulmonography was used to study ventilation and pulmonary circulation in 249 healthy persons: 162 from the northeastern USSR and 87 from Moscow. It is found that northerners, compared to Muscovites, have increased perfusion and ventilation of the middle zones constituting the functional reserve of the lungs, along with a decrease in the ventilation volume of the lower zones. Morphometric studies have shown a hypertrophy of the muscle layer at various bronchial levels. It is suggested that an increase in the volume of bronchial blood circulation is directed at the maintenance of the temperature-control effect of the respiratory tract B J

**A82-35831 † The bioenergetics of erythrocytes in inhabitants of the North (Bioenergetika eritrotsitov u zhitelei Severa)** A G Marachev, V I Sorokovoi, A V Kornev, L N Matveev, E P Brusovani, and L N Khromov (Akademiya Meditsinskikh Nauk SSSR, Moscow, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 407-415 48 refs In Russian

Tests were performed on 210 inhabitants of the Magadan region of the USSR in order to study the bioenergetics of erythrocytes under Arctic conditions. It is shown that the erythrocytes of the peripheral circulation of Arctic inhabitants have lower levels of ATF, common and reduced glutathione, and catalase and glutathione peroxidase activity than those of inhabitants of temperate regions. The lipids of erythrocyte membranes of Arctic inhabitants are characterized by an increased quantity of unsaturated fatty acids and a considerable increase in the rate of nonenzymatic peroxidation. Here the erythrocyte morphology is characterized by an increased cell size, a marked polymorphism, and increased echinocyte population. These results are discussed in the light of possible reasons for the premature aging of erythrocytes B J

**A82-35832 † The hemostasis system in man in high-altitude conditions (Sistema gemostaza u cheloveka v usloviakh vysokogor'ia)** V A Isabaeva and T A Ponomareva (Akademiya Nauk Kirgizskoi SSR, Institut Fiziologii i Eksperimental'noi Patologii Vysokogor'ia, Frunze, Kirgiz SSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 416-430 68 refs In Russian

The literature of functional changes of the human hemostasis system in high-altitude conditions is reviewed. A detailed analysis is presented of variations of blood coagulation in cases of individual adaptation to various high-altitude regions (Tien Shan, Pamir, the Caucasus, and the Himalayas). It is shown that the adaptive reaction of hemostasis is a phase process of hyper/hypocoagulational character. A systematic review is presented of data on the role of separate components of the hemostasis system (procoagulants, anticoagulants, thrombocytes, and fibrinolysis), and their interrelationships in the case of chronic high-altitude hypoxia. The role of hemostasis as an important homeostatic system in adaptation to high-altitude conditions is emphasized B J

**A82-35833 † Psychophysiological analysis of periodic oscillations of performance quality within the limits of a work cycle (Psikhofiziologiches-**

**kii analiz periodicheskikh kolebaniy kachestva deiatel'nosti v predelakh trudovogo tsikla)** G M Zarakovski, A M Karpukhina, and V A Salamatov (Ministerstvo Prosveshcheniya Ukrainoi SSR, Nauchno-Issledovatel'skii Institut Psikhologii, Kiev, Ukrainian SSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 431-444 31 refs In Russian

The paper examines the theoretical principles underlying experimental results on periodic oscillations of various quality indices of work performance and the level of the nonspecific activation of the central nervous system. It is suggested that oscillatory processes within the limits of a work cycle have a compensatory-adaptive character, providing for the maintenance of the necessary working level of the functioning of various physiological and psychic systems by the alternation of the degree of their activation. A practical result of the present study may be an increase in the reliability of the monitoring of the vigilance level of human operators B J

**A82-35834 † Omega potential: Quantitative index of states of brain and organism structures. I - The physiological significance of the omega potential when it is recorded from deep structures and from the scalp (Omega-potentsial: Kolichestvennyi pokazatel' sostoiiani struktur mozga i organizma. I - O fiziologicheskoi znachimosti omega-potentsiala pri registratsii ego s glubokikh struktur i s poverkhnosti kozhi golovy).** V A Ilukhina (Akademiya Meditsinskikh Nauk SSSR, Leningrad, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 450-456 20 refs In Russian

**A82-35835 † Fatigue and the adaptive possibilities of the organism during work (Utomlenie i adaptatsionnye vozmozhnosti organizma v protsesse truda)** B N Petukhov, N S Udarova, O A Likhacheva, and L P Stepanova (Goskomtrud SSSR, Nauchno-Issledovatel'skii Institut Truda, Moscow, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 457-462 13 refs In Russian

Experimental results are presented concerning the adaptation of the human body to various elements of a work environment. Physiological and psychological studies relating to work-related fatigue were made on beginning workers and experienced workers. It is found that the incidence of fatigue among the former is more marked than among the latter. Particular attention is given to those types of work wherein only moderate fatigue arises, and workers become physiologically and psychologically adapted to the conditions of their work, developing a general nonspecific resistance B J

**A82-35836 † Evaluation of the functional state existing in the adaptation to high-altitude conditions (Otsenka funktsional'nogo sostoiiani pri adaptatsii k usloviyam vysokogor'ia)** A D Aidaraliev, V M Iakovlev, and D M Imanaliev (Akademiya Nauk Kirgizskoi SSR, Institut Fiziologii i Eksperimental'noi Patologii Vysokogor'ia, Frunze, Kirgiz SSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 463-468 16 refs In Russian

Tests were conducted on marathon runners during 1979-1980 as they were training on flat land and in medium- and high-altitude conditions (1700 and 2800 meters above sea level) in order to study their adaptation to high-altitude conditions. The adaptive responses were analyzed on the basis of Baevskii's index, characterizing strain placed on the bioregulation systems, the Arinchin-Sytn indices concerning the degree of stress on the heart and blood vessels, and the Mirakhimov-Aidaraliev index concerning the quality of the adaptive response in high-altitude conditions. It is shown that these indices complement the general-physiological criteria for human adaptability to extreme physical stress in high-altitude conditions and make it possible to obtain information necessary for the compensation of individual loads B J

**A82-35837 † Strain on the regulation systems as a condition of successful adaptation to heat (Napriazhenie sistem regulatsii kak uslovie uspesnoi teplovoi adaptatsii)** A T Mar'ianovich (Voenno-Meditsinskaya Akademiya, Leningrad, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 477-480 11 refs In Russian

Experimental results are presented on the acclimatization of 14 healthy persons to a hot, dry environment. It is shown that the necessary conditions of successful adaptation to heat under discontinuous heat stress is a relationship between the time of exposure to the hot environment and periods between exposures that provides for a marked disruption of thermal homeostasis towards the end of the last exposure. It is also shown that the total duration of the series of discontinuous exposures, leading to a heightened tolerance to heat, is roughly equal to the time of adaptation in the case of continuous daily exposures lasting several hours B J

**A82-35838 † Seasonal variations of human cardiorespiratory indices in the North (Sezonnyye izmeneniya kardiorespiratornykh pokazatelei u cheloveka na Severe).** V G Evdokimov and A T Ketkin (Akademiya Nauk SSSR, Institut Biologii, Syktyvkar, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 481-488 36 refs In Russian

**A82-35839 † Dependence of reactions of the organism to extremal factors on initial state (Zavisimost' reaktsii organizma na ekstremal'nye**

**factory of iskhodnogo sostoianniia)** V P Zagladskii and Z K Sulimo-Samuilo (Akademiia Nauk SSSR, Institut Evoliutsionnoi Fiziologii i Biokhimi, Leningrad, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 496-498. In Russian.

Reactions to physical stress, hypoxemia, and high environment-temperature were tested on two groups of subjects with different levels of initial indices of external respiration and of the cardiovascular system. It is shown that the initial value of the above indices in a state of relative rest determines the character of subsequent reactions. Thus, persons with initial indices at the upper limit of the physiological norm showed less marked reactions to the extremal factors and a longer period for their recovery than subjects whose indices were below this limit. It is suggested that the initial values of certain indices can be used to predict the reaction of the organism to various extremal factors. B J

**A82-35840 1 Rate of change of physiological functions as an index of the degree of adaptation (Skorost' izmeneniia fiziologicheskikh funktsii kak pokazatel' vyrazhennosti adaptatsii).** N V Zgodia (Voenno-Meditsinskaiia Akademiia, Leningrad, USSR) *Fiziologiya Cheloveka*, vol 8, May-June 1982, p 504-506. In Russian.

The possibility of using the rate of change of physiological functions as an index of the degree of human adaptation to some extremal condition is examined. It is shown that the rate of change of physiological parameters varies in a regular manner in the adaptation of hypoxia (which is used here as an example of an extremal factor) in the transition period as well as in the stabilization regime. It is therefore concluded that the rate of change of physiological functions can serve as an index of the degree of adaptation. B J

**A82-35901 Head-temperature effects on physiology, comfort, and performance during hyperthermia.** S A Nunneley, D C Reader, and R J Maldonado (USAF, School of Aerospace Medicine, Brooks AFB, TX) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 623-628. 23 refs.

The effects of head temperature on comfort, cognitive performance and reaction time, and body temperature are evaluated under hyperthermic conditions in subjects whose head and body temperatures were controlled separately by the use of liquid-conditioned garments. Subject performance on a manikin task, and skin, esophageal and rectal temperatures were measured during two heating and cooling cycles incorporating all four possible combinations of head and body heating and cooling. The temperature of the cap covering the subject's head, which varied from 8 to 43 C, is found not to affect rectal temperature, however significantly altered the rate of change of the esophageal temperature. Head temperature is also observed to be a major determinant of subjective comfort as the temperature of the garment covering the body varied between 30 and 43 deg. Body heating tended to shorten reaction time and decrease accuracy, while head cooling reversed these trends. It is concluded that head cooling deserves serious consideration as a means for optimizing operator performance in hot environments. A L W

**A82-35902 Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia.** C L Schatte and M M Mathias (Colorado State University, Fort Collins, CO) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 629-632. 25 refs. Contract No. N00014-76-C-0437.

Weanling male rats were fed a semipurified diet containing 10, 20, 40 or 60% of calories as fat having a constant polyunsaturated/saturated fatty acid ratio of 0.7. After 21-28 days of feeding, animals from each treatment group were exposed to pure oxygen at one atmosphere absolute for up to 72 h. Some animals were sacrificed after 0 or 48 h of oxygen exposure and lung tissue analyzed for the activities of the hexose monophosphate shunt and prostaglandin dehydrogenase/reductase. Other animals were exposed to hyperoxia until death. With increasing dietary fat content, the pre-exposure activities of the two enzymes decreased and oxygen-induced mortality increased. There was no dietary effect on enzyme activities after 48 h of hyperoxia. It was concluded that both dietary fat content and the pre-exposure activity of prostaglandin dehydrogenase/reductase influenced the relative susceptibility to pulmonary oxygen poisoning. (Author)

**A82-35903 Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypertension and incapacitation.** G A Mickley, H Teitelbaum, G A Parker, F Vieras, B A Dennison, and C H Bonney (U.S. Armed Forces Radiobiology Research Institute, Bethesda, MD) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 633-638. 31 refs.

The Armed Forces Radiobiology Research Institute's linear accelerator was used to expose rats to high-energy electron radiation. The purpose of the study was to investigate both radiogenic blood pressure and performance changes in a strain of rat bred for hypertension (spontaneously hypertensive rat - SHR) in order to determine if high blood pressure might attenuate early transient incapacitation (ETI). Although male SHRs experienced a severe drop in blood pressure, much of the data is inconsistent with the hypothesis that hypotension causes performance decrements. In an additional series of studies, blood volume and serum chemistry data were examined. Male SHRs were significantly higher than normotensive controls on several blood chemistry determinations. Exposure to

ionizing radiation tended to enhance these differences. These results could not be explained on the basis of radiogenic blood volume fluctuations. B J

**A82-35904 \* Measurement of cardiopulmonary performance during acute exposure to a 2440-m equivalent atmosphere.** B M Levitan (NASA, Johnson Space Center, Physiological Performance Laboratory, Technology, Inc., Houston, TX) and M W Bungo (NASA, Johnson Space Center, Physiological Performance Laboratory, Houston, TX) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 639-642. 17 refs. Contract No. NAS9-14880.

Each of 20 subjects (ranging in age from 18 to 38 years, 15 being male, five female) was given two Bruce Protocol symptom-limited maximum treadmill stress tests, breathing sea-level compressed air (20.9% O<sub>2</sub>) for one test and a 2440-m equivalent (15.5% O<sub>2</sub>) for the other. A significant difference was found to exist between measured VO<sub>2</sub> max (p less than 0.0002) and exercise time (p less than 0.0004) for the two conditions. No significant differences were observed in heart rate or the recovery time to a respiratory quotient of less than 1. Hemoglobin saturation, as measured by an ear oximeter, averaged 95% for sea-level and 91% for the 2440-m equivalent gases. These results support a 2440-m equivalent contingency atmosphere in the Space Shuttle prior to donning a low-pressure suit for the purpose reducing nitrogen washout times. B J

**A82-35905 \* Investigation of the combined effects of bedrest and mild hypoxia.** J M Waligora, D J Horrigan, Jr., Michael W Bungo, and J Conkin (NASA, Johnson Space Center, Environmental Physiology Laboratory, Houston, TX) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 643-646. 11 refs.

Subjects were exposed to an 8-h mild hypoxia exposure (8000 ft. equivalent, 2438 m) with and without a 28-h period of 6 deg head-down bedrest. Anticipated responses to the bedrest and the hypoxia were observed. There was no indication that bedrest affected the arterial oxygenation or the oxygen gradient across the lungs of the subjects undergoing mild hypoxia. It is concluded that there is no evidence that would preclude an alveolar O<sub>2</sub> pressure as low as 69 torr during contingency spacecraft operation. (Author)

**A82-35906 Postural stability during slow-onset and rapid-onset hypoxia.** D E Holness, W D Fraser, D E Eastman, J A G Porlier, and M A Paul (Defence and Civil Institute of Environmental Medicine, Downsview, Ontario, Canada) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 647-651. 21 refs.

The standing steadiness and postural tremor of seven male volunteers were examined during slow and rapid induction of hypoxia. Spectrum analysis of position coordinates and tremor data generated from a quartz multicomponent force measuring platform and a tremor transducer showed that postural tremor and anteroposterior sway increased significantly during hypoxia. Rate of onset of hypoxia, however, did not affect the development of the increased tremor, whereas rapid-onset hypoxia consistently induced a greater anteroposterior sway than slow-onset hypoxia. Lateral sway was not affected by either slow- or rapid-onset hypoxia, however, it was significantly greater when eyes were closed compared to when they were opened. Anteroposterior sway was also significantly greater when visual cues were eliminated during both slow- and rapid-onset hypoxia. Heart rate and cardiac index of subjects increased significantly during both conditions of hypoxia. (Author)

**A82-35907 \* Effect of orthostatic stress on exercise performance after bedrest.** V A Convertino, D J Goldwater, and H Sandler (NASA, Ames Research Center, Biomedical Research Div., Moffett Field, CA) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 652-657. 34 refs.

The cardiorespiratory responses to supine against upright exercise were compared to determine the orthostatic effects of gravity on exercise performance following bedrest. Five healthy male subjects underwent seven days of continuous bedrest. A deconditioning effect was manifested by significant increases in ventilation volume, carbon dioxide production, respiratory exchange ratio, heart rate, heart rate-pressure product, and diastolic blood pressure during submaximal exercise following bedrest. The major finding from this study was that bedrest resulted in a general decrease in exercise tolerance, which was more stressful in the upright posture compared to the supine position, judging from specific submaximal cardiorespiratory responses to cycle ergometry. The data support the hypothesis that there is an orthostatic factor to the reduction in work tolerance following bedrest deconditioning, in addition to the effects caused by increased physical activity. B J

**A82-35908 Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant.** B A Hills (Texas University, Houston, TX) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 658-662. 27 refs.

A porous membrane has been synthesized from a fine-weave cotton fabric carboxylated to simulate the fixed negative charges in the alveolar wall. When this membrane is treated with pulmonary surfactant in physiological concentrations, especially dipalmitoyl lecithin, it loses its fluid permeability and can support a pressure of physiological saline of over 272 torr without bursting through. When the saline is replaced by isotonic ammonium chloride solution, the average pene-

tration pressure is reduced to 187 torr. These data are examined in regard to the known production of ammonia upon hyperbaric exposure and the competition of the resulting positive ammonium ions for the negative sites on the alveolar wall previously occupied by the positive quaternary ammonium ions of the effectively cationic lung surfactant. Successful replacement must then promote edema formation. This is proposed as a possible mechanism for the indirect (blood-borne) effect of oxygen upon the lung. Thus, it is suggested that the indirect route for pulmonary oxygen toxicity could be mediated through the ammonia produced in significant quantities in many organs when the body is exposed to excessive oxygen and that one possible mechanism is competitive desorption of surfactant at the alveolar wall. B J

**A82-35909 Regional blood flow in the domestic fowl immediately following chronic acceleration.** W J Weidner, L F Hoffman, and S D Clark (California, University, Davis, CA) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 666-669 18 refs. Research supported by the American Heart Association.

Chickens were centrifuged at +2Gz for 30-61 d in order to examine the effects of chronic low-G acceleration on blood flow distribution and cardiac output. The chickens were anesthetized after removal from the centrifuge and surgically prepared in order to measure cardiac output and regional blood flows by the reference sample method with Sr-85 labeled microspheres. Regional blood flows to the kidney, eyes, and skeletal muscle were significantly increased in animals subjected to chronic +2Gz as compared with noncentrifuged control animals. While the mechanism by which these increases in blood flow occurred is not known, results indicate that chronic exposure to hyperdynamic gravitational fields can alter circulatory dynamics. It is concluded that the cardiovascular system is directly involved in the process of adaptation to chronic positive acceleration. B J

**A82-35910 The landing signal officer - Auditory aspects.** R M Robertson, D W Maxwell, and C E Williams (US Naval Aerospace Medical Center, Naval Aerospace Medical Research Laboratory, Pensacola, FL) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 670-675 Navy-supported research.

Landing signal officers (LSOs), exposed to high noise levels during carrier operations, do not routinely wear hearing protectors. Noise exposure data obtained during carrier qualifications on the USS Lexington and the USS Forrestal suggested a clear risk for hearing damage. Moreover, a comparison of the hearing of LSO and non-LSO pilots matched for age and number of flight hours, indicated a trend for LSOs to have poorer hearing. Questionnaire data from 225 LSOs indicate they need full access to aircraft auditory cues, which is not attainable with current off-the-shelf hearing protectors. It is recommended that a hearing protector be developed for the LSO which would permit passage of critical auditory cues and, at the same time, provide hearing protection. There should be a redesign or elimination of the UHF handset. If eliminated, a boom-type noise-cancelling microphone in conjunction with earphones integral to the hearing protector should be considered. Additional hearing studies of LSO and non-LSO pilots should be undertaken. (Author)

**A82-35911 A procedure for the analysis of nystagmus and other eye movements.** G R Barnes (RAF, Institute of Aviation Medicine, Farnborough, Hants, England) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 676-682 15 refs.

A simple procedure has been developed for the computer analysis of nystagmus and other eye movements using the superior pattern recognition capabilities of the human operator to distinguish between fast- and slow-phase eye movements. The basis of the procedure is that the operator can set up threshold limits around an expected slow-phase eye velocity waveform through the use of cursor facilities. Points lying outside the threshold limits are recognised as fast-phase eye movements and discarded. Various least-squares curve-fitting procedures are then used to establish the relationship between the oculomotor response and the stimulus waveform. Examples are given of analysis procedures for both periodic and transient responses of the vestibulo-ocular reflex. The method is particularly useful for the analysis of responses to voluntary head movement in which slow-phase velocity frequently approaches that of the fast-phase components. (Author)

**A82-35912 Change in plasma cAMP and catecholamines in men subjected to the same relative amount of physical work stress.** P C Painter, E T Howley, and J N Liles (Tennessee, University, Memorial Hospital, Knoxville, TN) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 683-686 19 refs.

This study has shown, for the first time, that the change in plasma adenosine 3',5'-cyclic monophosphate (cAMP), from accommodation or trough levels, correlates in both progressive and continuous work stress experiments with epinephrine at 0.990 and 0.898, and norepinephrine at 0.954 and 0.927, respectively, in men subjected to the same relative, rather than absolute, stress levels. All three analytes increased significantly by the time each subject had reached

80% of his maximal oxygen uptake in the progressive experiments and after working at 80% of his maximal oxygen uptake continuously for 10 min. In no case did plasma cAMP rise before the catecholamines. The possible significance of these observations to net perceived relative physiological stress is discussed. (Author)

**A82-35914 Inflight medical facilities.** G R W Davies and P R Degotardi. *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 694-700 34 refs.

The need and facilities currently provided for emergency medical care aboard airliners are reviewed, with particular emphasis on the Australian situation. Available evidence suggests that there is no requirement for revising the first-aid equipment and practices of Australian domestic airlines. For long-haul services, there does appear to be a justification for a higher level of medical facility because of the duration of separation and at least a hypothetical increase in risk due to factors such as mild hypoxia, immobility, and dehydration. However, the contents of the present Qantas physicians' kit has proved adequate to cover most contingencies and any extra effort toward improvement of inflight emergency care should first be directed toward an improved working area. B J

**A82-35915 Health advice for aircrew on refugee flights.** J S Keystone and L McIntyre (Toronto General Hospital, Toronto, Canada) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 701-703 16 refs.

Airlines involved in transporting Indo-Chinese refugees from Southeast Asia were surveyed in order to assess measures to protect the health of crews on refugee flights. Five of the 20 airlines surveyed provided sufficient data for analysis; combined, the five airlines transported approximately 2500 refugees on more than 100 flights, involving at least one crew change per flight. It is found that the aircrew on the flights surveyed were improperly advised regarding immunizations and were overly protected against enteric infections where hand washing to prevent the transmission of disease would have been sufficient. Malaria chemoprophylaxis was inappropriate for some aircrew who were not exposed to malaria and unsuitable for personnel venturing into drug-resistant malarious areas. Disinfection of aircraft upon leaving Southeast Asia was not performed by most of the airlines surveyed, resulting in a potential public-health risk. Recommendations are made for future refugee flights. B J

**A82-35916 Familial intermittent diplopia - A report of two cases.** S F Flynn, K W Welsh, and J R Dille (FAA, Civil Aeromedical Institute, Oklahoma City, OK) *Aviation, Space, and Environmental Medicine*, vol 53, July 1982, p 704-707 16 refs.

The presence of sufficient muscle balance and bifocal fixation to prevent a break in fusion resulting in diplopia, even under conditions of hypoxia, fatigue, stress, and peripheral gaze, has been of concern in aviation medicine since 1917. Few breaks in fusion in flight have ever been reported, and most known cases of diplopia are from the history, not from test results. This paper describes a recent examination of a 54-year old subject (a civil-aviation employee, but not a pilot) with a five-year history of several daily episodes of incapacitating diplopia; in addition, there is information about his 48-year-old brother who has a similar history. When asymptomatic, both have normal vision test results. It is emphasized that detection was from the histories, the diagnosis remains uncertain. It is concluded that the ease of concealment, rare test value, and prevalent examiner skills are of concern; the importance of the history is reaffirmed. B J

**A82-36011 † Contents of protein and amino acids in methanobacterial biomass (Soderzhanie belka i aminokislot v biomasse metanotrofnikh bakterii).** V F Gal'chenko, A I Nesterov, and M V Ivanov (Akademiya Nauk SSSR, Institut Biokhimi i Fiziologii Mikroorganizmov, Pushchino, USSR) *Akademiya Nauk SSSR, Doklady*, vol 264, no 2, 1982, p 494-496 13 refs. In Russian.

**A82-36026 Man at extreme altitude.** J B West (California, University, La Jolla, CA) *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1393-1399 22 refs. Grants No NIH-N01-HR-62915, No NIH-R01-HL-24335.

The advance of knowledge of the effects of high altitudes on human life are traced through incidents and tests performed during hot-air balloon ascents and mountain climbing. Early balloon flights to heights exceeding 8000 m caused some fatalities, and 19th century discoveries included the importance of oxygen in low barometric environments. Blood samples were taken in mountain climbing expeditions in the 1920s, showing an alveolar CO<sub>2</sub> partial pressure of 8 torr at 7010 m, which was later found to be half the actual value. The summit of Mt Everest was reached for the first time by climbers without oxygen supplies in 1978. A different expedition up the slopes of Mt Everest in 1973 resulted in the discovery that subjects who are acclimatized to heights do not return to sea level oxygen intake when supplementary oxygen is available. M S K

**A82-36027 Mechanical properties of the lungs during acclimatization to altitude.** H Gautier, R Peslin, A Grassino, J Milic-Emili, B Hannhart, E

Powell, G Miserocchi, M Bonora, and J T Fischer (Pans VI, Université, Paris, Nancy I, Université, Vandoeuvre-les-Nancy, Meurthe-et-Moselle, France, Meakins-Christie Laboratories, Montreal, Canada, Milano, Università, Milan, Italy) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1407-1415 36 refs Research supported by the Institut National de la Santé et de la Recherche Médicale

Lung volumes and mechanics were examined in nine subjects at sea level and then on each day for six days at 3457 m altitude. Volume was recorded using a flow type plethysmograph, which was found to be insensitive to gas density variations. Chest spirometers were made, thoracic gas volume was measured, airway resistance was gauged with a pneumotachograph, and forced expiratory and inspiratory maneuvers were performed on or by each subject. Esophageal pressure was also examined with a latex balloon-catheter system introduced through the nose for inflation in the stomach. A significant loss of the lung static recoil pressure was observed over the lung volume range of 60-90 percent, while the mean inspiratory flow increased from days 1-4 at altitude. The dynamic lung compliance was unaffected by altitude. Pulmonary flow resistance, however, decreased continuously to a value of 25 percent of day 1 on day 6. Further studies to detect if the time course of neural drive is altered at high altitudes are indicated. M S K

**A82-36028 Splanchnic vasoconstriction in heat-stressed men - Role of renin-angiotensin system.** P Escourrou, P R Freund, L B Rowell, and D G Johnson (Washington, University, Seattle, WA, Arizona, University, Tucson, AZ) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1438-1443 33 refs Research supported by the Ministère des Affaires Étrangères, Grants No NIH-HL-16910, No NIH-AM-25318, No NIH-RR-37, No NIH-GM-01160

**A82-36029 Effects of endogenous glucagon on glucose kinetics in shivering dogs.** Y Minaire, J Forichon, and A Freminet (Lyon I, Université, CNRS, Lyons, France) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1458-1463 43 refs

Seven female dogs were equipped with catheters for blood sampling, insulin injection, and somatostatin infusion, then sheared and tested in 25 and -21 °C conditions. Doses of either the somatostatin, insulin, or normal saline with glucose were fed intravenously to the shivering dogs. Measurements included packed cell volumes, plasma glucose concentration, immunoreactive insulin and glucagon levels, and hepatic glycogen content. Plasma glucagon levels remained relatively constant in both temperature ranges, while glucose production doubled in the shivering canines, implying that glucagon is not the stimulus for increased glucose production. M S K

**A82-36030 An automated, indirect assessment of cardiac output during rest and exercise.** J H Wilmore, P A Farrell, A C Norton, R W Cote, III, E F Coyle, G A Ewy, L P Temkin, and J E Billing (Arizona, University, Tucson, AZ) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1493-1497 28 refs

A partial automation of the measurement of cardiac output through modification of the equilibration CO<sub>2</sub> rebreathing technique was accomplished by using the Beckmann Metabolic Measurement Cart (MMC). The three variables, CO<sub>2</sub> production, end-tidal CO<sub>2</sub> pressure, and CO<sub>2</sub> pressure in a rebreathing bag during the equilibration stage of the rebreathing procedure, were measured in breath-by-breath gas sampling in a sequence which repeated every 30 sec. Operator judgment was involved in deciding when the subject was in the same steady-state when each of the three variables was sampled. Six healthy subjects were examined to validate the procedure in comparisons of rest and cycle ergometer trials, and additional tests were run on eleven subjects with coronary artery disease using a thermodilution procedure with arterial catheterization. The thermodilution method was found to yield values 16.6 percent higher than the CO<sub>2</sub> rebreathing technique. It is concluded that the method is viable for detecting suspected coronary disease when measurements are made in the supine position. M S K

**A82-36031 Parameters of ventilatory and gas exchange dynamics during exercise.** B J Whipp, S A Ward, N Lamarra, J A Davis, and K Wasserman (California, University, Medical Center, Torrance, CA) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1506-1513 45 refs Grant No NIH-HL-11907

The pulmonary gas-exchange and ventilatory response patterns during steady-state muscular exercise were examined in six subjects during cycle ergometer trials to establish characteristic exponential functions. Expiratory air was analyzed on a pneumograph while O<sub>2</sub> and CO<sub>2</sub> partial pressures were assessed by mass spectrometry. The subjects performed six minutes of work and six minutes of rest in alternation after individual maximal workloads were determined. An early phase of response in terms of ventilation, O<sub>2</sub> uptake, and CO<sub>2</sub> output were detected which were different from patterns during steady-state conditions. The initial phase of rest to work exhibited higher cardiac output and pulmonary flow than the transition to steady state. A model was developed which fit the data once the steady-state plateau was reached. M S K

**A82-36032 Bohr effect and slope of the oxygen dissociation curve after physical training.** K M Braumann, D Boning, and F Trost (Hannover, Medizinische Hochschule, Hanover, West Germany) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1524-1529 30 refs

The influence of intensive training over a period of 6 mos on the hemoglobin-oxygen (Hb-O<sub>2</sub>) affinity in athletes was examined in terms of factors which alter the O<sub>2</sub> dissociation curve. Eight athletes were tested during the off-season and the season, with Hb samples determined photometrically, and levels of 2,3-diphosphoglycerate, adenosine triphosphate (ATP), lactic acid, and the hematocrit value also assayed. Before and after comparisons for different levels of conditioning were examined statistically with the Student's test for paired samples. An increased Bohr coefficient was detected after physical training. No alteration of the Hb molecule was observed, while dissociation curves of young erythrocytes have a steeper slope than those of older red cells. An increase of Hb-O<sub>2</sub> affinity was concluded to occur, implying greater O<sub>2</sub> extraction from the blood in physiologically trained subjects. M S K

**A82-36033 \* Effects of horizontal body casting on the baroreceptor reflex control of heart rate.** G E Billman, D T Dickey, H Sandler, and H L Stone (Oklahoma, University, Oklahoma City, OK) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1552-1556 24 refs Grant No NSG-2282

The purpose of this study was to investigate the effects of long-term horizontal body position on baroreceptor reflex control of heart rate. Six male rhesus monkeys (6.2-9.4 kg) were given bolus injections of 4.0 microgram/kg, phenylephrine during each of the following conditions: awake, anesthetized (10 mg/kg ketamine HCl), and after beta-blockade (1 mg/kg propranolol HCl) before, 7, 14, and 28 days after being placed in a horizontal body cast. R-R interval vs. systolic arterial pressure was plotted, and the slope was determined by least-squares fit. Linear regression. Baroreceptor slope was significantly reduced by 7 days of horizontal body position and remained attenuated throughout the 28-day restraint period both before and after beta-receptor blockade. These data are consistent with the thesis that prolonged exposure to a zero-gravity environment impairs autonomic reflex regulation of the cardiovascular system. (Author)

**A82-36034 Superficial shell insulation in resting and exercising men in cold water.** A Veicsteinas, G Ferretti, and D W Rennie (New York, State University, Buffalo, NY, Milano, Università, Milan, Italy) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1557-1564 37 refs Grant No NIH-P01-HL-14414

The results of studies of the insulation value of skin and subcutaneous fat layers in men at rest and during mild exercise while immersed in cold water are reported, together with data for whole-body insulation. Nine sedentary medical students of varying levels of measured subcutaneous fat experienced 3 hr in cool water while carrying a thermistor inserted beneath the skin and into the rectum. Heat flow was recorded, while the overall body insulation was calculated numerically by indirect calorimetry. Further trials examined the effects of exercise while immersed. Increasing fat thickness was found to provide higher overall body insulation, while exercise in cold water decreased the insular value of subcutaneous skin tissue. The unperfused skin and subcutaneous fat were concluded to furnish 10-15 percent of the whole-body insulation during immersion at rest, and up to 40 percent during exercise. M S K

**A82-36035 Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia.** B R Walker, N F Voelkel, I F McMurtry, and E M Adams (Colorado, University, Denver, CO) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1571-1574 26 refs Grant No NIH-HL-14985

**A82-36036 Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area.** R L Capen (Colorado, University, Denver, CO) and W W Wagner, Jr (Colorado College, Colorado Springs, CO) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1575-1580 23 refs Research supported by the Carnegie-Mellon Foundation, Grants No NIH-HL-14985, No NIH-HL-07171

It was previously shown that airway hypoxia causes pulmonary capillary recruitment and raises diffusing capacity for carbon monoxide. This study was designed to determine whether these events were caused by an increase in pulmonary vascular resistance, which redistributed blood flow toward the top of the lung, or by an increase in cardiac output. Capillary recruitment at the top of the dog lung was measured by in vivo microscopy, gas exchange surface area of the whole lung by diffusing capacity for carbon monoxide, and blood flow distribution by radioactive microspheres. During airway hypoxia recruitment occurred, diffusing capacity increased, and blood flow was redistributed upward. When a vasodilator was infused while holding hypoxia constant, these effects were reversed, i.e., capillary 'derecruitment' occurred, diffusing capacity decreased, and blood flow was redistributed back toward the bottom of the lung. The vasodilator was infused at a rate that left hypoxic cardiac output unchanged.



These data show that widespread capillary recruitment during hypoxia is caused by increased vascular resistance and the resulting upward blood flow redistribution (Author)

**A82-36037** **Exercise performance after ventilatory work** B Martin, M Heintzelman, and H-I Chen (Indiana University, Bloomington, IN) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1581-1585 30 refs Grant No NIH-HL-26351

The strength reserve of ventilatory muscles was tested by having subjects perform hyperpnea before spirometric tests on a treadmill. Instrumentation included channeling the subjects' breath through a chamber which allowed measurement of O<sub>2</sub> uptake and CO<sub>2</sub> levels in expired air. Hyperpnea was maintained for 150 min, followed by running to exhaustion on a treadmill. Control trials were run before introduction of the pre-exercise hyperpnea to establish exhaustion levels on the treadmill. The exhaustion state was subsequently reached in a shorter time period once the deep breathing preceded the treadmill tests, occurring at lower levels of heart rate, ventilation, and O<sub>2</sub> uptake than without the deep breathing. It is suggested that glycogen depletion occurs in the ventilatory muscles, a behavior similar to that of the skeletal muscles in exhaustive exercise conditions M S K

**A82-36038** **Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'** E F Hughes, S C Turner, and G A Brooks (California, University, Berkeley, CA) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1598-1607 34 refs Grant No NIH-AM-19577

Efforts to determine whether the divergence between lactate and ventilatory inflection points are due to different gradients of pedaling speed and glycogen depletion in the muscles are reported. Nine subjects performed incremental work rate tests on a bicycle ergometer until maximal work rates were reached. Additional trials were run involving periodic pedaling at 50 rpm at levels just below the lactate inflection point. Inspired air volumes were measured on a potentiometer and blood samples were taken before the tests and within 2 minutes of the start of any load cycle. The decoupling of the ventilatory and lactate level inflection points occurred without any correlation to alterations in the pedaling frequency or body glycogen levels. An increase in ventilation was observed in the glycogen depletion tests, and correlations between the blood lactate and plasma bicarbonate indicate that lactate was the primary cause of exercise-induced acidosis M S K

**A82-36039** **Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise** R E Shepherd, M L Kuehne, K A Kenno, J L Durstine, T W Balon, and J P Rapp (Toledo, University, Ohio, Medical College, Toledo, OH) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1608-1613 33 refs Research supported by the University of Toledo and American Heart Association, Grants No NIH-AM-21912, No NIH-HL-20176

Female Dahl S and R rats were exposed to running training and salt augmentation in diet to determine the effect that chronically practiced physical activity has on blood pressure. The rats were divided into groups which either ran 27 m/min, 60 min/day, 5 days/week, for 8 wk on a treadmill, or did not run, or were trained for 12-24 wks, or began training 6 wks after the controlled diet was introduced and trained for 6 wks. Measurements were made of blood pressure by use of the microphonic tail-cuff method. S rats which ran exhibited lower blood pressures than all other groups of rats, while R rats displayed no differences in either sedentary or active groups. Hypertension was also lowered in the active S rats compared to the sedentary rats after salt was introduced to the diet, although rats with salt in the diet before exercise training never fully compensated for the addition of salt and concomitant onset of hypertension M S K

**A82-36040** **Effect of habitual exercise on left ventricular response to exercise** J D Anholm, C Foster, J Carpenter, M L Pollock, C K Hellman, and D H Schmidt (Wisconsin, University, Mount Sinai Medical Center, Milwaukee, WI) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1648-1651 30 refs

Forty-five males in three levels of physical training were examined at rest and after maximal exercise by means of radionuclide angiography to assess the effect of regular exercise on left ventricular function. The subjects included groups which trained more than 7 hr/wk, 2-4 hr/wk, and less than 1 hr/wk in aerobic activity. The tests were performed to exhaustion on a bicycle ergometer while data was gathered by electrocardiogram and blood pressure measurements. Radionuclide angiograms were made at rest and after the trials. A high correlation was found between the left ventricle ejection rate (LVER) and work capacity. Resting values of left ventricular function were found to not depend on conditioning, while significant differences were observed for both LVER and ejection fraction. An expansion in the left ventricular dimensions was indicated in the well-trained group M S K

**A82-36041** **Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest** P G Katona, M McLean, D H Dighton, and A Guz (Charing Cross Hospital Medical School, London, England, Case Western

Reserve University, Cleveland, OH) *Journal of Applied Physiology Respiratory, Environmental and Exercise Physiology*, vol 52, June 1982, p 1652-1657 32 refs Grant No NIH-HL-20328

The relative roles of intrinsic heart rate and neural factors which cause observed bradycardia in physically conditioned humans were examined in comparison with a control group of nonathletes. The relative shifts or increase of control activity by the parasympathetic and sympathetic nervous systems as a result of beta blocker introduction are discussed in terms of a numerical model weighted by contributions from the two neural systems. The subjects were injected with either propranolol or atropine sulfate to block the effects of one of the two systems to a degree which could be detected. Monitoring was carried out for heart rate, blood pressure, and respiration. No significant differences were detected in heart rate changes between the athletes and nonathletes. Evidence for a specific agent which causes reduced resting heart rates in athletes is discussed M S K

**A82-36172** **The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats (Vlianie ostroigipoksi na EEG i impul'snuu aktivnost' neuronov razlichnykh struktur mozga u krysa)** N S Akopian, O G Baklavadzian, and M A Karapetian (Erevanski Gosudarstvennyi Universitet, Yerevan, Armenian SSR) *Fiziologicheskii Zhurnal SSSR*, vol 68, May 1982, p 576-582 22 refs In Russian

The dynamics of the effect of acute hypoxia on the EEG and unit impulse activity of different brain structures in rats was experimentally investigated. The initial phase of hypoxia (2000-6000 m) involved the activation of the EEG and unit pulse activity, the EEG activity arising earlier and being more marked. In the second phase of hypoxia (7500-10,000 m), the EEG changed towards a predominant slow rhythm of delta type, while the unit impulse activity gradually diminished, the cortical neurons displaying a higher sensitivity to hypoxia and an earlier suppression than the cells of the hypothalamus and medulla. In all phases, the EEG waves showed a greater sensitivity to the rapid peripheral signals than the unit impulse activity of the cortex and other brain structures B J

**A82-36229** **Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction.** T M Shvacheva (B'lgarska Akademia na Naukite, Institut po Morfologia, Sofia, Bulgaria) *Bolgarskaia Akademia Nauk, Doklady*, vol 35, no 2, 1982, p 245-248 12 refs

The immunocompetency of the lymphoid cells of hibernating ground squirrels is investigated in experiments involving both graft-versus-host and host-versus-graft reactions. Immune reactions were evaluated according to the popliteal lymph node assay in nonhibernating ground squirrels injected with spleen cells from hibernating and nonhibernating ground squirrels and in hibernating animals injected with spleen cells from nonhibernating animals at various times of the year. The local transplantation reaction in nonhibernating squirrels immunized with cells from nonhibernating squirrels is observed to exhibit seasonal variations in intensity, while that for nonhibernating squirrels immunized with cells from hibernating animals is constant throughout the winter months at an intensity corresponding to the lowest intensity observed for nonhibernating squirrel spleen cells. Ground squirrels in deep hibernation did not develop the immune reaction. Results may be linked with the seasonal involution and involutive changes in the thymus, lymph nodes and spleen of ground squirrels A L W

**A82-36260** **Superconducting magnetocardiograph (Sverkhprovodiashchii magnitokardiograf)** V Fodel' *Priroda*, June 1982, p 107, 108 In Russian

The first SQUID magnetocardiograph developed in the Soviet Union (at the Neutron Physics Laboratory of the Dubna Nuclear Research Institute) is briefly described, and its advantages in relation to conventional cardiographs are discussed. The magnetocardiogram, obtained using this instrument, of a healthy 35-year-old man is presented, and is found to clearly delineate the QRS complex and the T-wave B J

**A82-36307** **A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity.** P Patterson-Allen, C E Brautigam, C W Asling (California, University, San Francisco, CA), R E Grindeland, and P X Callahan (NASA, Ames Research Center, Moffett Field, CA) *Analytical Biochemistry*, vol 120, 1982, p 1-7 17 refs Grant No NCA2-OR-665-004

The specificities of immunoassays to rat and bovine osteocalcin are examined. Extracts of noncalcified tissues and tissue fractions are unreactive to the antibody, with the exception of the kidney, in which the reactive component appears to be identical with osteocalcin by gel filtration and dose dilution analysis. The assays, developed against protein isolated from bone, are also demonstrated to be reactive to the native protein (bone in situ) and to osteocalcin in serum. The assays are sensitive to less than 50 pg osteocalcin. Intra- and interassay coefficients of variation are less than 6.8%. The bovine antibody crossreacts with human, horse, monkey, baboon, and cat osteocalcin, while the rat antibody crossreacts with dog and mouse (Author)

**A82-36319** **Gravity, and metabolic scale effects in mammals.** N Pace (California, University, Berkeley, CA) and A H Smith (California, University, Davis, CA) *Physiologist*, vol 24, no 6, 1981, p S-37 to S-40 23 refs

Scaling effects which occur in the increase of body size of mammals since the early Tertiary Period and which may be affected by interaction with a gravity field are discussed. The influence of gravitational loading is considered in terms of an allometric relationship between metabolic heat production rate and total body mass. It is noted that no explanation has been found for an observed 3/4 power law relationship between the rate and mass, although the body surface is known to increase as a 2/3 power of the body mass in mammals. Attention is given to properties of thermal conductance, metabolic intensity, and thermoregulation which requires a 1/2 power scaling with size. A compromise is asserted to have possibly occurred with the gravitational 1/0 power requirements. The design of experiments to place animals in a 2.5 g environment to find if the 1/0 power ratio can be induced are described. A shift in the power to a 1/2 value is indicated in a weightless environment. M S K

**A82-36320 \*** **An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation.** F E D'Amelio, E V Benton (San Francisco, University, San Francisco, CA), L M Kraft, and J Miquel (NASA, Ames Research Center, Biomedical Research Div., Moffett Field, CA). *Acta Neuropathologica*, vol 57, 1982, p 37-44. 14 refs. Grant No. NSG-2063

**A82-36688** **Studies on the interaction of pemoline and centrophenoxine with some flight factors (Badania nad oddziaływaniem pemoliny i centrofenoksyny z niektórymi czynnikami lotu).** E Marks and W Świecicki (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol 14, no 4, 1981, p 19-26. 7 refs. In Polish.

Two sets of experiments were performed on 160 male Wistar rats, weighing 180-200 g. The first set involved the effect of pemoline and two flight factors, i.e. hypobaric conditions and vibration, on the level of biogenic amines in the blood and brain tissue. The second set of experiments involved the effects of hypobaric conditions and vibration on the level of pemoline and centrophenoxine in the blood and brain tissue. Changes were found in the levels of these drugs under the effect of the flight factors, which suggested a change in the drug metabolism. B J

**A82-36689** **Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging (Elektrofizjologiczne i hemodynamiczne przesłanki do zaburzeń rytmu serca podczas badania na wirówce przeciążeniowej).** L Kopka, R Dąbrowa, and S Bojanko (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol 14, no 4, 1981, p 27-35. 26 refs. In Polish.

Various factors affecting the functioning of the human cardiovascular system during centrifuging under positive Gz acceleration are discussed. Particular attention is given to factors conditioning the occurrence of cardiac arrhythmias. Difficulties in interpreting such data are discussed with reference to aerospace medical studies. The necessity of making electrophysiological studies (using intracardiac stimulation and His Bundle electrography) in some cases is pointed out. B J

**A82-36690** **The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands (Wpływ dodatnich i ujemnych jonów powietrza na zachowanie się katecholamin w mózgu i nadnerczach).** R Bernat, W Banaszkiewicz, and G Straburzynski (Akademia Medyczna, Poznań, Poland). *Postępy Astronautyki*, vol 14, no 4, 1981, p 37-49. 27 refs. In Polish.

The content of adrenaline (A), noradrenaline (NA), and dopamine (DA) in the brain and adrenal glands of Wistar rats exposed to positive and negative air ions during 3.6 or 9 weeks was experimentally studied. Exposure to negative ions was found to produce a decreased NA content and an increased DA content in the brain. Positive ions produced an increase in the content of NA and DA in the brain. The content of A decreased in the adrenal glands of rats exposed to positive ions. B J

**A82-36691** **The effect of threat on psychomotor and intellectual performance depending on characteristics of temperament (Wpływ zagrożenia na efektywność funkcjonowania psychomotorycznego i intelektualnego w zależności od charakterystyki temperamentalnej).** J Maciejczyk (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol 14, no 4, 1981, p 51-63. 10 refs. In Polish.

Studies were carried out to evaluate the performance of pilot candidates, both differentiated and nondifferentiated in traits of temperament, in regard to psychomotor and intellectual skills in threat situations. Threatful stress was produced by testing candidates on a centrifuge for the first time in their lives. The anxiety level was measured before and after centrifuging. It is shown that stress associated with the anticipatory danger situation significantly reduces the level of performances of psychomotor and intellectual tasks. No differences in psychomotor and intellectual performance was found in subjects differentiated according to traits of temperament. B J

**A82-36951** **Manned systems design: Methods, equipment, and applications; Proceedings of the Conference, Freiburg im Breisgau, West**

**Germany, September 22-25, 1980.** Conference sponsored by NATO. Edited by J. Moraal (Centrale Organisatie voor Toegepast-Natuurwetenschappelijk Onderzoek, Instituut voor Zintuigfysiologie, TNO, Soesterberg, Netherlands) and K.-F. Kraiss (Forschungsgesellschaft für angewandte Naturwissenschaften, Forschungsinstitut für Anthropotechnik, Wachtberg-Werthhoven, West Germany). New York, Plenum Press (NATO Conference Series III Human Factors Volume 17), 1981. 496 p. \$35.

Papers are presented in the areas of conceptual and analytical approaches, performance measurement and simulator design and evaluation in the design of manned systems. Specific topics include the proper incorporation of human factors in the design process, simulation languages used in manned systems design, eye movement measurements used in the evaluation of visual performance, techniques for electrophysiological measurements, human movement analysis in workplace design, and the design of a programmable multiple flight simulator facility. A L W

**A82-36952** **Methods - Past approaches, current trends and future requirements.** D. A. Topmiller (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, OH). In *Manned systems design: Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980. New York, Plenum Press, 1981, p. 3-31. 8 refs.

The historical development, current technologies and practices and projected future directions of the discipline of human factors engineering are reviewed. The origins of the field in the United States in response to the increasing complexity of weapon systems in World War II and its initial development using the tools of experimental psychology are outlined, and limitations to the early design handbook approach and the improvements brought by the introduction of an interdisciplinary approach with influences from computer and information science are considered. Current trends in reference data source, experimental design, human-machine integration performance measurement, modelling, engineering design simulation and procedural technologies are then assessed based on responses to a questionnaire survey. Future requirements for methods, technologies and data bases for man-machine interface design and overall systems design are then discussed as derived from evaluations of human factors needs and projected shortfalls in computer technology. A L W

**A82-36956** **The human operator simulator - An overview.** N. E. Lane (U.S. Naval Material Command, Naval Air Development Center, Warminster, PA), M. I. Strieb (Analytics, Inc., Willow Grove, PA), F. A. Glenn, and R. J. Wherry. In *Manned systems design: Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980. New York, Plenum Press, 1981, p. 121-152. 39 refs.

The structure and operational characteristics of the Human Operator Simulator (HOS), a model which combines evaluations of overall man-machine system performance with detailed simulations of operator functioning within the system, are reviewed. HOS is a collection of digital computer programs which allows for the simulation of a total system, including operator, hardware and software, and external data sources, performing a complex mission. Definitions of equipment characteristics and operator procedures are communicated to HOS through the Human Operator Procedures (HOPROC) language. The HOS model converts the generalized system defined by the HOPROC procedures into a simulation of a specific simulation event resulting in a time history of the event which is built up from the times required to execute detailed micromodels of information absorption, information recall, mental computation, decision making, anatomy movement, control manipulation and relaxation. The HOS system has been validated on levels corresponding to the descriptive capabilities of HOPROC language, the validity of the micromodels, part-task simulations and full-scale simulations. A L W

**A82-36957** **SAINT, a digital simulation language for the study of manned systems.** G. P. Chubb (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, OH). In *Manned systems design: Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980. New York, Plenum Press, 1981, p. 153-179. 21 refs.

The basic features of the SAINT (Systems Analysis of Integrated Networks of Tasks) simulation language for the digital modeling of manned systems are presented. Following a brief survey of the evolution of SAINT based on experience gained from the use of the Siegel-Wolf two-man operator simulation model, which viewed system performance in terms of operator activities over time, the character of SAINT is discussed, noting its capability of modeling the man, machine or both as discrete events, continuous events or both, and the three levels of SAINT constructs. Examples of five applications of SAINT to simple cases are presented which demonstrate the range of modeling issues that may be approached, and a more complex model which includes the effects of man on machine and vice versa is formulated for the example of aircraft position fix updating using radar imagery. Possible improvements which would facilitate SAINT applications are noted. A L W

**A82-36959** **Statistical techniques for instrument panel arrangement.** W. W. Wierwille (Virginia Polytechnic Institute and State University, Blacks-

burg, VA) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 201-218 28 refs

Four important aspects of the problem of the proper arrangement of instruments on a panel are discussed. The first involves the relationships that exist among the various statistical factors associated with instrument panel arrangement. A definition of link values, which express the magnitude of direct eye transitions between two instruments, is presented which allows them to be derived from both the joint probability of transition from one instrument to another or the probability of fixation on a given instrument. The problem of record length estimation in the collection of eye fixation data is then addressed, and the double sampling and work sampling approaches are outlined. Consideration is then given to the subclasses of criteria that may be used for optimization and to the execution of the optimization process itself, which in all but the most complex cases may be performed by exhaustive search methods. Important problems remaining in the areas of control and control/display arrangement and in arrangement and formatting with CRT displays are indicated. A L W

**A82-36960 A method for semi-automatic analysis of eye movements.** F V Schick and H Radke (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Brunswick, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 221-234, 5 refs

A semiautomatic method for the analysis of eye mark recording data obtained in studies of the eye-fixation points when the observer's head is allowed to move freely is presented. The method is used with videotape recordings of subject eye motions as determined from the reflection of a V-shaped spot of light off the cornea, and head movements as determined using a lens attached to the center of a face mask. In contrast to time-consuming manual methods for the analysis of the analog methods, and fully automatic analysis, both of which are not applicable in cases where individual visual targets are changing their positions, the semiautomatic method works with categories of visual targets rather than their exact locations. Information, corresponding to the dwell times and motion sequences of the eye point of regard in the target areas, is entered into a digital computer from the analog record by an observer depressing a switch corresponding to each visual area for the duration of the fixation. The semiautomatic method has been proven practicable in studies of the visual behavior of airline pilots performing flight tasks in a simulator. A L W

**A82-36961 Narrowing of the visual field as an indicator of mental workload.** M Voss (Fraunhofer-Institut für Informations- und Datenverarbeitung, Karlsruhe, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 235-250 14 refs. Research supported by the Forschungsvereinigung Automobiltechnik und Bundesanstalt für Strassenwesen

A method has been developed which uses peripheral visual performance as an indicator of mental workload due to the processing of central visual information. Peripheral vision is measured according to the detectability of a set of lights mounted in a special spectacle frame while the subject is performing the main visual task. Detection rate is measured as a function of presentation angle in the horizontal meridian, with the functional field defined by the presentation angle where 50% of the stimuli are detected, so that a narrowing of the functional field, or tunnel vision, may be observed. Experiments involving subject responses to eight streams of binary signals, performance in a driving simulator and automobile driving in an actual situation have demonstrated a decrease in the detectability of peripheral visual stimuli in the presence of increased visual workloads. A L W

**A82-36962 Eye movement measurement in the assessment and training of visual performance.** H Widdel and J Kaster (Forschungsgesellschaft für angewandte Naturwissenschaften, Forschungsinstitut für Anthropotechnik, Wachtberg-Werthhoven, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 251-270 41 refs

Measurements of eye movements during a series of search tasks are presented which were used to evaluate the influences of training in a specific search pattern on search performance. Oculometer measurements were performed during searches for a target symbol among neutral symbols of various densities spread randomly over a screen before visual training, in the course of training sessions in exhaustive search with and without a visual aid, and following training. Search times are found to show a learning effect in subjects trained with the scan aid, and to increase with symbol density. No significant differences in fixation duration are found between the pre- and post-test situations, although individuals with a high performance level generally exhibited a shorter fixation duration than those with lower performances. Estimations of the visual lobe area according to the probability of successful fixations in a given area show a more efficient visual lobe area for subjects with higher search performance than those

with lower performance. Finally, measurements of eye movement patterns show a qualitative difference between the groups trained with and without a scan pattern, reflecting search performance. A L W

**A82-36963 Physiological monitoring and the concept of adaptive systems.** F E Gomer (McDonnell Douglas Astronautics Co., Engineering Psychology Dept., St Louis, MO) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 271-287 35 refs. Contract No. MDA903-78-C-0181

Current trends in the development of manned systems for aerospace applications are reviewed particularly as they relate to provisions for the use of the adaptive capabilities of computer-based systems based on the results of physiological monitoring. The replacement of dedicated, single-purpose instruments and controls with multipurpose displays and keyboards brought about by increasing task demand and space limitations is discussed for the example of the instrument panel of a fighter-bomber aircraft, and it is noted that despite these improvements, there is concern that pilot mental workload problems will remain significant. Possible adaptive procedures that may be implemented to alleviate the workload are indicated, and the various physiological methods that may be used to detect momentary changes in mental function are examined, including *electroencephalographic event-related potentials and contingent negative variation*, and eye movement measurements. The current status of electrophysiological measurements during flight simulations is indicated. A L W

**A82-36964 Electrophysiological measurement techniques.** G Raur (Helmholtz Institute for Biomedical Engineering, Aachen, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 289-304 12 refs

Technical aspects of the utilization of electrophysiological techniques are discussed. The frequency range and amplitude distribution of the signals commonly detected by surface electrodes are summarized, and problems in measurement accuracy associated with the complex resistance of the skin, the electrode and the electrode-electrolyte transition, and the cable connecting the electrodes to the amplifier are examined. Factors in amplifier design which may then be used to reduce these difficulties are considered, and improvements to the signal to noise ratio represented by the techniques of optical coupling, digital filtering and artifact detection and suppression are indicated. Results of the application of these improvements are presented for the case of a technique for the measurement of visual evoked potentials, and a microcomputer system which may be used for the acquisition and processing of electrophysiological signals in a laboratory environment is described. A L W

**A82-36965 Electromyography and applications.** K-P Gärtner (Forschungsgesellschaft für angewandte Naturwissenschaften, Forschungsinstitut für Anthropotechnik, Wachtberg-Werthhoven, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 305-321 20 refs

Electromyography is discussed as a reliable objective method for the measurement of muscular activity and its relation with factors that influence work performance. The physiological basis of electromyography, which shows the summed activity of single muscle fibers, single motor units or several motor units, is explained, and techniques for the use of surface electromyography, which is preferred in ergonomics due to its noninvasive character, are presented. Techniques for the analysis of electromyographic signals are then examined, with attention given to rectifying, integrating and averaging by digital or analog methods and frequency analysis. Finally, applications of electromyography in man-machine systems as an indicator of muscular strain, as biofeedback and as a tool in ergonomic evaluations are discussed. A L W

**A82-36966 Analysis of human movements for workplace design.** K-P Holzhausen (Forschungsgesellschaft für angewandte Naturwissenschaften, Forschungsinstitut für Anthropotechnik, Wachtberg-Werthhoven, West Germany) In *Manned systems design Methods, equipment, and applications*, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 New York, Plenum Press, 1981, p 337-362 37 refs

Experimental design, tools, and analytical techniques for establishing an anthropometric data base for movement and distance parameters for human functions in the workplace are reviewed. Specific attention is given to the range of human actions in a seated position, a position relevant to control consoles and cockpits, with data being accumulated on human stature, reach, and range of motions, as well as on the patterns of movement. Technical approaches to cataloging the motions are examined, including mechanical, photographic, optoelectronic, and fully electronic monitoring and recording. Stereophotographic methods allow the investigation of movements with three-dimensional trajectories by use of two cameras. Attention is given to static models such as BOEMAN, linkman, COMBIMAN, and the Crewstation Geometry Evaluator systems for

computer aided design of cockpit interiors. Applications of the techniques to solving workplace inefficiencies are illustrated with examples M S K

**A82-36967 \*** **Evaluation of synthesized voice approach callouts /SYNCALL/.** C A Simpson (Psycho-Linguistic Research Associates, Menlo Park, CA) In *Manned systems design. Methods, equipment, and applications, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980* New York, Plenum Press, 1981, p 375-393 42 refs. Research supported by the National Research Council, Grants No NGL-05-046-002, No NGR-45-003-108

The two basic approaches to the generation of 'synthesized' speech include a utilization of analog recorded human speech and a construction of speech entirely from algorithms applied to constants describing speech sounds. Given the availability of synthesized speech displays for man-machine systems, research is needed to study suggested applications for speech and design principles for speech displays. The present investigation is concerned with a study for which new performance measures were developed. A number of air carrier approach and landing accidents during low or impaired visibility have been associated with the absence of approach callouts. The study had the purpose to compare a pilot-not-flying (PNF) approach callout system to a system composed of PNF callouts augmented by an automatic synthesized voice callout system (SYNCALL). Pilots were found to favor the use of a SYNCALL system containing certain modifications G R

**A82-36968** **Evaluating simulator validity** J Moraal (Centrale Organisatie voor Toegepast-Natuurwetenschappelijk Onderzoek, Instituut voor Zintuigfysiologie TNO, Soesterberg, Netherlands) In *Manned systems design. Methods, equipment, and applications, Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980* New York, Plenum Press, 1981, p 411-426 13 refs

Problems associated with the use of simulator validation criteria are discussed with reference to three studies concerning a ship navigator simulator, a driving simulator for research purposes, and a tank driver training simulator. It is emphasized that the functional correspondence or validity should be defined in relation to the purpose of the simulator. Thus, a training simulator is valid as long as transfer-of-training to the real system is achieved, while a research simulator is valid when experimental results of the simulator and the real system are congruent, so that performance predictions can be made from one to the other. It is also pointed out that the functional correspondence can be improved by increasing the physical correspondence V L

**A82-36971 †** **Motion sickness, its prevention and treatment (Ukachivanie, ego profilaktika i lechenie).** M P Efremenko Moscow, Izdatel'stvo DOSAAF SSSR, 1981 72 p. In Russian

The causes and symptoms of motion sickness are discussed on the basis of a survey of the literature. Methods of preventing and treating the malaise are suggested. The various forms of motion sickness are delineated, and a chart containing 20 symptoms is included. It is shown that training programs can lower the incidence of motion sickness among sailors and aircrew members C R

**A82-36976 †** **Hormonal mechanisms of adaptation and training (Gormonal'nye mekhanizmy adaptatsii i trenirovki).** A A Viru Leningrad, Izdatel'stvo Nauka, 1981 156 p 639 refs. In Russian

The role of hormones in the adaptation response in general and in the mechanism of general adaptation and the transfer of short-term adaptations to the long term in particular is discussed with particular emphasis on the glucocorticoid hormones. The historical development of the concept of general, nonspecific adaptation starting from the work of Selye (1936), which showed the importance of the hypophyseal-adrenocortical system, is reviewed, and the adaptive functions of this system are examined in detail, with attention given to the control of the stress reaction and the mechanism of action of the glucocorticoids. Interactions of various systems, including the endocrine systems and the central nervous system, in the mechanism of the general adaptation syndrome are also considered. Finally, the problem of the development of long-term adaptation is examined for the model of physical training A L W

**A82-37182** **Training maintenance technicians for troubleshooting - Two experiments with computer simulations** W B Johnson and W B Rouse (Illinois, University, Urbana, IL) *Human Factors*, vol 24, June 1982, p 271-276 13 refs. Contract No MDA903-79-C-0421

Aviation maintenance trainees participated in two experiments designed to assess the relative effectiveness of traditional instruction versus two types of computer simulation in the context of aircraft power-plant troubleshooting. Simulations ranged in nature from abstract, context-free problems to those involving specific aircraft power plants. Traditional instruction included reading assignments, television programs tailored to aircraft power-plant troubleshooting, and on-line quizzes. The first experiment compared the three training methods, and the second considered a mixture of the two computer simulations versus traditional instruction. The primary conclusion was that an appropriate combination of low- and moderate-fidelity computer simulations can provide sufficient problem-

solving experience to be competitive with the more traditional lecture/demonstration form of instruction (Author)

**A82-37183** **Screening designs used to estimate the relative effects of display factors on dial reading.** H O Whitehurst (California State University, Northridge, CA) *Human Factors*, vol 24, June 1982, p 301-310 6 refs

Two experiments were conducted to determine if screening designs could be used to obtain reliable estimates of the relative strength of effect of several independent variables. Specifically, the effects of eight independent variables on the speed and accuracy of reading moving-pointer, fixed-scale dials were tested. Additional objectives were to determine if the black-white relationship of the scale markers and dial background affects dial-reading performance or subject preferences. The percentage of the variance accounted for by each main effect was very similar across screening designs. The progression of the numbers on the scale had by far the strongest effect. Interpolation and scale unit length also had relatively strong effects, while scale orientation, marker width, pointer design, clutter, and scale number location had weak to trivial effects. Black-on-white and white-on-black dials were read at about the same speed, but more errors were made while subjects read the black-on-white, even though they preferred the black-on-white dials (Author)

**A82-37184** **Locus of the stimulus to visual accommodation - Where in the world, or where in the eye.** J C Hull, S N Roscoe (New Mexico State University, Las Cruces, NM), and R T Gill (Wright State University, Dayton, OH) *Human Factors*, vol 24, June 1982, p 311-319 15 refs. Contract No F49620-77-C-0117, Grant No AF-AFOSR-80-0024

Eight observers judged the apparent size of a 'moon' simulated by projecting a collimated disk of light just above the horizon in real scenes and virtual images. In each of three viewing conditions, Back-lighted Screen (collimated), Back-projected Photograph (collimated), and Natural Campus Scene, masks inserted in the viewing aperture of the 'moon machine' obscured various horizontal bands of the lower half of the visual field. With each experimental manipulation, both the perceived size of the moon and the observer's visual accommodation distance (measured with a laser optometer) covaried systematically. From the combined results of two experiments, it appears that (1) viewing a collimated image of a natural vista does not have the same effects as viewing the actual scene, (2) the retinal locus of visible texture is the primary determinant of perceived size of objects of constant visual angle embedded in natural scenes, and it has a strong effect on accommodation to virtual images, and (3) the overall correlation between apparent, or perceived, size and accommodation shift from the individual's dark focus, averaged across observers, approaches unity (Author)

**A82-37185** **Using realistic sensor, target, and scene characteristics to develop a target acquisition model.** B L Sibernagel (Allen Corporation of America, Orlando, FL) *Human Factors*, vol 24, June 1982, p 321-328

This paper provides a model of target acquisition that will aid in the design of electro-optical detection devices. Twelve subjects, highly skilled in target detection, located targets in 32 terrain scenes taken from a realistic terrain board. Independent variables included display resolution, field of view, target contrast, target range, number of targets, and scene complexity. All experimental variables had a significant effect on target detection performance. A regression equation is presented, which can be used to predict detection time given the various sensor, target, and scene characteristics (Author)

**A82-37186** **Perceptual discriminability as a basis for selecting graphic symbols.** R E Geiselman (California, University, Los Angeles, CA), B M Landee, and F G Christen (Perceptronics, Inc., Woodland Hills, CA) *Human Factors*, vol 24, June 1982, p 329-337 6 refs. Army-supported research

The purpose of this research was to develop a performance-based criterion for selecting among alternative symbols to be used in graphic displays. The specific criterion developed was an index of perceptual discriminability. Through regression analyses of an intersymbol similarity-rating matrix, it was concluded that symbols are judged more or less similar on the basis of the number of shared versus unique configurational attributes (an X, a triangle, etc.), as opposed to primitive attributes (number of lines, arcs, etc.). An easy-to-use discriminability-index formula was derived from the regression analysis involving the configurational attributes, and this formula was used to predict the results of an experiment involving a search for specific symbols embedded in an array. Indices obtained from a formula such as the one developed here could be used as part of the basis for choosing among alternative candidate symbols for inclusion in an existing symbol domain (Author)

**A82-37187** **Noise and annoyance - A new methodology.** G M Corso and M E Moomaw (Georgia Institute of Technology, Atlanta, GA) *Human Factors*, vol 24, June 1982, p 339-345 5 refs

The effects of noise intensity on annoyance are investigated in two experiments involving the use of a visual signal to designate the impending occurrence of a 1000 Hz pure tone. The noise was timed to occur only if response time was greater than 250 msec, and to terminate with the response. The first experiment's

results indicate that the no-noise condition and 50 dBA values differed significantly from the 90 dBA value in terms both of number of avoidance responses and response latencies, implying that avoidance and latency are indicators of annoyance. The second experiment investigated range effects on the number of avoidance responses and their latencies. Significant differences are noted between a group exposed to 50, 60 and 70 dBA and another exposed to 70, 80 and 90 dBA, suggesting that avoidances and latencies are a function of both absolute intensity value and the range of intensities used. Attention is given to the advantages and disadvantages of the avoidance procedure. O C

**A82-37372 † The effect of space flight factors on quiescent nuclei of certain plant and animal test objects (Vliianie faktorov kosmicheskogo poleta na pokoiashchiesia iadra nekotorykh rastitel'nykh i zhivotnykh model'nykh ob'ektov).** N L Delone, V V Antipov, and B I Davydov. *Kosmicheskie Issledovaniia*, vol 20, May-June 1982, p 489-492. 10 refs. In Russian.

The phenomenon of quiescent or silent cell nuclei was examined in tests performed on plant and animal test objects on a variety of spacecraft (Vostok-3, Soyuz-4, Cosmos-690, Cosmos-110, etc.) the effect of space flight factors on (1) the 'reanimation' of seeds of higher plants that had lost their germinating ability, (2) the liver cells of turtles (*Testudo horsfieldi* Gray), and (3) the generative nuclei of the binuclear pollen *Tradescantia paludosa* were examined. The phenomenon of quiescent or silent cell nuclei, where no reading of genetic information occurs, was observed in all three types of organisms under space flight conditions. It is suggested that this silent state is associated with a loss of feedback between the nucleus and the cytoplasm. B J

**A82-37420 \* Beta decay and the origins of biological chirality - Experimental results.** D W Gidley, A Rich, J Van House (Michigan, University, Ann Arbor, MI), and P W Zitzewitz (Michigan, University, Dearborn, MI). *Nature*, vol 297, June 24, 1982, p 639-643. 25 refs. NSF-NASA-supported research.

Preliminary experimental results are presented of an investigation of the possible role of preferential radiolysis by electrons emitted in the beta decay of radionuclides, a parity-nonconserving process, in the universal causation of the optical activity of biological compounds. Experiments were designed to measure the asymmetry in the production of triplet positronium upon the bombardment of an amino acid powder target by a collimated beam of positrons as positron helicity or target chirality is reversed. No asymmetry down to a level of 0.0007 is found in experiments on the D and L forms of cystine and tryptophan, indicating an asymmetry in positronium formation cross section of less than 0.01, while an asymmetry of 0.0031 is found for leucine, corresponding to a formation cross section asymmetry of about 0.04. A L W

**A82-37421 Beta decay and the origins of biological chirality - Theoretical results.** R A Hegstrom (Wake Forest University, Winston-Salem, NC). *Nature*, vol 297, June 24, 1982, p 643-647. 13 refs.

A dynamical mechanism is found whereby a dissymmetric molecule and its mirror image are ionized at different rates by longitudinally polarized electrons such as produced by nuclear beta decay. An enhancement is predicted for molecules containing heavy atoms. Order-of-magnitude estimates indicate that the asymmetric effect of this mechanism may be detectable by current experiments on positronium formation. (Author)

**A82-37423 \* Methane flux in the Great Dismal Swamp.** R C Harriss, D I Sebach (NASA, Langley Research Center, Hampton, VA), and F P Day, Jr (Old Dominion University, Norfolk, VA). *Nature*, vol 297, June 24, 1982, p 673, 674. 33 refs. NASA-supported research, NSF Grant No. DEB-77-08609.

The paper reports measurements made over a 17-month period of the methane flux in the Great Dismal Swamp of Virginia in light of the potential implications of variations in atmospheric methane concentrations. Gas flux measurements were made by a technique combining a gas filter correlation IR absorption analyzer with improved sampling chambers that enclose a soil area under conditions ranging from totally flooded soils to dry soils resulting from drought conditions. Methane emissions are found to range from 0.0013 g CH<sub>4</sub>/sq m per day to 0.019 g CH<sub>4</sub>/sq m per day, depending on temperature and season, when the soil is in a waterlogged state. During drought conditions, the peat soils in the swamp were a sink for atmospheric methane, with fluxes from less than 0.001 to 0.005 g CH<sub>4</sub>/sq m per day and decreasing with decreasing temperature. Results illustrate the potential complexity of the processes which regulate the net flux of methane between wetland soils and the atmosphere. A L W

**A82-37926 Fibrinopeptide A after strenuous physical exercise at high altitude.** P Bartsch, E K Schmidt, and P W Straub (Bern, Universität, Berne, Switzerland). *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 53, July 1982, p 40-43. 33 refs.

Alterations in blood coagulation following exhaustive exercise at high altitude are studied in view of the possible role of thrombosis in the pathology of acute mountain sickness. Subjects resident at an altitude of 600 m were transported by railroad to an altitude of 3457 m, where half of them underwent bicycle ergometer exercise to exhaustion while the other half served as controls. Pre-

exercise blood samples taken 1 hour after arrival at altitude showed no significant alterations in coagulation parameters as compared with samples taken at 600 m. Both immediately after and 1 hour after exercise, the clotting times and euglobin lysis times were shortened and factor VII activity was elevated in the exercise group but not the controls, although there was no significant difference in fibrinogen levels and the ethanol gelation test remained negative. No rise in fibrin(ogen) degradation products or fibrin(ogen) fragment E was found. It is therefore concluded that strenuous exercise at altitude does not lead to a rise in thrombin-mediated fibrin formation in young healthy males. A L W

**A82-37927 Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia.** S J England, D Bartlett, Jr, and S L Knuth (Dartmouth College, Hanover, NH). *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 53, July 1982, p 81-86. 25 refs. Grant No. NIH-HL-19827.

Respiratory vocal cord movements were analyzed in healthy human subjects during air breathing and in isocapnic hypoxia and hypercapnia. In the majority of experiments, expiratory glottic narrowing was substantially greater during hypoxia than during hypercapnia. Because ventilations were carefully matched under these two conditions, it is concluded that hypoxic stimulation of peripheral chemoreceptors favors expiratory glottic narrowing and leads to a relatively high laryngeal airflow resistance. In contrast, hypercapnia is accompanied by low expiratory laryngeal resistance. Similar rates of expiratory airflow with these two stimuli must be achieved by different balances of the factors that determine this flow. (Author)

**A82-37928 Brain hypoxia and control of breathing - Role of the vagi.** R W Chapman, T V Santiago, and N H Edelman (Rutgers University, Piscataway, NJ). *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 53, July 1982, p 212-217. 27 refs. Grants No. NIH-HL-16022, No. NIH-HL-07647.

The role of vagally mediated reflexes in the ventilatory response to progressive brain hypoxia secondary to carboxyhemoglobinemia is investigated. Measurements of ventilatory parameters were made at different levels of carboxyhemoglobinemia before and after vagotomy in unanesthetized goats. Vagotomy is found to change the breathing pattern to a slower, deeper pattern, while increasing resting heart rate and arterial pressure under normoxia. Carboxyhemoglobin levels greater than 45% initiate a large increase in respiratory rate and a lesser increase in inspiratory minute volume, the magnitudes of which are reduced somewhat after vagotomy. Whereas carboxyhemoglobinemia had a biphasic effect on the lung inflation reflex prior to vagotomy, increasing the ratio of the inspiratory duration of a fully occluded breath to that of a spontaneous breath at low carboxyhemoglobin levels and reducing the ratio to unity at high levels, vagotomy led to the constancy of the ratio at unity for all levels of carboxyhemoglobin, indicating the abolition of the lung inflation reflex. Results indicate that contributions from vagally mediated mechanisms to the overall ventilatory response to brain hypoxia are small in magnitude. A L W

**A82-37929 Muscle weakness following dynamic exercise in humans.** C T M Davies and M J White (Queen's Medical Centre, Nottingham, England). *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 53, July 1982, p 236-241. 19 refs.

The effects of dynamic exercise on muscular force generation in response to electrical stimulation are investigated in subjects performing 1 hour of level running and uphill walking at a gradient of 25% on a treadmill, and box stepping on and off a 0.5-m platform. Tension development was measured during both submaximal and supramaximal twitch and tetanic stimulation of the triceps surae before and after exercise. At submaximal stimulation voltages, running and walking are found to enhance twitch and tetanic responses, however the supramaximal time to peak tension, twitch tension and tetanic tensions were reduced, with the reduction in tetanus at 100 Hz associated with a decrease in maximal voluntary contraction. Muscular functions were found to return to normal 2 hours after running and walking, in contrast to box-stepping, which produced a more pronounced weakening which lasted at least 22 hours. Results illustrate the difficulties in using submaximal stimulation voltages and tetanic response ratios in studies of muscle function, and suggest that long-lasting muscle weakness is not associated with recovery from prolonged running or walking. A L W

**A82-37930 Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia.** W F Nolan and D G Davies (Texas Tech University, Lubbock, TX). *Journal of Applied Physiology, Respiratory, Environmental and Exercise Physiology*, vol 53, July 1982, p 247-252. 35 refs. Research supported by the Tarbox Research Institute, Grant No. NIH-HL-25984.

The role of brain extracellular fluid pH in the regulation of the cerebrovascular response to hypoxia is studied by means of simultaneous measurements of extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia. Measurements of diencephalon and total brain blood flows were made by the radioactive microsphere technique concurrently with microelectrode determinations of extracellular fluid pH in the diencephalon in anaesthetized, paralyzed rabbits artificially ventilated with gas mixtures containing 11-12% O<sub>2</sub> or 3.3%



CO<sub>2</sub> and 9-10% O<sub>2</sub>. Diencephalon and total brain blood flow rates are observed to increase and vascular resistances to decrease after 4-6 minutes of isocapnic hypoxia, while extracellular fluid pH increased after the first minute and remained elevated for 20 min. During hypocapnia, blood flow and vascular resistance remained constant as extracellular pH was elevated, while hypocapnic hypoxia led to a decrease in vascular resistance with no change in blood flow rate. Results indicate that some factor other than H(+) concentration must mediate early hypoxic vasodilation.

A L W

**A82-37968**      **Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/.** D W. Cail (U S Navy, Pacific Missile Test Center, Point Mugu, CA). *SAFE Journal*, vol. 12, Summer 1982, p. 6-9. 8 refs. Air Task A53153/054-4/2531100.

Methods of effective operator indoctrination on the proper use of new or modified items of ALSS are presented. Carefully prepared and used operator indoctrination packages in various formats (slides with narratives, video tapes, demonstrators, etc.) can be a significant factor in helping aircrewmembers understand why ALSS are being introduced as well as how to use them, thus increasing the chances for proper use during an emergency. The operator indoctrination package for the 'Personal Parachute Four-Line Release System', developed by the Pacific Missile Test Center, is used as a model to show the application of this training concept.

N B

**Page Intentionally Left Blank**

## STAR ENTRIES

**N82-26951#** Turku Univ (Finland)  
**SPIN IMAGING EQUIPMENT FOR SMALL ANIMAL EXPERIMENTS** Physical Lab  
 P H Oksman M E S Komu, E K Koivula, M Punkkinen, and Vaeinoe Hovi, ed 1981 14 p refs  
 (ISBN-951-41-0420-X, ISSN-0066-2003) Avail NTIS  
 HC A02/MF A01

A spin imaging equipment to study small animals is described. The homogenization of the magnetic field and to the field gradient coils and currents are examined. The currents and also a substantial part of the image formation, based on the sensitive point method, are controlled by a microprocessor. Cross-sectional pictures of an olive and a rat are shown. E A K

**N82-26952\*#** BioTechnology, Inc., Falls Church Va  
**USSR SPACE LIFE SCIENCES DIGEST, VOLUME 2, NO. 3**  
 Quarterly Review  
 Courtland S Lewis Sep 1981 55 p refs  
 (Contract NASw-3223)  
 (NASA-CR-168582 NAS 1 26 168582) Avail NTIS  
 HC A04/MF A01 CSCL 05A

Soviet scientists are making significant contributions to the field of space medicine and biology through their active manned space program, frequent biosatellites, and extensive ground-based research. An overview of the developments and direction of the USSR Space Life Sciences Program is provided. L F M

**N82-26953\*#** BioTechnology Inc., Falls Church Va  
**USSR SPACE LIFE SCIENCES DIGEST, VOLUME 2, NO. 4**  
 Quarterly Review  
 Courtland S Lewis and Kristy Donnelly Dec 1981 59 p refs  
 (Contract NASw-3469)  
 (NASA-CR-168691 NAS 1 26 168691) Avail NTIS  
 HC A04/MF A01 CSCL 05A

Soviet scientists are making significant contributions to the field of space medicine and biology through their active manned space program, frequent biosatellites and extensive ground-based research. An overview of the developments and direction of the USSR Space Life Sciences Program is provided. L F M

**N82-26954\*#** Kentucky State Univ Frankfort Dept of Biology  
**ZOOLOGICAL EFFECTS OF VARIATIONS IN ATMOSPHERIC OXYGEN LEVELS** Final Technical Report  
 Gerri Kloeck Jun 1982 25 p refs  
 (Grant NAG10-00801)  
 (NASA-CR-169020, NAS 1 26 169020) Avail NTIS  
 HC A02/MF A01 CSCL 06B

The role of certain gene enzymes in survival in modified atmospheres was examined. Chromosome morphology was studied. Mortality and life span were measured. Equipment to deliver various gas mixtures to the flies was designed and fabricated. To study the gene enzymes a technique called starch gel electrophoresis was needed. Equipment and supplies for this work and the study of chromosome morphology was available on the market, although some of the equipment was fabricated to save the project money. Author

**N82-26955\*#** California Inst of Tech, Pasadena Seismological Lab  
**IMPACT OF AN ASTEROID OR COMET IN THE OCEAN AND EXTINCTION OF TERRESTRIAL LIFE**  
 Thomas J Ahrens and John D OKeefe 1982 21 p refs  
 (Grant NSG-7129)  
 (NASA-CR-169086, NAS 1 26 169086) Avail NTIS  
 HC A02/MF A01 CSCL 06C

Finite difference calculations describing the impact mechanics associated with a 10 to 30 km diameter silicate or water object impacting a 5 km deep ocean overlying a silicate solid planet demonstrate that from 12 to 15% of the bolide energy resides in the water. It is speculated that minimal global tsunami run-up

heights on the continents would be 300-400 meters, and that such waves would inundate all low altitude continental areas, and strip and silt-over virtually all vegetation. As a result the terrestrial animal food chain would be seriously perturbed. This could in turn cause extinction of large terrestrial animals. L F M

**N82-26956#** Army Armament Research and Development Command, Aberdeen Proving Ground, Md Chemical Systems Lab  
**THE SUBCHRONIC INHALATION TOXICITY OF POLYETHYLENE GLYCOL 200 IN THE RAT AND MOUSE** Technical Report, Oct. 1979 - Oct 1980  
 J W Crook, P D Hott, A E Cooper, E G Cummings, S A Thomson, R L Farrand, C Lilly D H Heitkamp, and J T Weimer Dec 1981 24 p refs  
 (DA Proj 1L1-62622-A-554-4E)  
 (AD-A110668 ARCSL-TR-81051) Avail NTIS  
 HC A02/MF A01 CSCL 06/20

In this study mice and rats were repeatedly exposed to concentrations of either 100 mg/cu m or 1000 mg/cu m of PEG 200 aerosol for 6 hours a day, 5 days a week for up to 13 weeks. The mice and rats did not appear to have any lesions related to the experimental procedure. No biologically consistent significant alterations in blood chemistry, hematology, or pulmonary resistance were found. No mutations or pathological abnormalities could be attributed to exposure to PEG 200. The data resulting from these studies may be useful in the derivation of airborne control limits for protection of personnel. Author (GRA)

**N82-26957#** Army Research Inst of Environmental Medicine, Natick, Mass Experimental Pathology Div  
**FREEZE-THAW INDUCED DAMAGE TO ENDOTHELIAL CELLS IN VITRO. 1 DEVELOPMENT OF A SUITABLE SYSTEM**  
 Lynn R Trusal, Carol J Baker, and Albert W Guzman 25 Mar 1981 26 p refs  
 (DA Proj 3E1-61102-BS-10)  
 (AD-A111074, USARIEM-M-5/81) Avail NTIS  
 HC A03/MF A01 CSCL 06/5

The study of freeze-thaw damage to endothelial cells necessitated the development of a suitable in vitro system. After investigating various substrates, Leighton tubes containing a plastic coverslip proved to be the most versatile method for studying alterations to endothelial cells following thaw. The polymethylpentene coverslip was the key to its versatility. It was easily cut which allowed portions of the same monolayer to be processed for examination by phase contrast, brightfield, and both scanning and transmission electron microscopy. At the same time, the attached handle allowed easy manipulation without disturbing the monolayer. Also, following a freeze-thaw insult, endothelial cells remained better attached to the plastic substrate than to glass coverslips. The Leighton tube itself was ideal for temperature studies because it was water tight which allowed submersion in refrigerated water baths. The media covering the cells can be assayed for cellular enzymes released into the media. In this manner biochemical markers from the same cells may be correlated with cellular structure. Author (GRA)

**N82-26958#** Army Research Inst of Environmental Medicine, Natick Mass  
**ACUTE HEAT/EXERCISE STRESS IN RATS: EFFECTS ON FLUID AND ELECTROLYTE REGULATORY HORMONES**  
 Ralph Francesconi and Milton Mager 20 Jan 1982 22 p refs  
 (DA Proj 3E1-61102-BS-10)  
 (AD-A110559, USARIEM-M-12/82) Avail NTIS  
 HC A02/MF A01 CSCL 06/19

Adult, male rats were exercised (level treadmill, 9.14 m/min) in the heat (35 C, 30-35% rh) until hyperthermic exhaustion (T sub re = 42.5 - 43 C) ensued. Blood samples (0.3 ml) were taken immediately prior to exercise in the heat (time 0), when T sub re reached 40 C (8.25 min treadmill time), when hyperthermic exhaustion occurred, and again when T sub re decreased to 40 C. Plasma was separated and assayed for aldosterone, angiotensin I (plasma renin activity), and antidiuretic hormone (arginine-vasopressin). Plasma aldosterone levels were significantly (p < 0.01) elevated after 8 min of exercise and remained increased throughout the exercise and recovery periods. Alternatively plasma angiotensin I levels were unaffected during exercise, but increased significantly (p < 0.01) during the recovery period. Arginine-vasopressin concentrations were

likewise significantly ( $p < .05$ ) elevated by completion of the exhaustive run and continued to increase during the recovery period. We attributed these elevations in levels of the fluid and electrolyte regulatory hormones to part of an adaptational response to maintain or increase plasma volume during exercise in the heat. Significant ( $p < .001$ ) decrements in hematocrit ratio occurred during the exercise interval. However, we were unable to relate the ultimate ability of the animal to survive the heat/exercise-induced injury to the intensity of its hormonal response pattern to exercise in the heat. GRA

**N82-26959#** Naval Postgraduate School, Monterey, Calif Dept of Operations Research

**LOCAL SERIAL CORRELATION IN BEHAVIORAL STATES IN THE MOUSE**

Gary S Richardson, Peter A W Lewis, Endel J Orav and William C Dement Sep 1981 21 p refs Prepared in cooperation with Stanford Univ., Calif

(Grant NIH-MH-27913, NR Proj 042-284)

(AD-A111021 NPS55-81-022)

Avail

NTIS

HC A02/MF A01 CSCL 05/1

In the mouse *Mus musculus*, local (ultradian) serial correlation (LSC) within the sleep and wakefulness states varies significantly as a function of circadian phase. The amplitude of the correlation function is greatest during the active phase of the mouse's diurnal cycle. Additionally, mean LSC (averaged across circadian phase) is significantly positive and monotonically decreasing for a broad range of short lags (1-23 minutes). Thus there is no evidence of positive, periodically occurring peaks in the correlation function separated by patches of small or negative correlations that is characteristic of a rhythmic process of fixed period. These findings challenge the concept that an ultradian oscillator plays a significant role in the temporal control of sleep-wake state.

Author (GRA)

**N82-26960#** National Aeronautics and Space Administration Lyndon B Johnson Space Center, Houston, Tex

**ABSORBENT PRODUCT AND ARTICLES MADE THEREFROM Patent Application**

James V Correals and Frederic S Dawn inventors (to NASA) Filed 14 Apr 1982 14 p

(NASA-Case-MSC-18223-2 US-Patent-Appl-SN-368187) Avail

NTIS HC A02/MF A01 CSCL 06B

An invention comprising a multi-layered absorbent article suitable for collecting body waste products is described. Author

**N82-26961#** National Aeronautics and Space Administration Goddard Space Flight Center, Greenbelt, Md

**APPARATUS FOR DISINTEGRATING KIDNEY STONES Patent Application**

Donald S Friedman, inventor (to NASA) Filed 13 May 1982 13 p

(NASA-Case-GSC-12652-1, US-Patent-Appl-SN-377891) Avail NTIS HC A02/MF A01 CSCL 06B

A mechanical system for disintegrating urinary calculi, particularly an ultrasonic apparatus for fragmenting urinary calculi in situ is described. The useful life of the wire probe in an ultrasonic kidney stone disintegration instrument is enhanced and prolonged by attaching the wire of the wire probe to the tip of an ultrasonic transducer by means of a clamping arrangement. Additionally, damping material is applied to the wire probe in the form of a damper tube through which the wire probe passes in the region adjacent the transducer tip. Novelty is believed to reside in the combination of a grooved adjustable anvil in the transducer tip at the clamping point of the wire probe to lessen concentrated stresses in the wire and a vibrational damper system which minimizes lateral wire motion at the transducer tip while nevertheless transmitting linear motion which acts to prolong the useful life of the wire probe. NASA

**N82-26962#** National Aeronautics and Space Administration Marshall Space Flight Center, Huntsville, Ala

**PROSTHETIC OCCLUSIVE DEVICE FOR AN INTERNAL PASSAGEWAY Patent Application**

John B Tenney Jr., inventor (to NASA) (Rochester General Hospital, NY) Filed 23 Apr 1982 15 p Sponsored by NASA

(NASA-Case-MFS-25640-1 US-Patent-Appl-SN-371352) Avail NTIS HC A02/MF A01 CSCL 06B

A prosthetic device for occluding an internal passageway of the human body, for example for closing the urinary canal, is described. The device includes a cuff having a backing collar

and two isolated cuff chambers. The fluid pressure of one chamber is regulated by a pump/valve reservoir unit. The other chamber is unregulated in pressure but its fluid volume is adjusted by removing or adding fluid to a septum/reservoir by means of a hypodermic needle. Pressure changes are transmitted between the two cuff chambers via faying surfaces which are sufficiently large in contact area and thin as to transmit pressure generally without attenuation. By adjusting the fluid volume of the septum the operating pressure of the device may be adjusted to accommodate tubular organs of different diameter sizes as well as to compensate for changes in the organ following implant without re-operation. NASA

**N82-26963#** Indiana Univ., Bloomington School of Medicine

**SLEEP DEPRIVATION AND EXERCISE TOLERANCE Annual Summary Report, 2 Jan. 1981 - 31 Jan 1982**

Bruce J Martin Jan 1982 9 p refs

(Contract DAMD17-81-C-1023, DA Proj 3E1-62777-A-879) (AD-A113043, ASR-1) Avail NTIS HC A02/MF A01 CSCL 06/19

The effects of sleep deprivation on the ability of humans to tolerate standard forms of endurance exercise were investigated. Standard techniques in human exercise physiology were utilized. The results indicate that acute sleep loss of 30 to 36 hours (1) does not alter the maximal oxygen uptake while it does reduce maximal heart rate (2) leaves metabolic rate during exercise at a constant external work load unchanged, while heart rate is reduced and ratings of perceived exertion are elevated (3) reduces tolerance of prolonged heavy exercise at three-fourths of the maximal oxygen uptake by about 10% with wide variation noted among individuals and (4) to significantly change work loads selected for equal effort during short term heavy exercise. It is concluded that acute sleep loss of 30 to 36 hours has relatively minor deleterious effects on endurance exercise performance. Author

**N82-26964#** Florida Univ., Gainesville Dept of Pathology THE CLINICAL PRACTICE LIBRARY OF MEDICINE (CPLM) AN ON-LINE BIOMEDICAL COMPUTER LIBRARY SYSTEM DOCUMENTATION Final Report

Ralph R Grams 6 Jun 1982 131 p refs

(Grant NAG10-0004)

(NASA-CR-169018 NAS 1 26 169018) Avail NTIS

HC A07/MF A01 CSCL 06E

A system designed to access a large range of available medical textbook information in an online interactive fashion is described. A high level query type database manager, INQUIRE, is used. Operating instructions, system flow diagrams, database descriptions, text generation, and error messages are discussed. User information is provided. NW

**N82-26965#** Illinois Univ., Urbana Engineering Psychology Research Lab

**THE PRODUCTION OF SPECIFIED ELECTROCORTICAL ACTIVITY AS A MEASURABLE TASK**

Dennis B Beringer and Michael G H Coles Feb 1981 66 p refs

(Contract DACA88-80-C-0003, DA Proj 4A1-61102-AT-23, AF Proj 2313)

(AD-A111422, EPL-81-2/USACERL-81-1) Avail NTIS

HC A04/MF A01 CSCL 05/10

Global electrocortical activity (alpha) was examined as a possible index of subtle environmental effects upon productivity in cognitive tasks. A new model of biofeedback was proposed to account for the various effects described in the literature. Although consistent with previous findings, the model received no additional confirmation from the current study. It was concluded that the measure was overly sensitive and unstable. Other multivariate measurement schemes were suggested. Author (GRA)

**N82-26966#** Air Force Aero Propulsion Lab., Wright-Patterson AFB, Ohio

**TOXICOLOGY OF HIGH ENERGY FUELS**

Michael G MacNaughton Dec 1981 16 p refs

(AF Proj 6302)

(AD-A111686 AFAMRL-TR-81-136) Avail NTIS

HC A02/MF A01 CSCL 06/2

The development of new weapons systems, high energy fuels, and aerospace materials presents a challenge to the health professional. To avoid health hazards to Air Force personnel these

hazards must be identified early in the research phase of development before acquisition decisions are made. This is only possible if the health professional works closely with the design engineers and scientists. The Air Force program to develop high energy cruise missile fuels is a good example of close cooperation between scientists developing these fuels and toxicologists and environmental engineers responsible for research to assess the health and environmental consequences of their deployment throughout the Air Force. A status report is given on the extensive toxicology data base research effort on these fuels. Included are data on acute, chronic and oncogenic exposures, mutagenic screening tests and emergency exposure limits. Author (GRA)

**N82-26967#** Army Research Inst of Environmental Medicine, Natick, Mass. Altitude Research Div

**DIFFERENTIATED RATINGS OF PERCEIVED EXERTION ARE INFLUENCED BY HIGH ALTITUDE EXPOSURE**

Andrew J. Young, Allen Cymerman, and Kent B. Pandolf. 23 Mar 1981. 25 p. refs

(AD-A111075) USARIEM-M-1/81) Avail NTIS  
HC A02/MF A01 CSCL 06/19

Differentiated ratings of perceived exertion (RPE) were obtained from 8 low-altitude residents during cycle exercise at sea level (SL) and after acute (< 2 hours) and chronic (18 days) exposure to high altitude (4,300m, HA). Mean VO<sub>2</sub> max was 27% lower than at SL with acute HA exposure and was not significantly changed with chronic exposure. Subjects cycled for 30 min at an exercise intensity requiring 85% of VO<sub>2</sub> max. Respiratory exchange measurements and differentiated RPE were obtained at the fifth, fifteenth, and twenty-fifth min of exercise and pre- and post-exercise blood samples were collected. Differentiated RPE included a local muscular rating, a central or cardiopulmonary rating, and an overall rating. Despite reduced absolute exercise intensity during acute HA exercise, local RPE were unchanged from SL values. Chronic HA exercise, however, was associated with a significant reduction in local RPE. Blood lactate accumulation during SL exercise was not significantly different from acute HA exercise but was significantly less during chronic HA exercise. At SL, local ratings were significantly greater than central ratings while neither differed significantly from the overall ratings. During acute and chronic HA exercise, none of the differentiated ratings significantly differed, and central RPE were highest of the ratings during chronic HA exercise. Ventilatory equivalent for oxygen during HA exercise (both acute and chronic) was significantly higher than at SL. GRA

**N82-26968#** Army Research Inst of Environmental Medicine, Natick, Mass. Altitude Research Div

**CARDIO-RESPIRATORY PHYSICAL TRAINING IN WATER AND ON LAND**

Barbara A. Avellini, Yair Shapiro, and Kent B. Pandolf. 12 Jun 1981. 31 p. refs

(DA Proj 3E1-62777-A-878) Avail NTIS  
(AD-A111064) USARIEM-M-13/81) HC A03/MF A01 CSCL 06/19

Fifteen unconditioned young men who were similar in maximal aerobic power (VO<sub>2</sub> max), were divided into three groups (n = 5 each) and physically trained for one month on a bicycle ergometer either on land (I) or immersed to the neck in water of either 32°C (II) or 20°C (III) to determine how physical training (PT) in water differs from training in air. PT consisted of one-hour daily exercise bouts, 5 times/wk, with exercise intensity readjusted each week to maintain a constant training stimulus of approx 75% VO<sub>2</sub> max (determined on land). Throughout the training period, heart rates (HR) of III averaged 20 and 10 beats/min less than I and II, respectively, despite working at the same VO<sub>2</sub> as % VO<sub>2</sub> max. Following PT, plasma volume was not increased over the pretraining values (p > 0.05) in any group. Hemoglobin concentration and hematocrit significantly increased in all three groups. Training elicited a 16% increase in VO<sub>2</sub> max in I compared to increases of 13 and 15% for II and III, respectively. It was concluded that PT in water produces similar physiological adaptations as does training on land. In cold water, VO<sub>2</sub> max is improved despite training with HR's significantly lower than those on land. Author (GRA)

**N82-26969#** Army Research Inst of Environmental Medicine, Natick, Mass. Altitude Research Div

**SPARING EFFECT OF CHRONIC HIGH-ALTITUDE EXPOSURE ON MUSCLE GLYCOGEN UTILIZATION DURING EXERCISE**

A. J. Young, W. J. Evans, A. Cymerman, K. B. Pandolf, and J.

J. Knapik. 16 Jun 1981. 23 p. refs

(DA Proj 3E1-61102-BS-10)

(AD-A111063) USARIEM-M-12/81) Avail NTIS  
HC A02/MF A01 CSCL 06/19

Substrate utilization during heavy (approx 85% VO<sub>2</sub> max) bicycle exercise was examined in eight low-altitude residents at sea level (SL) and after acute (2 hours) and chronic (18 days) exposure to 4,300 m (HA). Mean VO<sub>2</sub> max was approx 27% lower with acute HA than at SL and did not change significantly with continued HA exposure. Biopsies from the vastus lateralis muscle and venous blood samples were obtained before and after 30 min of exercise while determinations of the respiratory exchange ratio (R) were made at 10 min intervals during each of the submaximal bouts. Resting serum levels of free fatty acids unchanged with exercise, were 2X and 3X higher than SL with acute and chronic HA, respectively. Exercise did not alter resting serum glycerol levels at SL or during acute HA, but caused an 11-fold increase during chronic HA. Mean blood lactate concentrations were similar following exercise at SL and acute HA but were 87% lower after chronic HA. During exercise at SL and acute HA, the rate of muscle glycogen utilization and R were similar but were 41% and 15% lower, respectively, with chronic HA. These data suggest that after chronic high-altitude exposure, increased mobilization and use of free fatty acids during exercise resulted in sparing of muscle glycogen. Author (GRA)

**N82-26970#** Army Research Inst of Environmental Medicine, Natick, Mass. Altitude Research Div

**MEDICAL AND PERFORMANCE PROBLEMS OF ACUTE HIGH ALTITUDE EXPOSURE**

John T. Maher. 11 Jul 1981. 16 p. refs

(DA Proj 3E1-62777-A-879) Avail NTIS  
(AD-A111062) USARIEM-M-19/81) HC A02/MF A01 CSCL 06/19

Of the numerous medical problems associated with acute exposure to high terrestrial elevations, the Army's research efforts have focused principally, though not exclusively, on the most common of the disorders, acute mountain sickness (AMS) or soroche. This self-limiting syndrome of unacclimatized individuals is characterized by headache, lassitude, insomnia, gastrointestinal symptoms and general malaise which usually become manifest within 4 to 8 hours after arrival, peak between 24 and 48 hours and gradually remit over 4 to 8 days. Experience at our Pikes Peak Laboratory (4,300 meters) indicates that approximately 60 percent of the soldiers so exposed experience symptoms severe enough to functionally incapacitate them as efficient combat troops. At altitudes higher than 4,300 meters one can expect a disproportionate increase in both the severity of symptoms and the number of individuals in whom they will occur. Research efforts at our laboratory to prevent this illness have met with some success; we are now able to reduce symptom intensity at 4,300 meters by 85% through a combination of residence for 4 days at 1,600 meters plus the administration of 500 mg of acetazolamide b.i.d. for the last 2 days at 1,600 meters and the first 2 days at 4,300 meters. GRA

**N82-26971#** Army Research Inst of Environmental Medicine, Natick, Mass.

**AN ERGOMETER FOR CONCENTRIC AND ECCENTRIC MUSCULAR CONTRACTION**

Howard G. Knuttgen, John F. Patton, and James A. Vogel. 18 Aug 1981. 16 p. refs. Submitted for publication

(AD-A111061) USARIEM-M-20/81) Avail NTIS  
HC A02/MF A01 CSCL 06/16

An ergometer for human subjects is described which can be used for leg cycling exercise at low to very high intensities involving concentric or eccentric muscle contractions. Dependent upon the mode of exercise (concentric or eccentric) and rpm chosen, the upper limit of power production approximates 1,500 W. The ergometer permits the study of full ranges of exercise intensities for both types of exercise which, for the concentric condition, includes a high component of anaerobic energy release. Author (GRA)

**N82-26972#** Army Research Inst of Environmental Medicine, Natick, Mass.

**ISOKINETIC, ISOMETRIC, AND ISOTONIC STRENGTH RELATIONSHIPS**

Joseph J. Knapik, James E. Wright, Roberta H. Mawdsley, and Joanne M. Braun. 14 Aug 1981. 21 p. refs. Submitted for publication



(AD-A111039, USARIEM-M-18/81) Avail NTIS  
HC A02/MF A01 CSCL 06/5

The relationships among isokinetic, isometric and isotonic strength measurements in knee and elbow extension and flexion were examined in 16 young, healthy males. Isokinetic (36 deg/sec, 108 deg/sec, 180 deg/sec) and isometric torque measurements were obtained from a modified Cybex II apparatus. An electrogoniometer was used to monitor the joint angle. A modified N-K device was employed to determine maximal isotonic capabilities using a one repetition maximum procedure. Correlations among the three testing modes at the joint angles of peak isometric torque were generally high ( $\bar{r} = 0.78$ , range = 0.97 to 0.47) for all four muscle groups. The amounts of common variance suggested that all three strength testing modes were measuring a similar phenomenon which could be termed maximal voluntary strength. Within a particular muscle group correlations decreased both as the isokinetic velocities and as the joint angles became more widely separated. Author

**N82-26973#** Army Research Inst of Environmental Medicine, Natick, Mass. Exercise Physiology Div  
**INFLUENCE OF FIBER TYPE COMPOSITION AND CAPILLARY DENSITY ON ONSET OF BLOOD LACTATE ACCUMULATION**

P A Tesch (Karolinska Hospital, Stockholm) D S Sharp, and W L Daniels 25 Mar 1981 20 p refs Submitted for publication  
(AD-A111038 USARIEM-M-8/81) Avail NTIS  
HC A02/MF A01 CSCL 06/16

Onset of blood lactate accumulation (OBLA) was determined in sixteen healthy and physically active men (23-33 yrs) during cycling using a continuous step-wise increased exercise intensity protocol. OBLA was defined as the exercise intensity corresponding to a lactate concentration of 4 mmol per liter of blood. Oxygen consumption pulmonary ventilation respiratory quotient (R), heart rate and lactate concentration were monitored during each exercise intensity. Muscle biopsies were obtained from m-vastus lateralis at rest for determination of fiber type composition and capillary density. Calculated values (mean  $\pm$  or - SD) for exercise intensity, oxygen consumption and ventilation at OBLA were 159 ( $\pm$  or - 37)W, 2.43 ( $\pm$  or 0.47) liters per min and 49.8 ( $\pm$  or - 10.5) liters per min or 65 ( $\pm$  or - 10) percent of  $\dot{V}_{sub O sub 2 max}$ . OBLA (percent  $\dot{V}_{sub O sub 2 max}$ ) was found to correlate significantly ( $r = 0.75$ ,  $p$  less than 0.001) to the relative muscle area occupied by ST (Type I) fibers. Furthermore 92% of the variance in OBLA could be explained by percent ST area + capillary density. It is suggested that both inherent and adaptive qualities of the exercising muscle are of significance for the onset of blood lactate accumulation. GRA

**N82-26974#** Army Research Inst of Environmental Medicine, Natick, Mass. College of Allied Health Professions  
**PERCEPTION OF EFFORT DURING ISOMETRIC CONTRACTIONS AS RELATED TO HEART RATE AND BLOOD PRESSURE RESPONSES**

Leslie I Goldberg, D Joyce White, and Kent B Pandolf (Army Research Inst of Environmental Medicine) 20 May 1981 29 p refs  
(DA Proj 3E1-62777-A-878)  
(AD-A111033 USARIEM-M-15/81) Avail NTIS  
HC A03/MF A01 CSCL 06/16

The purpose of this study was to investigate the effects of three intensities of isometric handgrip contractions on selected cardiovascular parameters and perception of effort and to determine the relationship of these cardiovascular parameters to perception of effort. GRA

**N82-26975#** Army Research Inst of Environmental Medicine, Natick, Mass.

**EFFECTS OF ACUTE PLASMA VOLUME EXPANSION ON ALTERING EXERCISE HEAT PERFORMANCE**

Michael N Sawka, Roger W Hubbard, Ralph Francesconi, and Donald H Horstman 16 Dec 1981 33 p refs  
(DA Proj 3E1-61102-BS-10)  
(AD-A110558 USARIEM-M-11/82) Avail NTIS  
HC A03/MF A01 CSCL 06/19

To determine the effect an acute plasma volume expansion has upon exercise performance in the heat seven male volunteers attempted to complete two 90 min walks (40% of  $\dot{V}O_2$  max) in a hot/dry (45 C/20% rh) environment. These walks were preceded by an infusion of either human albumin (50 g in a 200 ml

solution) or isotonic saline (200 ml). The albumin infusion was found to significantly ( $P < 0.01$ ) increase plasma volume by about 13%. In comparison to preexercise levels plasma volume did not change during the duration of both prolonged walks. No significant differences were found for performance time, final heart rate or final rectal temperature values between the two walks. In general significant differences were not found for systolic blood pressure, rectal temperature, mean skin temperature, heat storage, sweat rate, plasma lactate, plasma osmolality or plasma protein content values between the two walks. However, heart rate responses were found to be significantly lower ( $P < 0.05$ , about 13 bpm) during the 25 min and 40 min measurements of the albumin walk. These data suggest that plasma volume expansion may be a supportive adaptation to enhance cardiovascular stability but does not improve thermoregulatory function or exercise performance in the heat. GRA

**N82-26976#** Army Research Inst of Environmental Medicine, Natick, Mass.

**EFFECTS ON HEAT TOLERANCE OF PHYSICAL TRAINING IN WATER AND ON LAND**

Barbara A Avellini, Yair Shapiro, S M Fortney, and Kent B Pandolf 19 Nov 1981 33 p refs  
(DA Proj 3E1-62777-A-878)  
(AD-A110556, USARIEM-M-6/82) Avail NTIS  
HC A03/MF A01 CSCL 06/19

A 4-week training program was undertaken by 15 untrained, unacclimated males who were divided into 3 groups matched on maximal aerobic capacity ( $\dot{V}O_2$  max) and trained either in water or on land to determine how physical training (PT) in these different media affects heat tolerance. Subjects trained on a bicycle ergometer for 1 h/day, 5 days/week at 75%  $\dot{V}O_2$  max, with the exercise intensity progressively increased to maintain a constant training stimulus. Group I exercised on land, while II and III exercised while immersed to the neck in water of either 32 C (II) or 20 C (III). Daily exercise increased core temperature ( $T_c$ ) in I and II, but not in III. Training elicited similar increases (approx 15%) in  $\dot{V}O_2$  max in the 3 groups. Before and after PT, all subjects exercised at approx 30%  $\dot{V}O_2$  max for 3 h at 49 C, 20% rh. Compared to before training, I and II showed a decrease in final  $T_c$  and heart rate (HR) in the post-training heat exposure. Seat rate (SR) increased 25% in II, but remained the same in I. Group III demonstrated a decrease in final HR but final  $T_c$  was higher than before training. SR did not increase in III and was lower than the other groups. It was concluded that PT can improve the cardiovascular response to dry heat without affecting thermoregulatory capacity. PT appears to enhance heat tolerance only if  $T_c$  is permitted to rise during exercise, thus stimulating the temperature-regulating center for heat dissipation. GRA

**N82-26977#** Army Research Inst of Environmental Medicine, Natick, Mass.

**DOES HEAT ACCLIMATION LOWER THE RATE OF METABOLISM ELICITED BY MUSCULAR EXERCISE**

Michael N Sawka, Kent B Pandolf, Barbara A Avellini, and Yair Shapiro 19 Aug 1981 25 p refs  
(DA Proj 3E1-62777-A-878)  
(AD-A110555 USARIEM-M-5/82) Avail NTIS  
HC A02/MF A01 CSCL 06/19

Investigations were evaluated to determine if season (summer or winter) of year and subject gender further influence the effect heat acclimation has on metabolism (M) during exercise. Volunteers completed standardized treadmill walks in hot (40 C, 30% rh or 49 C, 20% rh) and cool (20 C, 40% rh) environments immediately before and after heat acclimation. After heat acclimation, a lower M was observed in the hot environments and in the cool environment. Season of year and subject gender did not have a significant effect on these results. These data indicate that heat acclimation does lower the M elicited by exercise. The observed percent decrease was lower in the hot (-3%) than cool (-5%) test environments. Physiological mechanisms which could have contributed to this decreased M were an improved muscular efficiency and altered motor unit recruitment patterns. TM

**N82-26978#** Naval Air Development Center, Warminster, Pa. Aircraft and Crew Systems Technology Directorate

**THE BEGINNINGS OF AEROMEDICAL ACCELERATION RESEARCH. Final Report**

Harald J VonBeckh 30 Sep 1981 42 p refs  
(ZF61412001)

(AD-A11048 NADC-81281-60) Avail NTIS  
HC A05/MF A01 CSCL 06/19

In the early twenties, when structural strength, maneuverability and power of aircraft had increased sufficiently, grey-out and black-out made their first undesirable appearance during flight. Temporary loss of vision was first observed in test flights conducted by the National Advisory Committee for Aeronautics (NACA) with the 'novel' aircraft Fokker PW-7 and also in air races during and/or after the pilots rounded the pylons. At first only a small sector of the aeromedical community was attracted to do research into this new field. The early contributions of Garsaux (1919), Doolittle (1924), Bauer (1926), Dobrotvorski (1930), Flamme (1931), and von Diringshofen (1932), are reviewed and discussed. Several misquotations, partly caused by faulty translations, are clarified. It becomes apparent that the exchange of information between the aeromedical investigators, as well as between engineering and aeromedical community, was far from satisfactory. This may be the reason that more than one decade passed before the mechanism of visual impairment was understood and the hemostatical theory by von Diringshofen was established experimentally proven and generally accepted. Author (GRA)

**N82-26979#** Sandia Labs, Albuquerque N Mex  
**MODELS FOR THE ESTIMATION OF INCAPACITATION TIMES FOLLOWING EXPOSURES TO TOXIC GASES OR VAPORS**

G J Smith 1981 20 p  
(Contract DE-AC04-76DP-00789)  
(DE82-000619, SAND-81-2197C) Avail NTIS  
HC A02/MF A01

Based on the various physiological and toxicological effects that can occur, a set of four models was developed to predict the time to incapacitation from exposure to toxic gases. The four models encompass the range of effects which can lead to immediate incapacitation. These models use historical accident data from incapacitating human exposures or experimentally determined incapacitation data for animals. An alternate model was developed for use when direct incapacitation data are not available. The time to incapacitation is predicted using mortality dose data for animals. DOE

**N82-26980#** Bureau of Radiological Health, Rockville, Md  
**EMISSION COMPUTED TOMOGRAPHY: THE SINGLE PHOTON APPROACH**

Peter Paras and Edward A Eikman Aug 1981 322 p refs  
Symp held at Washington D C, 9-12 Mar 1980  
(P882-131285, FDA/BRH-81/112) Avail NTIS HC A14/MF  
A01 CSCL 06L

Single photon emission computed tomography (SPECT) was discussed. Information on current SPECT techniques are outlined. Current views on different types and clinical applications of SPECT are presented. GRA

**N82-26981#** Logicon, Inc., San Diego, Calif Tactical and Training Systems Div  
**OBJECTIVES HIERARCHY FOR AIR INTERCEPT CONTROLLER PROTOTYPE TRAINING SYSTEM Final Report, 28 Sep 1978 - 28 Jun. 1981**

Robin Halley, J Thel Hooks, Jr, Harry G Lankford, and Larry H Nowell Dec 1981 212 p refs  
(Contract N61339-78-C-0182)  
(AD-A110847, Rept-8641-A005) Avail NTIS  
HC A10/MF A01 CSCL 05/9

This is the second report of a series describing the design, implementation and tests of the use of computer speech recognition technology in the tactical training area. The technical issues in psychology, training, and speech recognition will require a highly complex integration effort in order to be successful. This report provides the details required in order to develop a syllabus. Objectives are arranged in hierarchies to depict their interrelationships. An alternate numbers table indicates objectives required on more than one higher level objective. It will be the task of the syllabus development effort to teach these objectives in a sequence which provides training cost effectiveness and efficient skill acquisition. More tasks are included here than are taught now, but none of these tasks are irrelevant to the AIC. The prototype system developed from these objectives will serve as a test vehicle for incorporation of advanced technologies into the specifications of follow-on trainers. Fleet personnel will play a major role in the design and evaluation of the prototype, and thereby play a major role in the selection of the advanced technologies. The training enhancements evolving from this

process will maintain the Navy's image as a leader in training systems. GRA

**N82-26982#** Bolt, Beranek, and Newman, Inc., Cambridge, Mass  
**PROJECT STEAMER. 6. ADVANCED COMPUTER-AIDED INSTRUCTION IN PROPULSION ENGINEERING Interim Report, Mar 1980 - Feb. 1981**

Albert Stevens, Bruce Roberts, Larry Stead, Kenneth Forbus, Cindy Steinberg, and Brian Smith Jan 1982 27 p refs  
(Contract N00123-81-D-0794)  
(AD-A110797, NPRDC-TR-82-28) Avail NTIS  
HC A03/MF A01 CSCL 05/9

At present, propulsion engineering training is a major problem for the Navy. NAVPERSRANDCEN's goal is to build an intelligent computer-aided instruction (ICAI) training system to enhance Navy training in this area and evaluate the potential of new computer-based technology to provide a qualitatively different form of training. The STEAMER project is concerned with the design and implementation of a training system to instruct personnel in the principles of propulsion engineering. Operational personnel need to understand these principles of plant operation in order to remember the multitude of procedures required for safe plant operation and to be able to respond to a myriad of potential casualty conditions. GRA

**N82-26983#** Air Force Human Resources Lab., Brooks AFB, Tex Manpower and Personnel Div  
**APTITUDE REQUIREMENTS BASED ON TASK DIFFICULTY: METHODOLOGY FOR EVALUATION Interim Report, 1975 - 1980**

Lloyd D Burtch, M Suzanne Lipscomb, and Dale J Wissman Jan 1982 38 p refs  
(AF Proj 7719)  
(AD-A110568, AFHRL-TR-81-34) Avail NTIS  
HC A03/MF A01 CSCL 05/9

The development and application of a technology designed for the evaluation of the difficulty of Air Force jobs in conjunction with the aptitude level required for the job is described. The technology developed makes use of computed variables and task factor data collected by the Air Force Occupational Measurement Center as well as benchmark difficulty data collected by contract personnel experts for the specialties under study. The application of this technology provides a unique method of determining and comparing the learning difficulty of Air Force tasks and jobs, both within and across career specialties. Analyses have indicated high interrater reliabilities for both supervisory and benchmark ratings. A two-variable multiple regression equation was developed for each of the specialties studied. Relatively high correlations were obtained between the two ratings indicating that independent raters tend to agree with supervisors. These questions resulted in estimates of average task difficulty per unit time (ATDPUT) values for each job in each specialty. The value of these estimates and implications for their use are discussed. Author (GRA)

**N82-26984#** Bolt, Beranek, and Newman, Inc., Cambridge, Mass  
**EFFECTS OF WHOLE-BODY MOTION SIMULATION ON FLIGHT SKILL DEVELOPMENT Final Report, 1 Jun. 1978 - 30 Sep 1981**

William H Levison Oct 1981 149 p refs  
(Contract F49620-78-C-0073, AF Proj 2313)  
(AD-A111115, BBN-4645, AFOSR-82-0066TR) Avail NTIS  
HC A07/MF A01 CSCL 05/9

Progress was made toward the development of models for piloting skill acquisition. The following tasks were accomplished: (1) design of an experiment to study visual and motion cue integration in a multi-axis control tasks, (2) enhancement of the optimal control pilot model, (3) further development of a scheme for automatic identification and significance testing of 'pilot-rated' model parameters, (4) analysis of control strategy development, (5) study of the relationship between task structure and pilot response limitations, (6) test of a multiplicative motor noise model, and (7) a brief literature search on adaptive control and identification algorithms for potential application to models for control-strategy development. Author (GRA)

**N82-26985#** Massachusetts Univ., Amherst Lab of Psychometric and Evaluative Research  
**LATENT TRAIT MODEL CONTRIBUTIONS TO CRITERION-REFERENCED TESTING TECHNOLOGY Final Report**  
Ronald K Hambleton Brooks AFB, Tex AFHRL Feb 1982

## N82-26986

31 p refs

(Contract F33615-79-C-0020, AF Proj 2313)

(AD-A112048, AFHRL-TP-81-33)

Avail NTIS

HC A03/MF A01 CSCL 05/10

The goals and results of an 18-month study addressing latent trait model applications to measurement problems arising in criterion-referenced testing are presented. The research studies described in the report cover the following areas: (a) problems with classical test models, introduction to latent trait models, features, assumptions, parameter estimation, and test and item information curves, building tests with latent trait models, (b) latent ability scales - uses, interpretations, and properties, equating test scores for using a common set of norms tables, approaches for addressing the goodness of fit between a latent trait model and a data set, (c) comparing the one-parameter and three-parameter logistic models for ability estimation and decision-making with several test lengths and ability levels, (d) determining the optimal length of criterion-referenced tests with different types of item pools (varying the level of item heterogeneity) and using two different item selection methods, (e) a system to allow instructors to specify required level of measurement precision and obtain information to help them determine test length, (f) comparing the fit of the one-parameter and three-parameter models to 25 sets of test data, and (g) building banks of valid test items. Author (GRA)

**N82-26986#** Missouri Univ, Columbia Tailored Testing Research Lab

### THE FORMATION OF HOMOGENEOUS ITEM SETS WHEN GUESSING IS A FACTOR IN ITEM RESPONSES

Mark D Reckase Aug 1981 94 p refs

(Contract N00014-77-C-0009, NR Proj 150-395

RR0420401)

(AD-A107134, RR-81-5) Avail NTIS HC A05/MF A01 CSCL 12/1

One of the major assumptions of latent trait theory is that the items in a test measure a single dimension. This report describes an investigation of procedures for forming a set of items that meet this assumption. Factor analysis, nonmetric multidimensional scaling, cluster analysis and latent trait analysis were applied to simulated and real test data to determine which technique could best form a unidimensional set of items. Theoretical and empirical evaluations were also made of the effects of guessing on the dimensionality of test data. The results indicated that guessing affected highly discriminating items more so than poorly discriminating items. However, the effect of guessing on the dimensionality of tests with common distributions of difficulty and discrimination indices was found to be minimal. Of the procedures evaluated for sorting items into unidimensional item sets, principal factor analysis of phi coefficients gave the best results overall. Nonmetric multidimensional scaling also showed promise when used with Yule's Y, phi, or tetrachoric similarity coefficients, but it did not perform as well as the factor analytic techniques on the real test data. In summary, guessing does have an effect on test data, but the effect is not very large unless items of extreme difficulty are present in the test. Of the procedures evaluated, traditional factor analytic techniques gave the most useful information for sorting test items into homogeneous sets. Author (GRA)

**N82-26987\*** National Aeronautics and Space Administration Ames Research Center, Moffett Field, Calif

### PRESSURE SUIT JOINT ANALYZER Patent

Hubert C Vykukal and Bruce W Webbon, inventors (to NASA)

Issued 19 Jan 1982 7 p Filed 11 Jul 1980 Supersedes

N80-30042 (18 - 20, 2756)

(NASA-Case-ARC-11314-1, US-Patent-4,311,055,

US-Patent-Appl-SN-168943 US-Patent-Class-73-862 08) Avail

US Patent and Trademark Office CSCL 06K

A measurement system for simultaneously measuring torque and angular flexure in a pressure suit joint is described. One end of a joint under test is held rigid. A torque transducer is pivotally supported on the other movable end of a joint. A potentiometer is attached to the transducer by an arm. The wiper shaft of the potentiometer is gripped by a reference arm that rotates the wiper shaft the same angle as the flexure of joint. A signal is generated by the potentiometer which is representative of the joint flexure. A compensation circuit converts the output of the transducer to a signal representative of joint torque. Official Gazette of the U.S. Patent and Trademark Office

**N82-26988\*** George Washington Univ Medical Center, Washington, D C

### INSECTS. A NUTRITIONAL ALTERNATIVE

Patricia A Dufour 1981 68 p refs

(Contract NASw-3165)

(NASA-CR-169056, NAS 1 26 169056)

Avail NTIS

HC A05/MF A01 CSCL 06H

Insects are considered as potential food sources in space. Types of insects consumed are discussed. Hazards of insect ingestion are considered. Insect reproduction, requirements and raw materials conversion are discussed. Nutrition properties and composition of insects are considered. Preparation of insects as human food is discussed. NW

**N82-26989#** Naval Coastal Systems Center Panama City Fla Life Support Systems Div

### CARBON DIOXIDE ABSORPTION CHARACTERISTICS OF HIGH PERFORMANCE SODASORB AT 1 ATMOSPHERE Technical Memo, FY 1980-1981

A Purer, G A Deason, M I Nuckols and J F Wattenbarger Oct 1981 22 p

(AD-A107488 AD-F200014, NCSC-TM-327-81) Avail NTIS HC A02/MF A01 CSCL 06/11

Standardized methods have been developed to evaluate the efficiency of different carbon dioxide absorbents. Effects of moisture, absorbent cell dimensions, linear velocity and temperature have been included in this investigation. The use of such standardized procedures will allow data comparisons which have not been possible. The engineering data should also be directly applicable to future canister design. GRA

**N82-26990#** Electro-Voice Inc, Buchanan, Mich

### ADVANCED DESIGN LINEAR NOISE-ATTENUATING EARPHONE-EARCUP SYSTEM Final Report, Jun. 1980 - Jul 1981

Robert B Jackson Aug 1981 42 p refs

(Contract DAAK80-80-C-0556)

(AD-A110820, CECOM-80-0556F)

Avail NTIS

HC A03/MF A01 CSCL 06/17

This document covers the development of a headset designed to improve intelligibility and reduce ear fatigue of combat vehicle crewmen in armored vehicles. It is electrically equivalent to the Mk-1697/G kit, but is self supporting and is not designed to fit any particular helmet. Author (GRA)

**N82-26991#** Northrop Corp, Hawthorne, Calif Aircraft Div CREW WORKLOAD PREDICTION STUDY Final Report, 1 Jul 1980 - 15 Dec 1981

J F Watler, Jr, D W Rowell, S S Janoski and Larry C Butterbaugh (AFWAL) Wright-Patterson AFB, Ohio AFWAL Dec 1981 109 p refs

(Contract F336615-80-C-3618 AF Proj 2403)

(AD-A111948, AFWAL-TR-81-3140)

Avail NTIS

HC A06/MF A01 CSCL 01/3

This report documents a study which applied an analytic method known as the Controls and Display Evaluation Model, or CODEM, to the flight deck avionics improvements identified in the Flight Control Division's (AFWAL/FIGR) Tanker Avionics and Aircrew Complement Evaluation (TAACE) program. TAACE, in support of the USAF KC-135 Avionics Modernization Program, sought to establish design criteria for the controls and displays of improved avionics, in the event the crew of the KC-135 is reduced by eliminating the navigator. The objective of this study was to apply CODEM to a previously evaluated design, so that the resulting data could be used to evaluate the validity of CODEM by comparing the two sets of data. CODEM, which is still in the developmental stage, embodies a 'limit design' approach to the problem of controls and displays engineering and integration. Absolute design limits and progressive tests are used to test the emerging design in terms of task complexity. CODEM output consists of plots of task complexity vs time and a printout of associated equipment-related tasks which allows the designer to diagnose the source of any undesirable crew loading. CODEM's application to the TAACE flight deck design concluded that the air-refueling mission could be performed without excessive workload on the crew. GRA

**N82-26992#** Army Research Inst of Environmental Medicine Natick, Mass

### ANATOMIC PERSPECTIVE OF THE FEMALE ATHLETE: AN APPROACH TO MUSCULOSKELETAL PROFILING OF

**WOMEN IN SPORTS**

Connie Bauman (Wellesley Coll.), Joseph J. Knapik, Bruce H. Jones, John M. Harris (Veterans Administration Hospital, Boston), and Linda K. Vaughn 11 Jan 1982 22 p refs  
(AD-A110630, USARIEM-M-8/82) Avail NTIS  
HC A02/MF A01 CSCL 06/5

Women's sports did not begin to grow and gain public recognition until the early 1970's. Since then, the number of women participating in intercollegiate sports has doubled and the number of girls participating in interscholastic sports programs has increased almost threefold. As women flood the sports arena, many questions arise regarding the female athlete. Their performance capabilities are constantly compared with male athletic records and standards, and explanations for the difference in their level of performance are being sought. GRA

**N82-26993#** Army Aeromedical Research Lab., Fort Rucker, Ala. Visual Science Group

**DIRECT AND NEIGHBORING SENSITIVITY CHANGES PRODUCED BY RED AND BLUE-WHITE ADAPTING FIELDS**

Franklin F. Holly and Virgil R. Rogers Feb 1982 24 p refs  
Presented at the Tri-Service Aeromed Res Panel Pensacola, Fla., 12-13 Dec 1979  
(DA Proj 3M1-61102-BS-10)  
(AD-A111880 USAARL-82-1) Avail NTIS HC A02/MF A01 CSCL 01/3

Observers viewed Army instrument panel lighting red and Air Force instrument panel lighting blue-white adaptation fields and their thresholds were determined both within the adaptation field and outside of it. In some cases, thresholds were determined while the adaptation field was still on and in other cases they were determined after the adaptation field had been off for 10 seconds. GRA

**N82-26994#** Army Research Inst of Environmental Medicine, Natick, Mass

**EFFECTIVENESS OF FIVE WATER-COOLED UNDERGARMENTS IN REDUCING HEAT STRESS OF VEHICLE OPERATING IN A HOT WET OR HOT DRY ENVIRONMENT**

George F. Fonseca Mar 1981 50 p refs  
(DA Proj 3E1-62777-A-878)  
(AD-A107105, USARIEM-T-2/81) Avail NTIS  
HC A03/MF A01 CSCL 06/17

The auxiliary cooling provided by five water-cooled undergarments was directly measured on a life size sectional manikin. Each water-cooled undergarment was worn with a combat vehicle crewman ensemble, with or without a complete chemical protective suit. Cooling rates (watts) were determined for both dry (nonsweating) and completely wet (maximal sweating) skin conditions. The watts of heat removed from either the dry or the completely wet skin surface were almost directly proportional to the temperature difference between the manikin skin temperature and the cooling water inlet temperature. The cooling represents the absorption of heat directly from the body, plus any heat that is received by the body from a hot environment. The cooling density, expressed in watts of cooling per square meter of cooling tube array, differed with the size of the array and with the location of the skin surface it covered. GRA

**N82-26995#** National Aeronautics and Space Administration, Washington, D.C.

**PUBLICATIONS OF THE EXOBIOLOGY PROGRAM FOR 1981 A SPECIAL BIBLIOGRAPHY**

Linda G. Pleasant, comp. (George Washington Univ.) and Donald L. DeVincenzi, comp. Jun 1982 35 p  
(NASA-TM-84895, NAS 115 85895) Avail NTIS  
HC A03/MF A01 CSCL 06C

The exobiology program investigates the planetary events which were responsible for, or related to the origin, evolution, and distribution of life in the universe. The areas involved include chemical evolution, organic geochemistry, origin and evolution of life, planetary environments, life in the universe, planetary protection, and Mars data analysis. S.L.

**N82-27962#** Department of Agriculture, College Station, Calif. Pest Control and Methods Research Unit

**PREDICTING THE TIMING AND POTENTIAL OF THE SPRING EMERGENCE OF OVERWINTERED POPULATIONS**

**OF HELIOTHIS spp. Final Report, 1 Oct. 1980 - 31 Mar. 1981**

Albert W. Hartstack, John A. Witz, and Juan D. Lopez 31 Mar 1981 36 p refs  
(NASA Order T-4629H)  
(NASA-CR-167444, NAS 126 167444) Avail NTIS  
HC A03/MF A01 CSCL 06C

Current literature was reviewed in detail. Temperature and day length are the primary factors which program H. spp. larva for possible diapause. Mortality during diapause is reported as highly variable. The factors causing mortality are identified. Sufficient data was collected to allow the development of mathematical models which predict the timing of emergence. Timing predictions compare favorably to observed field data, however, prediction of actual numbers of emerging moths was not possible. The potential for use of spring emergence predictions in pest management applications, as an early warning of potential crop damage, are excellent. Research requirements to develop such an early warning system are discussed. T.M.

**N82-27963#** National Aeronautics and Space Administration, Washington, D.C.

**THE EVALUATION OF STUDIES OF FLIGHT PERSONNEL OF THE GERMAN LUFTHANSA ON THE QUESTION OF STRESS DURING FLIGHTS ON THE SHORT EUROPEAN ROUTES**

K. E. Klein, H. Bruener, P. Kuklinski, S. Ruff, and H. M. Wegmann Feb 1982 39 p refs. Transl into ENGLISH from German report Rept-DLR-355-74/2 DFVLR Oberpfaffenhofen, West Germany, 1972 34 p. Original language document announced as N77-80915. Transl by Kanner (Leo) Associates, Redwood City, Calif.  
(Contract NASw-3541)

(NASA-TM-76660, NAS 115 76660) Avail NTIS  
HC A03/MF A01 CSCL 06S

Medical studies were undertaken on the stress experience by the cockpit crew working the short routes in Europe and a special attempt was made to discover whether signs of a summation of stress due to flight work become visible during a circuit of several days. For this purpose the pulse and respiratory rates were determined for 22 crew members as an indication of the acute stress occurring during the flight and the amount of stress hormone in the urine as an indication of the extent of total stress in an extended study period. Author

**N82-27964#** Tennessee Univ., Memphis. Materials Science Toxicology Labs

**TOXICITY OF THERMAL DEGRADATION PRODUCTS OF SPACECRAFT MATERIALS Final Report, 10 Nov 1980 - 9 May 1982**

W. H. Lawrence, J. E. Turner, Caroline Sanford, Sam Foster, Eula Baldwin, and Jacqueline O'Connor 7 May 1982 138 p refs

(Contract NAS9-15670)  
(NASA-CR-167615, NAS 126 167615) Avail NTIS  
HC A07/MF A01 CSCL 06T

Three polymeric materials were evaluated for relative toxicity of their pyrolysis products to rats by inhalation. Y-7683 (LS 200), Y-7684 (Vonar 3 on Fiberglass), and Y-7685 (Vonar 3 on N.W. Polyester). Criteria employed for assessing relative toxicity were (1) lethality from in-chamber pyrolysis, (2) lethality from an outside-of-chamber pyrolysis MSTL Procedure, and (3) disruption of trained rats shock-avoidance performance during sub-lethal exposures to in-chamber pyrolysis of the materials. Author

**N82-27965#** Beth Israel Hospital, Boston, Mass. Orthopedic Biomechanics Lab

**FRACTURE AND VISCOELASTIC CHARACTERISTICS OF THE HUMAN CERVICAL SPINE KINEMATICS OF THE 3 ACTUATOR SYSTEM**

W. C. Hayes, A. A. White, W. T. Edwards, and J. Lelli Aug 1981 135 p refs

(Contract F49620-81-K-0010, AF Proj 2312)  
(AD-A110980, AFOSR-82-0041TR) Avail NTIS  
HC A07/MF A01 CSCL 06/19

An analysis of the actuator kinematics and the load generation capabilities was performed. The kinematic behavior of the Planar Motion Material Testing (PMMTA) actuators was analyzed using a computational algorithm written for a MINC-11-03 computer and a TK4010 plotting terminal. The analysis addressed (1) the range of motion of the test stage considering various angular

orientations of the test stage for the most acceptable design, and (2) the calculation of max loads in the vertical, horizontal and rotational directions for each position of the test stage

Author

**N82-27966#** Army Aeromedical Research Lab., Fort Rucker, Ala

**PREVALENCE OF ASTIGMATISM AMONG AVIATORS AND ITS LIMITING EFFECT UPON VISUAL PERFORMANCE WITH THE AN/PVS-5 FLIGHT VISION GOGGLES**

Hanson J Kim 2 Mar 1982 7 p  
(AD-A112836) Avail NTIS HC A02/MF A01 CSCL 06/5

Emphasis on sustained operations during periods of darkness is steadily increasing. Presently, the AN/PVS-5 Night Vision Goggles (NVG) are utilized for night operations. The primary concern with these goggles is the astigmatism criterion since this, unlike spherical refractive errors is not compensated by the NVG. The NVG have only an adjustable range of +2.00 to -6.00 diopters to correct for spherical error. No provisions were incorporated into the design of the NVG to allow correction of astigmatic error. Consequently, an aviator with a significant amount of astigmatism will have reduced visual acuity which will affect his operational performance. A study was undertaken to identify the number of rated aviators at the Army Aviation Center with detected astigmatism in order to assess the magnitude of this particular problem and to determine whether or not the current standards for astigmatism are sufficient for the aviators who are using the AN/PVS-5 Night Vision Goggles. GRA

**N82-27967#** Rutgers - The State Univ., New Brunswick, N J Dept of Psychology

**EYE MOVEMENTS AND VISUAL INFORMATION PROCESSING Final Report**

Eileen Kowler 16 Dec 1981 12 p refs  
(Contract F49620-81-K-0008 AF Proj 2313)  
(AD-A112399 AFOSR-82-0137TR) Avail NTIS  
HC A02/MF A01 CSCL 06/16

Eye movements determine the location and velocity of the retinal image. Thus to understand how we see it is necessary to understand both how eye movements are controlled and how they affect visual information processing. The proposed research is concerned with both problems, specifically (1) the effect of expectations on smooth eye movements, (2) the effect of saccades and saccade-like stimulus perturbations on visual information processing, and (3) programming sequences of saccades. GRA

**N82-27968#** Utah State Univ., Logan Dept of Biology  
**AN EVALUATION OF LOCALIZED SWEATING RATES FOR PREDICTING TOTAL BODY SWEATING RATES Final Scientific Report**

James A Gessaman Dec 1981 31 p refs  
(Grant AF-AFOSR-0276-80, AF Proj 2312)  
(AD-A111902 AFOSR-82-0109TR) Avail NTIS  
HC A03/MF A01 CSCL 06/19

This project accessed the accuracy of estimating whole body sweating rates (WBSR) from local sweating rates (LSR) measured with sweat collection capsules containing filter paper. Sweat was collected in capsules strapped on five locations of the body: (1) midforehead, (2) superiorflexor side of the right forearm, (3) left pectoralis major, (4) medial midsection of the left thigh, and (5) upper medial side of the left calf. Sweating rates of 10 male subjects were measured while they rested at an air temperature of 39.4 C and 58.4% RH, and while they ran on a treadmill at a work output of 60% VO2 max with an air temperature of 35.5 C and 33.2% RH. Among all subjects the WBSR averaged 4.3147 g/min sq m during rest and 7.6062 g/min sq m during exercise. The LSR from any one of the five locations was a poor predictor of WBSR. Multiple regression equations which included LSRs from all five locations gave an  $r^2 > .90$  for 5 subjects during rest and exercise. The multiple regression equations derived from the data combined from all subjects was not as good a predictor of WBSR as some of the equations derived for individual subjects, i.e.,  $r^2 = .703$  for data during rest and  $r^2 = .461$  for data during exercise. Four equations which weighted the LSRs with the corresponding skin area factors provide a poor estimate of WBSR ( $r^2 = .539$ ). Author (GRA)

**N82-27969#** Ohio State Univ., Columbus Dept of Engineering Mechanics  
**LONG BONE AND JOINT RESPONSE TO MECHANICAL**

**LOADING Final Report, 1 Apr. 1979 - 30 Sep. 1981**

Ali Erkan Engin Nov 1981 165 p refs  
(Contract F49620-79-C-0110, AF Proj 2312)  
(AD-A111551 AFOSR-82-0013TR) Avail NTIS  
HC A08/MF A01 CSCL 06/16

The research program presented in this report is concerned with collection of active muscle force and moment response data of the human upper and lower extremities when the extremities are subjected to various external forces. The major components of the specially designed and built experimental apparatus are a subject restraint system, a force application device which employs three sonic emitters, and an upper arm (or upper leg) cuff with four sonic emitters. The sonic emitters are utilized to determine the three dimensional direction and the location of the force application on the limbs and the orientation of the limbs with respect to the torso. Kinematics of relative motion between two body segments is presented in a format suitable for utilization of four sonic emitters on the moving body segment. The numerical results are presented from a set of experiments conducted on three male and three female subjects to determine their active muscle resistance against the external forces to dislodge their limbs from the initial or so-called stowed position. It is concluded that although there are intra- and inter-subject variations for the maximum values of the resistive muscle force and moment data for the limbs there are some trends one can establish for the behavior of their magnitudes. GRA

**N82-27970#** Office of Naval Research London (England)  
**THE BIOLOGICAL EFFECTS OF NONIONIZING RADIATION**

J B Bateman 29 Dec 1981 23 p refs Presented at the 10th L H Grey Memorial Conf., Oxford, 13-16 Jul 1981  
(AD-A111898 ONRL-C-12-81) Avail NTIS  
HC A02/MF A01 CSCL 06/18

This is a critical report on the L H Grey Memorial Conference held in Oxford 13-16 July 1981. The Conference was entitled 'Biological Action of Radiofrequency Microwave and Ultrasonic Radiations'. The report provides a background identifying the field of interest in broader terms, intended for the general reader. It is then pointed out that the conference was mainly directed toward research and practice related to the possible value of nonionizing radiations in cancer therapy. There were, however, tutorial lectures of a fairly general character and some discussion of biological effects not necessarily arising from production of heat in irradiated tissues. Author (GRA)

**N82-27971#** Air Force Inst of Tech Wright-Patterson AFB, Ohio School of Engineering

**FINITE ELEMENT ANALYSIS OF THE VISCO-ELASTIC INTERACTION OF THE ANNULUS FIBROSUS AND NUCLEUS PULPOSUS WITHIN THE HUMAN INTERVERTEBRAL JOINT M.S. Thesis**

Leslie J Allen Dec 1981 96 p refs  
(AD-A111161 AFIT/GAE/AA/81D-1) Avail NTIS  
HC A05/MF A01 CSCL 06/16

An understanding of the mechanical properties and behavior of the intervertebral disc is critical to several current areas of research. Among these are the study of the effects of extreme gravitational forces on the air crews of high performance aircraft and the related problem of spinal injuries due to aircraft ejection. This study was undertaken in order to construct a realistic analytical model of the intervertebral joint using the finite element approach. Experiments have shown that healthy intervertebral joints exhibit creep when subjected to axial load. The focus of this investigation is the behavior and interaction of the nucleus and annulus under loading. An axisymmetric finite element model is employed which incorporates a linear visco-elastic constitutive relation for the annulus and nucleus, based upon a three-parameter Kelvin solid. The visco-elastic constants are found by matching one-dimensional axial experimental data with this two dimensional model. The nucleus, which is composed of a series of concentric lamellae of collagen fibers has been modelled as a 12ply structure of orthotropic material. GRA

**N82-27972#** Advisory Group for Aerospace Research and Development Neuilly-Sur-Seine (France)

**SLEEP AND WAKEFULNESS HANDBOOK FOR FLIGHT MEDICAL OFFICERS**

A N Nicholson (Inst of Aviation Medicine, Fernborough England) and Barbara M Stone (Inst of Aviation Medicine, Fernborough, England) Mar 1982 89 p



(AGARD-AG-270(E) ISBN-92-835-1416-5) Avail NTIS  
HC A05/MF A01

Sleep and wakefulness related to aircrew and the aviation environment are discussed. Eight topics are covered: alertness and sleep, sleep, circadian rhythms, shiftwork, transmeridian flight, air operations and irregularity of work, disorders of sleep and arousal, and hypnotics. NW

**N82-27973#** Intermagnetics General Corp. Guilderland, NY  
**FEASIBILITY STUDY. NMR IMAGING MICROSCOPE. Final Report, 1 Sep 1980 - 28 Feb 1981**

W V House 24 Apr 1981 114 p refs

(Grant NSF DAR-80-09739)

(PB82-125915 NSF/PCM-81006)

Avail NTIS

HC A06/MF A01 CSCL 06B

The influences of probe geometry were analyzed and quantified for the very small dimensions and high magnetic fields required to examine individual cells and to explore the fundamental differences between normal and abnormal cells for both research and diagnostics. The possibility of sharpening the resonance frequency and improving resolution by simulating the nuclei with appropriate time dependent radio frequency pulses were studied. Analysis shows that the theoretically obtainable resolution in an NMR microscope is limited by Brownian motion of the resonating nuclei along the field gradient that defines surfaces of constant magnetic field. To optimize resolution, it is necessary to shorten the time duration during which the gradient is applied. Consideration of signal to noise characteristics shows that the best practically obtainable resolution is about 2 pi times greater than the theoretical limit. GRA

**N82-27974#** South Carolina Univ. Columbia Dept of Epidemiology and Biostatistics

**EPIDEMIOLOGY FEASIBILITY STUDY. EFFECTS OF NOISE ON THE CARDIOVASCULAR SYSTEM. Final Report**

Shirley J. Thompson Sep 1981 199 p refs

(Contract EPA-6801-6274)

(PB82-147752, EPA-550/9-81-103)

Avail NTIS

HC A09/MF A01 CSCL 06S

World literature to date and a critical analysis of existing foreign and domestic epidemiological research on the nonauditory physiological effects of noise are reviewed. Literature on hypertension, cardiovascular disease, and general stress are analyzed for its applicability to noise effects epidemiology. Information and recommendations pertinent to substantive and methodological issues related to the design and conduct of future noise effects epidemiology is also provided. GRA

**N82-27975#** South Carolina Univ., Columbia

**EPIDEMIOLOGY FEASIBILITY STUDY. EFFECTS OF NOISE ON THE CARDIOVASCULAR SYSTEM. APPENDIX B. ANNOTATED BIBLIOGRAPHY. LITERATURE. THE EFFECTS OF NOISE ON THE CARDIOVASCULAR SYSTEM**

Shirley J. Thompson Jul 1981 248 p

(Contract EPA-68-01-6274)

(PB82-147760, EPA-550/9-81-103B)

Avail NTIS

HC A11/MF A01 CSCL 06S

A bibliography of the world literature on the epidemiologic studies of the effect of noise on the cardiovascular system in man is presented. The assignment of numerical scores and ratings are discussed in the narrative report accompanying this bibliography. The assessment criteria employed, the assessment forms devised for standardization of the critiques and summarizations of the evaluations are included. GRA

**N82-27976#** South Carolina Univ., Columbia

**EPIDEMIOLOGY FEASIBILITY STUDY. EFFECTS OF NOISE ON THE CARDIOVASCULAR SYSTEM. APPENDIX C. REVIEW OF NON-NOISE RELATED RESEARCH OF CARDIOVASCULAR DISEASE**

Julian E. Keil, David M. Probert, and Shirley J. Thompson Jul 1981 103 p refs

(Contract EPA-68-01-6274)

(PB82-147778, EPA-550/9-81-103C)

Avail NTIS

HC A06/MF A01 CSCL 06S

Information about the pathology, pathogenesis, and epidemiology of cardiovascular diseases is reviewed. The key cardiovascular diseases, their manifestations, risk factors, etiology of the risk factors and origin of the precipitants of the diseases are discussed. An empirical foundation for subsequent noise related research is

provided: (1) current knowledge of the pathogenesis and pathophysiology of the cardiovascular diseases; (2) key confounding and interactive factors to be considered in the design of future studies; and (3) pathways in the pathogenic process and potential entry points for investigation of noise as the environmental influence on the cardiovascular system are included. GRA

**N82-27977#** Navy Personnel Research and Development Center San Diego, Calif

**PERFORMANCE TEST OBJECTIVITY. A COMPARISON OF RATER ACCURACY AND RELIABILITY USING THREE OBSERVATION FORMS. Technical Report, Dec. 1979 - Apr 1980**

William A. Nugent, Gerald J. Laabs, and Robert C. Panell Feb 1982 31 p refs

(ZF63522001)

(AD-A111077, NPRDC-TR-82-30)

Avail NTIS

HC A03/MF A01 CSCL 05/9

The study examined two variables that may influence the consistency and accuracy of rater's judgments in evaluating job performance: (1) the precision with which behaviors to be observed and evaluated are specified on a performance observation form, and (2) the level of proficiency of the rater at the task being evaluated. Videotapes were prepared that depicted both passing and failing performances in the use of two types of electronic test equipments. The videotapes were observed in two experiments by raters who used a structured, semistructured, or unstructured performance observation form. Rater skill level was determined by the score the rater obtained on a performance test that consisted of the same types of electrical measurement problems as shown on the videotape. For both experiments, the presence of at least some structure in a performance observation form produced more accurate and reliable evaluations of job task performance than did a form with no structure. Within the range of rater skill tested, results showed that the level of skill proficiency that raters have with a particular type of electronic test equipment is largely independent of their ability to judge accurately and consistently the performance of others in using the same equipment. Author (GRA)

**N82-27978#** Dunlap and Associates, Inc., La Jolla, Calif

**TRAINING IMPROVEMENTS FOR THE TACTICAL AIRCREW TRAINING SYSTEM (TACTS). PROJECT SUMMARY REPORT. Final Report, Aug. 1978 - Aug. 1980**

A. P. Ciavarella, A. M. Williams, and G. R. Stoffer Orlando, Fla Naval Training Equipment Center Sep 1981 47 p refs

(Contract N61339-78-C-0136)

(AD-A107003 NAVTRAEQUIPC-78-C-0136-3) Avail NTIS  
HC A03/MF A01 CSCL 05/9

This report presents summarized information related to the Tactical Aircrew Combat Training System (TACTS) training improvements program. The two major sections of the report are addressed to: (1) a description of a computer based TACTS debrief system referred to as the Performance Assessment and Appraisal System (PAAS), and (2) a problem definition study of air intercept missile (AIM) envelope recognition training. The preliminary design of a computer based system has been completed and a single design module, Performance Assessment and Combat Effectiveness (PACE), is ready for operational test and evaluation. Summarized information from a more comprehensive study of US Navy air-to-air missile envelope training problems is included. Recommendations for improving fleet envelope recognition training are reviewed. Author (GRA)

**N82-27979#** Naval Postgraduate School, Monterey, Calif Dept of Operations Research

**EFFECT OF TASK DURATION ON VOICE RECOGNITION SYSTEM PERFORMANCE**

John W. Armstrong and Gary K. Poock Sep 1981 71 p refs

(AD-A107442, NPS55-81-017)

Avail NTIS

HC A04/MF A01 CSCL 05/8

This report describes an experiment examining voice recognition performance when subjects were required to make a decision every 1.5 seconds for 20 consecutive minutes while speaking to a voice recognizer at the same time. Results showed mental loading degraded voice recognition performance. Results also showed performance degradation similar to a vigilance decrement over eight trials of 2.5 minutes each. Author (GRA)

**N82-27980#** Naval Postgraduate School, Monterey, Calif

**EFFECT OF OPERATOR MENTAL LOADING ON VOICE**

**RECOGNITION SYSTEM PERFORMANCE**

Gary K Pooch and J W Armstrong Aug 1981 60 p refs  
(Contract N00039-80WR-09041)  
(AD-A107477 NPS55-81-016) Avail NTIS  
HC A04/MF A01 CSCL 05/8

This report describes an experiment in which military officers used voice recognition under various mental loading conditions. Results showed voice recognition performance degraded as mental loading was imposed on the subjects. Author (GRA)

**N82-27981#** Pittsburg Univ., Pa Learning Research and Development Center

**EMPIRICAL STUDIES OF PROCEDURAL FLAWS, IMPASSES, AND REPAIRS IN PROCEDURAL SKILLS**

Kurt VanLehn 5 Feb 1982 75 p refs Prepared in cooperation with Xerox Palo Alto Research Center  
(Contract N00014-79-C-0215, RR042060A, NR Proj 667-430)  
(AD-A113791 TR-ONR-8) Avail NTIS HC A04/MF A01 CSCL 05/9

This report represents the results of several extensive empirical studies. A group of 925 students who were in the process of learning subtraction were tested using highly diagnostic tests developed by DEBUGGY. Some students were retested two days later to measure the short-term stability of bugs, and others were retested several months later to study long-term stability. All tests were analyzed by DEBUGGY and by several expert diagnosticians in order to assess DEBUGGY'S diagnostic abilities. It was found that DEBUGGY was as good as or better than human diagnosticians at discovering bugs that explain a student's errors. However, a third of the students who committed errors could not be modelled with bugs and slips. Moreover, bugs were found in general to be unstable rather than stable, both in the short term and the long term. These findings challenged the belief that bugs and slips alone could account for procedural error data. Repair Theory was originally developed as a generative theory of bugs, one that predicted which bugs would exist for a given procedural skill. However, it also predicted that certain kinds of non-bug, non-slip performance would exist, both in the static analyses and the stability data. GRA

**N82-27982#** Texas Christian Univ., Fort Worth Inst of Behavioral Research

**ORGANIZATIONAL CLIMATE: ANOTHER LOOK AT A POTENTIALLY IMPORTANT CONSTANT**

Lawrence R James 7 Apr 1982 35 p refs  
(Contract N00014-80-C-0315, NR Proj 170-904)  
(AD-A113953, IBR-82-4) Avail NTIS HC A03/MF A01 CSCL 05/10

Organizational climate is examined from the standpoint of the need to demonstrate interrater reliability (agreement) among individuals' perceptions of psychological climate. It is shown that if prior estimates of interrater reliability are accurate, then organizational climate is a moot issue. It is then demonstrated that at least some prior estimating procedures likely provided underestimates of interrater/perceptual agreement. A new procedure for estimating interrater reliability is suggested and illustrated. The new procedure provided substantially higher estimates of interrater reliability than prior methods. It is concluded that the concept of organizational climate is potentially salvageable, although more attention needs to be given to the appropriate level of explanation for climate variables. Author (GRA)

**N82-27983#** Texas Instruments, Inc., Dallas Central Research Labs

**INTELLIGENT TUTORING FOR PROGRAMMING TASKS: USING PLAN ANALYSIS TO GENERATE BETTER HINTS Final Report, 30 Sep 1980 - 31 Dec. 1981**

James R Miller, Thomas P Kehler, Paul R Michaelis, and William R Murray Mar 1982 117 p refs  
(Contract N00014-80-C-0828, NR Proj 154-458)  
(AD-A114020, TI-08-82-010, ONR-TR-0818F) Avail NTIS  
HC A06/MF A01 CSCL 05/9

This project has dealt with tutorial systems for computer programming languages, particularly, systems in which a student is trying to write a computer program and can, upon request, receive hints about errors in his program and ways he can correct these errors. This research had two phases: an experimental investigation of the interaction between a student and a hint-giving tutor and the construction of a tutorial system that identifies the plan underlying a student's program and gives hints that address errors in this plan. In the experimental work, an existing

programming language tutor (BIP) was modified to allow students to request and receive hints from a human tutor. These experiments suggested that (1) Programs are typically written in two stages: layout of the basic design of the program and (2) correction of the statements that instantiate this design. Systems that rely on 'canned' hints do not provide adequate assistance for the complex problems faced by students. Although BIP was able to give reasonable help on the syntactic form of language statements, it has no facilities for identifying and offering advice on problems with a program's design. In these experiments, students recognized this shortcoming and relied upon assistance from the human tutors. GRA

**N82-27984#** Vanderbilt Univ., Nashville, Tenn Dept of Psychology

**THE CONSTANCY OF STEREOSCOPIC DEPTH PERCEPTION**

Robert H Cormack 12 Jan 1982 39 p refs  
(Contract N00014-81-C-0001)  
(AD-A111484) Avail NTIS HC A03/MF A01 CSCL 05/10

Depth constancy is said to occur when the apparent depth in a scene remains the same as viewing distance changes. Studies of depth constancy have left unanswered questions regarding the range of viewing distances over which depth constancy can operate and the role of retinal disparity in preserving apparently constant depth. In this study, stereoscopic after images were exploited to confront these questions. After images containing depth information in the form of retinal disparity were produced and viewed at various fixation distances. Apparent depth in the afterimage was measured by asking observers to set a depth probe equidistant to the after image. This technique permitted holding retinal disparity constant as viewing distance changed. It allowed testing at very large viewing distances in the presence of multiple depth cues. The results indicate that stereoscopic depth constancy can be preserved at viewing distances at least as great as 27 meters (the largest used). These changes were veridical and demonstrate that the relationship between perceived depth and retinal disparity is consistent with the geometry describing stereopsis. These findings set requirements for theories of depth constancy. Specifically, they demand that such theories show how retinal disparity can be correctly recalibrated on the basis of distance information available in the visual array. Author (GRA)

**N82-27985#** Forschungsinstitut fuer Anthropotechnik, Bonn (West Germany)

**DESIGN AND VALIDATION OF A TRACKING TEST FOR FORMING MATCHED GROUPS FOR CONTINUOUS TRACKING EXPERIMENTS**

F D Pitrella and W Krueger Aug 1981 29 p refs In ENGLISH, GERMANY summary  
(FB-49) Avail NTIS HC A03/MF A01 Fachinformationszentrum, Karlsruhe West Germany DM 10

A tracking performance test was developed and used in forming matched groups. The need for such a matching test and the advantages of matched groups over randomized groups of subjects in experimental designs are discussed as well as the preference for between-subjects over within-subjects designs. Matching test reliability was measured (0.99) and predictive and matching validities were determined in a validation experiment. Validation coefficients of 0.79 were obtained which are considerably higher than necessary to prefer matched groups to randomized groups. The strategy used in developing this matching test is explained and may be useful to those who wish to develop their own matching tests for specific research purposes. Author (ESA)

**N82-27986#** United Technologies Corp., East Hartford, Conn STUDY OF EVA OPERATIONS ASSOCIATED WITH SATELLITE SERVICES Final Report, Aug. 1981 - Jan. 1982

Jack O Nash and Richard D Wilde Apr 1982 176 p refs  
(Contract NAS9-16120)  
(NASA-CR-167614, NAS 126 167614) Avail NTIS  
HC A09/MF A01 CSCL 05H

Extravehicular mobility unit (EMU) factors associated with satellite servicing activities are identified and the EMU improvements necessary to enhance satellite servicing operations are outlined. Areas of EMU capabilities, equipment and structural interfaces, time lines, EMU modifications for satellite servicing, environmental hazards, and crew training are vital to manned

Eva/satellite services and as such are detailed Evaluation of EMU capabilities indicates that the EMU can be used in performing near term, basic satellite servicing tasks, however, satellite servicing is greatly enhanced by incorporating key modifications into the EMU. The servicing missions involved in contamination sensitive payload repair are illustrated. EVA procedures and equipment can be standardized, reducing both crew training time and in orbit operations time. By standardizing and coordinating procedures, mission cumulative time lines fall well within the EMU capability. S L

**N82-27987\*** National Aeronautics and Space Administration  
Marshall Space Flight Center, Huntsville, Ala

#### THE HUMAN ROLE IN SPACE

Stephen B Hall, George vonTiesenhausen, and Gary W Johnson  
Apr 1982 37 p refs  
(NASA-TM-82482, NAS 115 82482) Avail NTIS  
HC A03/MF A01 CSCL 05H

Requirements for the future human role in space are considered. Human tasks were divided into normal scheduled activities, unscheduled activities, and contingency activities. A strawman mission model was developed. Projections were made of crew size, mission duration, pressurized spacecraft volume, and power requirements. Trends of human roles were likewise projected. N W

**N82-27988\*** Purdue Univ., Lafayette, Ind Dept of Food,  
Nutrition and Horticulture

#### PLANT DIVERSITY TO SUPPORT HUMANS IN A CELSS GROUND-BASED DEMONSTRATOR

J M Howe and J E Hoff Jun 1982 51 p refs  
(Grant NsG-2401)  
(NASA-CR-166357, NAS 126 166357) Avail NTIS  
HC A04/MF A01 CSCL 05H

Factors that influence the human nutritional requirements envisioned in a controlled ecological life support system ground-based demonstrator and on bioavailability experiments of Ca, Fe and Zn are discussed. The interrelationship of protein and magnesium on Ca retention is also described. Author

**N82-27989\*** Army Natick Development Center, Mass Individual  
Protection Lab

#### DEVELOPMENT OF A MICROCLIMATE COOLING SYSTEM FOR COMBAT VEHICLES

Vincent D Iacona, Joseph S Cohen, Michael Kupcinkas, Diego Gorbea, and Joseph Fratantuono Feb 1982 33 p refs  
(DA Proj 1G2-63747-D-669)  
(AD-A112017, NATICK/TR-82/010, IPL-248) Avail NTIS  
HC A03/MF A01 CSCL 06/17

This report describes a study conducted at Yuma Proving Ground, Arizona. Trained acclimated soldiers conducted simulated combat missions in a stationary M-1 tank, while wearing Chemical Biological (CB) clothing. Physiological measurements, skin temperature, rectal temperature, heart beat rate and sweat production were continuously monitored. In addition, the environmental parameters of wet bulb, dry bulb, and wet bulb globe temperature and wind velocity and relative humidity were recorded. GRA

**N82-27990\*** Hughes Aircraft Co., El Segundo, Calif Radar  
Systems Group

#### HOLOGRAPHIC LASER VISOR MOCK-UP Final Report

M J Chern, T L Dobbs, and G E Moss Jun 1981 66 p  
(Contract N62269-79-C-0288)  
(AD-A112422, HAC-REF-E6018) Avail NTIS  
HC A04/MF A01 CSCL 06/17

The goal of this program was to show that a holographic reflector added to a pilot's visor can provide laser eye protection which has advantages over that which can be provided by other means such as the addition to an absorbing dye. GRA

**N82-27991\*** Air Force Systems Command, Wright-Patterson  
AFB, Ohio Foreign Technology Div

#### REFERENCE BOOK FOR THE NITROGEN INDUSTRY WORKER, VOLUME 2

M A Minovich, Ye Ya Melnikov, V A Kleve, S D Fridman,  
B P Melnikov, V F Sokolova, M I Kopyev, V A Ulina, T N Sharonova, I D Nefedova et al 19 Mar 1982 647 p refs  
Transl into ENGLISH of Spravochnik Azotchika (USSR), v 2,  
1969 p 1-445  
(AD-A113749, FTD-ID(RS)T-1465-80) Avail NTIS

HC A99/MF A01 CSCL 07/10


Materials and equipment used in the production of nitric and of nitrogen fertilizers are discussed. The physical chemical properties of ammonium nitrate, calcium nitrate, potassium nitrate, sodium nitrate, sodium nitrite, ammonium sulfate, and carbamide are examined as well as of ammonia water, ammoniates, and liquid complex fertilizers. Attention is given to the metals and alloys, and corrosion resistant and thermal insulating materials. Compressors, pumps, and high pressure vessels are treated. Heat and electrical engineering in the plant are considered. Basic information on accident prevention in the nitrogen industry is provided in the form of tables. A R H

# SUBJECT INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Suppl. 237)

OCTOBER 1982

## Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, a title extension is added, separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

### ABSORBENTS

Absorbent product and articles made therefrom  
[NASA-CASE-MS-18223-2] N82-26960

### ABSORBERS (MATERIALS)

Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere  
[AD-A107488] N82-26989

### ACCELERATION (PHYSICS)

Mass estimation and discrimination during brief periods of zero gravity  
N82-35769

### ACCELERATION STRESSES (PHYSIOLOGY)

A study on human tracking performance in a complex G field experiment  
N82-34971

### ACCELERATION TOLERANCE

The beginnings of aeromedical acceleration research  
[AD-A111048] N82-26978

### ACIDITY

Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia  
N82-37930

### ACIDOSIS

Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
N82-36038

### ACTUATORS

Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980] N82-27965

### ADAPTATION

Physiological adaptations and maintenance of vegetative homeostasis  
N82-35826

A classification of behavioral adaptation  
N82-35827

Omega potential: Quantitative index of states of brain and organism structures. I - The physiological significance of the omega potential when it is recorded from deep structures and from the scalp  
N82-35834

Fatigue and the adaptive possibilities of the organism during work  
N82-35835

Dependence of reactions of the organism to extremal factors on initial state  
N82-35839

Hormonal mechanisms of adaptation and training --- Russian book  
N82-36976

### ADAPTIVE CONTROL

Physiological monitoring and the concept of adaptive systems  
N82-36963

### ADENOSINES

Change in plasma cAMP and catecholamines in men subjected to the same relative amount of physical work stress  
N82-35912

### ADRENAL GLAND

The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
N82-36690

### AEROBIOLOGY

USSR Space Life Sciences Digest, volume 2, no. 3  
[NASA-CR-168582] N82-26952

USSR Space Life Sciences Digest, volume 2, no. 4  
[NASA-CR-168691] N82-26953

### AEROSPACE MEDICINE

Blood circulation in weightlessness  
N82-35700

Investigation of the combined effects of bedrest and mild hypoxia  
N82-35905

Health advice for aircrew on refugee flights  
N82-35915

Familial intermittent diplopia - A report of two cases  
N82-35916

Studies on the interaction of pemoline and centrophenoxine with some flight factors  
N82-36688

USSR Space Life Sciences Digest, volume 2, no. 3  
[NASA-CR-168582] N82-26952

USSR Space Life Sciences Digest, volume 2, no. 4  
[NASA-CR-168691] N82-26953

The beginnings of aeromedical acceleration research  
[AD-A111048] N82-26978

### AFTERIMAGES

The constancy of stereoscopic depth perception  
[AD-A111484] N82-27984

### AGE FACTOR

State of the hearing function in diesel locomotive crewmen  
N82-35688

### AGRICULTURE

Predicting the timing and potential of the spring emergence of overwintered populations of Heliothis spp.  
[NASA-CR-167444] N82-27962

### AIRCRAFT CARRIERS

The landing signal officer - Auditory aspects --- of aircraft carrier flight operations  
N82-35910

### AIRCRAFT ENGINES

Analysis and classification of human errors in troubleshooting live aircraft power plants  
N82-34970

### AIRCRAFT MAINTENANCE

Training maintenance technicians for troubleshooting - Two experiments with computer simulations  
N82-37182

### AIRLINE OPERATIONS

Inflight medical facilities  
N82-35914

### ALTITUDE ACCLIMATIZATION

Dynamics of blood flow rate in athletes upon changes in environmental conditions  
N82-35669

# ALTITUDE SIMULATION

# SUBJECT INDEX

The hemostasis system in man in high-altitude conditions  
A82-35832

Evaluation of the functional state existing in the adaptation to high-altitude conditions  
A82-35836

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Mechanical properties of the lungs during acclimatization to altitude  
A82-36027

Medical and performance problems of acute high altitude-exposure  
[AD-A11062]  
N82-26970

**ALTITUDE SIMULATION**

Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

Measurement of cardiopulmonary performance during acute exposure to a 2440-m equivalent atmosphere  
A82-35904

**ALTITUDE TOLERANCE**

Differentiated ratings of perceived exertion are influenced by high altitude exposure  
[AD-A11075]  
N82-26967

**AMINO ACIDS**

Kainic acid as a tool in brain research  
A82-35662

Contents of protein and amino acids in methanobacterial biomass  
A82-36011

A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307

Beta decay and the origins of biological chirality - Experimental results  
A82-37420

**AMMONIA**

Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant  
A82-35908

**ANESTHETICS**

The pharmacokinetic characteristics of trimecain as compared to lidocain in patients with myocardial infarction  
A82-35682

**ANGULAR VELOCITY**

The use of nondamping sinusoidal rotation in the study of vestibular function  
A82-35692

**ANIMALS**

The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372

**ANNUAL VARIATIONS**

Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

**ANTHROPOMETRY**

Analysis of human movements for workplace design  
A82-36966

**ANTIBODIES**

A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307

**ANTIINFECTIVES AND ANTIBACTERIALS**

The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection  
A82-35689

**ANTIRADIATION DRUGS**

The effect of several pharmacologically active substances on the transformation of cystamine in mouse tissues --- and sulfur-containing antiradiation drug metabolism  
A82-35654

Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract  
A82-35658

Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda  
A82-35659

**APTITUDE**

Aptitude requirements based on task difficulty: Methodology for evaluation  
[AD-A110568]  
N82-26983

The formation of homogeneous item sets when guessing is a factor in item responses  
[AD-A107134]  
N82-26986

**ARCTIC REGIONS**

Stages of the adaptation of human lungs in conditions of the Far North  
A82-35829

Regional changes of pulmonary functions in inhabitants of the North  
A82-35830

The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831

Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

**ARID LANDS**

Human adaptation in arid regions  
A82-35828

**ARRHYTHMIA**

The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation  
A82-35676

The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm  
A82-35678

Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
A82-36689

**ASTEROIDS**

Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086]  
N82-26955

**ASTIGMATISM**

Prevalence of astigmatism among aviators and its limiting effect upon visual performance with the AN/PVS-5 flight vision goggles  
[AD-A112836]  
N82-27966

**ASTRONAUT PERFORMANCE**

A day off in space  
A82-35698

**ATHLETES**

Dynamics of blood flow rate in athletes upon changes in environmental conditions  
A82-35669

Characteristics of hemopoiesis in athletes undergoing endurance-training  
A82-35670

Discriminative biomechanical characteristics in middle-distance running  
A82-35672

Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes  
A82-35673

Evaluation of the functional state existing in the adaptation to high-altitude conditions  
A82-35836

Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041

Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports  
[AD-A110630]  
N82-26992

**ATMOSPHERIC COMPOSITION**

The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
A82-36690

Methane flux in the Great Dismal Swamp  
A82-37423

Zoological effects of variations in atmospheric oxygen levels  
[NASA-CR-169020]  
N82-26954

**ATTITUDE (INCLINATION)**

Conditioned tilt naming - A modified absolute judgment method is used to measure the oblique effect  
A82-35768

**AUDIOLOGY**

Signal analysis at the periphery of the auditory system --- Russian book  
A82-35248

**AUDITORY DEFECTS**

State of the hearing function in diesel locomotive crewmen  
A82-35688  
The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection  
A82-35689  
The landing signal officer - Auditory aspects --- of aircraft carrier flight operations  
A82-35910

**AUDITORY PERCEPTION**

Signal analysis at the periphery of the auditory system --- Russian book  
A82-35248  
Auditory perception of radio-frequency electromagnetic fields  
A82-35811

Epidemiology feasibility study: Effects of noise on the cardiovascular system  
[PB82-147752]  
N82-27974

**AUTOMATIC CONTROL**

Synchronized nystagmus calibrator  
A82-35695

**AUTOMATIC TEST EQUIPMENT**

A method for semi-automatic analysis of eye movements  
A82-36960  
Pressure suit joint analyzer  
[NASA-CASE-ARC-11314-1]  
N82-26987

**AUTONOMIC NERVOUS SYSTEM**

Physiological adaptations and maintenance of vegetative homeostasis  
A82-35826

**AVIONICS**

Crew workload prediction study  
[AD-A111948]  
N82-26991

**B**

**BACTERIA**

Cultivation of the luminescent bacterium Photobacterium leiognathi with control by luminescence  
A82-35687  
Contents of protein and amino acids in methanobacterial biomass  
A82-36011

**BACTERIOPHAGES**

Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda  
A82-35659

**BARORECEPTORS**

Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033

**BED REST**

Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905  
Effect of orthostatic stress on exercise performance after bedrest  
A82-35907

**BETA PARTICLES**

Beta decay and the origins of biological chirality - Theoretical results  
A82-37421

**BIAS**

Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms  
[AD-A111077]  
N82-27977

**BIBLIOGRAPHIES**

Publications of the exobiology program for 1981: A special bibliography  
[NASA-TM-84895]  
N82-26995  
Epidemiology feasibility study: Effects of noise on the cardiovascular system: Appendix B: Annotated bibliography. Literature. The effects of noise on the cardiovascular system  
[PB82-147760]  
N82-27975

**BIOASSAY**

Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system  
[AD-A111074]  
N82-26957

**BIOCONTROL SYSTEMS**

Cultivation of the luminescent bacterium Photobacterium leiognathi with control by luminescence  
A82-35687

**BIODYNAMICS**

Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue  
A82-35671  
Discriminative biomechanical characteristics in middle-distance running  
A82-35672  
An empirical equation of elementary motion --- of human body  
A82-35674  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980]  
N82-27965

**BIOELECTRICITY**

Characteristics of brain electric activity in different otoneurologic syndromes with vestibular asymmetry  
A82-35693  
The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172

**BIOENGINEERING**

Prosthetic occlusive device for an internal passageway  
[NASA-CASE-MPS-25640-1]  
N82-26962  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980]  
N82-27965

**BIOGEOCHEMISTRY**

Methane flux in the Great Dismal Swamp  
A82-37423

**BIOINSTRUMENTATION**

The measurement of heart rate variability spectra with the help of a personal computer  
A82-35809  
Measurement of eye movement with a ferromagnetic contact ring  
A82-35810  
Superconducting magnetocardiograph  
A82-36260

**BIOLOGICAL EFFECTS**

Behavioral and biological interactions with confined microsocieties in a programmed environment  
A82-35639  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372

**BIOLOGICAL EVOLUTION**

Evolutionary significance of the adaptation of animals to heat  
A82-35663  
Beta decay and the origins of biological chirality - Experimental results  
A82-37420  
Beta decay and the origins of biological chirality - Theoretical results  
A82-37421

Publications of the exobiology program for 1981: A special bibliography  
[NASA-TM-84895]  
N82-26995

**BIOLOGICAL MODELS (MATHEMATICS)**

Signal analysis at the periphery of the auditory system --- Russian book  
A82-35248  
Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation  
A82-35657  
An empirical equation of elementary motion --- of human body  
A82-35674  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031  
Models for the estimation of incapacitation times following exposures to toxic gases or vapors  
[DE82-000619]  
N82-26979



## BIOLUMINESCENCE

- Cultivation of the luminescent bacterium  
Photobacterium leiognathi with control by  
luminescence A82-35687

## BIOMASS

- Contents of protein and amino acids in  
methanobacterial biomass A82-36011

## BIOMEDICAL DATA

- The Clinical Practice Library of Medicine (CPLM):  
An on-line biomedical computer library. System  
documentation [NASA-CR-169018] N82-26964

## BIOMETRICS

- Synchronized nystagmus calibrator A82-35695  
Electrophysiological measurement techniques  
A82-36964

## BIONICS

- Simulation of two forms of eye motion and its  
possible implication for the automatic  
recognition of three-dimensional objects A82-34965

## BIOSATELLITES

- USSR Space Life Sciences Digest, volume 2, no. 3  
[NASA-CR-168582] N82-26952  
USSR Space Life Sciences Digest, volume 2, no. 4  
[NASA-CR-168691] N82-26953

## BLACKOUT PREVENTION

- The beginnings of aeromedical acceleration research  
[AD-A11048] N82-26978

## BLOOD

- Bone-marrow haemopoiesis in dogs exposed to  
various repeated total-body nonuniform  
irradiations A82-35656  
Studies on the interaction of pemoline and  
centrophenoxine with some flight factors A82-36688  
Influence of fiber type composition and capillary  
density on onset of blood lactate accumulation  
[AD-A111038] N82-26973  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975

## BLOOD CIRCULATION

- Blood circulation in weightlessness A82-35700

## BLOOD COAGULATION

- The hemostasis system in man in high-altitude  
conditions A82-35832  
Fibrinopeptide A after strenuous physical exercise  
at high altitude A82-37926

## BLOOD FLOW

- Dynamics of blood flow rate in athletes upon  
changes in environmental conditions A82-35669  
Regional blood flow in the domestic fowl  
immediately following chronic acceleration A82-35909  
Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system A82-36028  
An automated, indirect assessment of cardiac  
output during rest and exercise A82-36030  
Intrapulmonary blood flow redistribution during  
hypoxia increases gas exchange surface area A82-36036  
Brain extracellular fluid pH and blood flow during  
isocapnic and hypocapnic hypoxia A82-37930

## BLOOD PLASMA

- Structural changes of the plasmatic membrane under  
the effect of ionizing radiation A82-35661  
Change in plasma cAMP and catecholamines in men  
subjected to the same relative amount of  
physical work stress A82-35912  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975

## BLOOD PRESSURE

- Attenuation of blood pressure increases in Dahl  
salt-sensitive rats by exercise A82-36039  
Perception of effort during isometric contractions  
as related to heart rate and blood pressure  
responses [AD-A111033] N82-26974

## BODY FLUIDS

- Brain extracellular fluid pH and blood flow during  
isocapnic and hypocapnic hypoxia A82-37930  
An evaluation of localized sweating rates for  
predicting total body sweating rates  
[AD-A111902] N82-27968

## BODY KINEMATICS

- Isokinetic, isometric, and isotonic strength  
relationships [AD-A111039] N82-26972

## BODY TEMPERATURE

- Head-temperature effects on physiology, comfort,  
and performance during hyperthermia A82-35901  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975  
Effects on heat tolerance of physical training in  
water and on land [AD-A110556] N82-26976  
Gravity, and metabolic scale effects in mammals  
A82-36319

## BONE MARROW

- Bone-marrow haemopoiesis in dogs exposed to  
various repeated total-body nonuniform  
irradiations A82-35656  
Comparative evaluation of the efficiency of  
radio-protectors on the basis of criteria of the  
protection of bone marrow and the  
gastrointestinal tract A82-35658

## BONES

- A specific radioimmunoassay for osteocalcin with  
advantageous species crossreactivity A82-36307  
Long bone and joint response to mechanical loading  
[AD-A111551] N82-27969

## BRADYCARDIA

- Sympathetic and parasympathetic cardiac control in  
athletes and nonathletes at rest A82-36041

## BRAIN

- Kainic acid as a tool in brain research A82-35662  
Characteristics of brain electric activity in  
different otoneurologic syndromes with  
vestibular asymmetry A82-35693  
Omega potential: Quantitative index of states of  
brain and organism structures. I - The  
physiological significance of the omega  
potential when it is recorded from deep  
structures and from the scalp A82-35834  
An electron-microscopic study of the brain of the  
fruit fly, Drosophila melanogaster, exposed to  
high-LET krypton /Kr-84/ particle radiation A82-36320  
Studies on the interaction of pemoline and  
centrophenoxine with some flight factors A82-36688  
The effect of positive and negative ions of air on  
the content of catecholamines in the brain and  
adrenal glands A82-36690  
Brain hypoxia and control of breathing - Role of  
the vagi A82-37928  
Brain extracellular fluid pH and blood flow during  
isocapnic and hypocapnic hypoxia A82-37930

## BREATHING APPARATUS

- Carbon dioxide absorption characteristics of high  
performance Sodasorb at 1 atmosphere  
[AD-A107488] N82-26989

**BURNS (INJURIES)**

- Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

**C****CALCIFICATION**

- A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307

**CALCULI**

- Apparatus for disintegrating kidney stones  
[NASA-CASE-GSC-12652-1]  
N82-26961

**CALORIC STIMULI**

- Caloric methods for stimulation of the vestibular apparatus /Survey of the literature/  
A82-35697

**CAPILLARIES (ANATOMY)**

- The determination of capillary resistance  
A82-35667

- Influence of fiber type composition and capillary density on onset of blood lactate accumulation  
[AD-A111038]  
N82-26973

**CAPILLARY FLOW**

- Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area  
A82-36036

**CARBON DIOXIDE**

- Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere  
[AD-A107488]  
N82-26989

**CARBON DIOXIDE CONCENTRATION**

- An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030

**CARBON MONOXIDE POISONING**

- Brain hypoxia and control of breathing - Role of the vagi  
A82-37928

**CARDIAC VENTRICLES**

- The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart  
A82-35679
- Effect of habitual exercise on left ventricular response to exercise  
A82-36040

**CARDIOLOGY**

- Cardio-respiratory physical training in water and on land  
[AD-A111064]  
N82-26968

**CARDIOVASCULAR SYSTEM**

- Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

- Measurement of cardiopulmonary performance during acute exposure to a 2440-m equivalent atmosphere  
A82-35904

- Epidemiology feasibility study: Effects of noise on the cardiovascular system  
[PB82-147752]  
N82-27974

- Epidemiology feasibility study: Effects of noise on the cardiovascular system: Appendix B: Annotated bibliography. Literature. The effects of noise on the cardiovascular system  
[PB82-147760]  
N82-27975

- Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease  
[PB82-147778]  
N82-27976

**CATECHOLAMINE**

- Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- Change in plasma cAMP and catecholamines in men subjected to the same relative amount of physical work stress  
A82-35912

- The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
A82-36690

**CELLS (BIOLOGY)**

- Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

- Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation  
A82-35657

- Omega potential: Quantitative index of states of brain and organism structures. I - The physiological significance of the omega potential when it is recorded from deep structures and from the scalp  
A82-35834

- Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction  
A82-36229

- The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372

- Feasibility study: NMR imaging microscope  
[PB82-125915]  
N82-27973

**CENTRAL NERVOUS SYSTEM**

- Investigation of the functional state of the central nervous system and the motor apparatus for various regimes of rest and physical exercise  
A82-35668

- Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation  
A82-35691

**CENTRIFUGING STRESS**

- Regional blood flow in the domestic fowl immediately following chronic acceleration  
A82-35909

- Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
A82-36689

**CEREBRAL CORTEX**

- The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172

- The production of specified electrocortical activity as a measurable task  
[AD-A111422]  
N82-26965

**CHEMICAL EVOLUTION**

- Beta decay and the origins of biological chirality - Theoretical results  
A82-37421

- Publications of the exobiology program for 1981: A special bibliography  
[NASA-TM-84895]  
N82-26995

**CHEMICAL REACTIONS**

- Reference book for the Nitrogen Industry Worker, volume 2 --- producing nitric acid and fertilizers  
[AD-A113749]  
N82-27991

**CHEMOTHERAPY**

- The combined effect of medicines  
A82-35665

**CHIRAL DYNAMICS**

- Beta decay and the origins of biological chirality - Experimental results  
A82-37420

- Beta decay and the origins of biological chirality - Theoretical results  
A82-37421

**CHROMOSOMES**

- Zoological effects of variations in atmospheric oxygen levels  
[NASA-CR-169020]  
N82-26954

**CHRONIC CONDITIONS**

- Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion  
A82-35680

- Electrocardiographic diagnosis of the chronic pulmonary heart  
A82-35681

## CIRCADIAN RHYTHMS

- Local serial correlation in behavioral states in the mouse  
[AD-A11021] N82-26959
- Sleep and wakefulness handbook for flight medical officers  
[AGARD-AG-270(E)] N82-27972

## CIVIL AVIATION

- Inflight medical facilities A82-35914

## CLAMPS

- Prosthetic occlusive device for an internal passageway  
[NASA-CASE-MFS-25640-1] N82-26962

## CLASSIFICATIONS

- A classification of behavioral adaptation A82-35827

## CLINICAL MEDICINE

- The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm A82-35678

- Mechanisms of the development of hypersensitivity to strophanthin in experimental myocardial infarction and its pharmacological correction A82-35683

- Postural vertigo as a specific symptom of Meniere's disease A82-35690

- Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation A82-35691

- Some questions open to discussion in clinical labyrinthology A82-35694

## COCHLEA

- The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection A82-35689

## COLD ACCLIMATIZATION

- Stages of the adaptation of human lungs in conditions of the Far North A82-35829
- The bioenergetics of erythrocytes in inhabitants of the North A82-35831

## COLD TOLERANCE

- Effects of endogenous glucagon on glucose kinetics in shivering dogs A82-36029

## COLD WATER

- Superficial shell insulation in resting and exercising men in cold water A82-36034

## COMETS

- Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086] N82-26955

## COMPENSATORY TRACKING

- A study on human tracking performance in a complex G field experiment A82-34971

## COMPLEX SYSTEMS

- Linguistic decision structures for hierarchical systems A82-34968

## COMPUTER ASSISTED INSTRUCTION

- Objectives hierarchy for air intercept controller prototype training system  
[AD-A110847] N82-26981
- Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering  
[AD-A110797] N82-26982
- Intelligent tutoring for programming tasks: Using plan analysis to generate better hints  
[AD-A114020] N82-27983

## COMPUTER GRAPHICS

- Emission computed tomography: The single photon approach  
[PB82-131285] N82-26980

## COMPUTER TECHNIQUES

- The measurement of heart rate variability spectra with the help of a personal computer A82-35809
- A procedure for the analysis of nystagmus and other eye movements A82-35911

## COMPUTERIZED SIMULATION

- Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects A82-34965
- Training maintenance technicians for troubleshooting - Two experiments with computer simulations A82-37182

## CONCENTRICITY

- An ergometer for concentric and eccentric muscular contraction  
[AD-A11061] N82-26971

## CONDITIONING (LEARNING)

- Conditioned tilt nanning - A modified absolute judgment method is used to measure the oblique effect A82-35768

## CONFERENCES

- Manned systems design: Methods, equipment, and applications; Proceedings of the Conference, Freiburg in Breisgau, West Germany, September 22-25, 1980 A82-36951
- The biological effects of nonionizing radiation  
[AD-A11898] N82-27970

## CONFINEMENT

- Behavioral and biological interactions with confined microsocieties in a programmed environment A82-35639

## CONTAMINANTS

- Advanced design linear noise-attenuating earphone-earcup system  
[AD-A110820] N82-26990

## CONTRACTION

- An ergometer for concentric and eccentric muscular contraction  
[AD-A11061] N82-26971

## COOLING SYSTEMS

- Development of a microclimate cooling system for combat vehicles  
[AD-A112017] N82-27989

## CORRECTION

- Intelligent tutoring for programming tasks: Using plan analysis to generate better hints  
[AD-A114020] N82-27983

## COSMONAUTS

- A day off in space A82-35698

## CREWS

- State of the hearing function in diesel locomotive crewmen A82-35688

## CRUISE MISSILES

- Toxicology of high energy fuels  
[AD-A111686] N82-26966

## CUFFS

- Prosthetic occlusive device for an internal passageway  
[NASA-CASE-MFS-25640-1] N82-26962

## CULTIVATION

- Cultivation of the luminescent bacterium Photobacterium leiognathi with control by luminescence A82-35687

## CYSTAMINE

- The effect of several pharmacologically active substances on the transformation of cystamine in mouse tissues --- and sulfur-containing antiradiation drug metabolism A82-35654
- Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract A82-35658
- Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda A82-35659

## D

## DAMAGE

- Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system  
[AD-A111074] N82-26957

**DARK ADAPTATION**

Direct and neighboring sensitivity changes  
produced by red and blue-white adapting fields  
[AD-A111880] N82-26993

**DATA BASE MANAGEMENT SYSTEMS**

The Clinical Practice Library of Medicine (CPLM):  
An on-line biomedical computer library. System  
documentation  
[NASA-CR-169018] N82-26964

**DATA BASES**

The Clinical Practice Library of Medicine (CPLM):  
An on-line biomedical computer library. System  
documentation  
[NASA-CR-169018] N82-26964

**DATA PROCESSING**

Signal analysis at the periphery of the auditory  
system --- Russian book  
A82-35248

**DECISION MAKING**

Linguistic decision structures for hierarchical  
systems  
A82-34968

**DEOXYRIBONUCLEIC ACID**

Investigation of the radio-protective effect of  
cystamine on a model of thermally induced  
prophage lambda  
A82-35659

**DESERT ADAPTATION**

Human adaptation in arid regions  
A82-35828

**DESORPTION**

Pulmonary oxygen toxicity - Possible role of  
ammonia in desorbing lung surfactant  
A82-35908

**DIAGNOSIS**

Early diagnosis of overstrain of the  
cardiovascular system in athletes engaging in  
cyclic forms of sport  
A82-35664

Specialized laboratory for the educational and  
research activity of students and the  
psychodiagnostic study of athletes  
A82-35673

The diagnosis and treatment of heart-rhythm  
disorders - The role of intracardial  
electrophysiological investigation  
A82-35676

Electrocardiographic diagnosis of the chronic  
pulmonary heart  
A82-35681

**DIALS**

Screening designs used to estimate the relative  
effects of display factors on dial reading  
A82-37183

**DIETS**

Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988

**DIFFERENTIAL EQUATIONS**

An empirical equation of elementary motion --- of  
human body  
A82-35674

**DIGITAL SIMULATION**

SAINT, a digital simulation language for the study  
of manned systems  
A82-36957

**DISEASES**

Postural vertigo as a specific symptom of  
Meniere's disease  
A82-35690

Classification of vestibular disorders as a  
function of the phase of the disease and the  
degree of vestibular compensation  
A82-35691

Medical and performance problems of acute high  
altitude-exposure  
[AD-A111062] N82-26970

**DISINTEGRATION**

Apparatus for disintegrating kidney stones  
[NASA-CASE-GSC-12652-1] N82-26961

**DISPLAY DEVICES**

Statistical techniques for instrument panel  
arrangement  
A82-36959

Screening designs used to estimate the relative  
effects of display factors on dial reading  
A82-37183

The constancy of stereoscopic depth perception  
[AD-A111484] N82-27984

**DOSAGE**

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system  
[PB82-147752] N82-27974

**DROSOPHILA**

An electron-microscopic study of the brain of the  
fruit fly, *Drosophila melanogaster*, exposed to  
high-LET krypton /Kr-84/ particle radiation  
A82-36320

**DRUGS**

The combined effect of medicines  
A82-35665

Effects of horizontal body casting on the  
baroreceptor reflex control of heart rate  
A82-36033

**DRY HEAT**

Effectiveness of five water-cooled undergarments  
in reducing heat stress of vehicle operating in  
a hot wet or hot dry environment  
[AD-A107105] N82-26994

**E****EAR PROTECTORS**

The landing signal officer - Auditory aspects ---  
of aircraft carrier flight operations  
A82-35910

Advanced design linear noise-attenuating  
earphone-earcup system  
[AD-A110820] N82-26990

**ECCENTRICITY**

An ergometer for concentric and eccentric muscular  
contraction  
[AD-A111061] N82-26971

**EDUCATION**

Specialized laboratory for the educational and  
research activity of students and the  
psychodiagnostic study of athletes  
A82-35673

Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983

**EFFORT**

Perception of effort during isometric contractions  
as related to heart rate and blood pressure  
responses  
[AD-A111033] N82-26974

**EJECTION INJURIES**

Long bone and joint response to mechanical loading  
[AD-A111551] N82-27969

**EJECTION TRAINING**

Operator indoctrination during introduction of new  
or modified aviation life support systems /ALSS/  
A82-37968

**ELBOW (ANATOMY)**

Isokinetic, isometric, and isotonic strength  
relationships  
[AD-A111039] N82-26972

**ELECTRIC POTENTIAL**

Omega potential: Quantitative index of states of  
brain and organism structures. I - The  
physiological significance of the omega  
potential when it is recorded from deep  
structures and from the scalp  
A82-35834

**ELECTRIC PULSES**

The effect of acute hypoxia on the EEG and unit  
impulse activity of neurons of different brain  
structures in rats  
A82-36172

**ELECTRIC STIMULI**

Muscle weakness following dynamic exercise in humans  
A82-37929

**ELECTRO-OPTICS**

Using realistic sensor, target, and scene  
characteristics to develop a target acquisition  
model  
A82-37185

**ELECTROCARDIOGRAPHY**

Electrocardiographic diagnosis of the chronic  
pulmonary heart  
A82-35681

The measurement of heart rate variability spectra  
with the help of a personal computer  
A82-35809

## ELECTROENCEPHALOGRAPHY

Characteristics of brain electric activity in different otoneurologic syndromes with vestibular asymmetry

A82-35693

The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats

A82-36172

The production of specified electrocortical activity as a measurable task

[AD-A111422] N82-26965

## ELECTROLYTE METABOLISM

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise

A82-35666

## ELECTROLYTES

Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones

[AD-A110559] N82-26958

## ELECTROMAGNETIC FIELDS

Auditory perception of radio-frequency electromagnetic fields

A82-35811

## ELECTROMYOGRAPHY

Electromyography and applications

A82-36965

## ELECTRON IRRADIATION

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation

A82-35903

## ELECTRON MICROSCOPY

An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation

A82-36320

## ELECTRONYSTAGMOGRAPHY

The use of nondamping sinusoidal rotation in the study of vestibular function

A82-35692

## ELECTROPHORESIS

Zoological effects of variations in atmospheric oxygen levels

[NASA-CR-169020] N82-26954

## ELECTROPHYSIOLOGY

The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation

A82-35676

Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging

A82-36689

Electrophysiological measurement techniques

A82-36964

Electromyography and applications

A82-36965

## EMERGENCIES

Inflight medical facilities

A82-35914

## EMISSION SPECTRA

Emission computed tomography: The single photon approach

[PB82-131285] N82-26980

## ENDOTHELIUM

Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system

[AD-A111074] N82-26957

## ENDOTOXINS

Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress

A82-35652

## ENERGY ABSORPTION

Auditory perception of radio-frequency electromagnetic fields

A82-35811

## ENGINE NOISE

The landing signal officer - Auditory aspects --- of aircraft carrier flight operations

A82-35910

## ENGINE PARTS

Analysis and classification of human errors in troubleshooting live aircraft power plants

A82-34970

## ENZYME ACTIVITY

Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia

A82-35902

Zoological effects of variations in atmospheric oxygen levels

[NASA-CR-169020] N82-26954

## EPIDEMIOLOGY

Epidemiology feasibility study: Effects of noise on the cardiovascular system

[PB82-147752] N82-27974

Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease

[PB82-147778] N82-27976

## ERGOMETERS

An ergometer for concentric and eccentric muscular contraction

[AD-A111061] N82-26971

## ERROR ANALYSIS

A study on human tracking performance in a complex G field experiment

A82-34971

Empirical studies of procedural flaws, impasses, and repairs in procedural skills

[AD-A113791] N82-27981

## ERRORS

Intelligent tutoring for programming tasks: Using plan analysis to generate better hints

[AD-A114020] N82-27983

## ERYTHROCYTES

Structural changes of the plasmatic membrane under the effect of ionizing radiation

A82-35661

The bioenergetics of erythrocytes in inhabitants of the North

A82-35831

## ESTIMATING

Mass estimation and discrimination during brief periods of zero gravity

A82-35769

Models for the estimation of incapacitation times following exposures to toxic gases or vapors

[DB82-000619] N82-26979

## EXERCISE PHYSIOLOGY

Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport

A82-35664

Dynamics of blood flow rate in athletes upon changes in environmental conditions

A82-35669

Characteristics of hemopoiesis in athletes undergoing endurance-training

A82-35670

Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue

A82-35671

Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes

A82-35673

Evaluation of the functional state existing in the adaptation to high-altitude conditions

A82-35836

Hormonal mechanisms of adaptation and training --- Russian book

A82-36976

Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones

[AD-A110559] N82-26958

Sleep deprivation and exercise tolerance

[AD-A113043] N82-26963

Differentiated ratings of perceived exertion are influenced by high altitude exposure

[AD-A111075] N82-26967

Cardio-respiratory physical training in water and on land

[AD-A111064] N82-26968

Influence of fiber type composition and capillary density on onset of blood lactate accumulation

[AD-A111038] N82-26973

- Effects of acute plasma volume expansion on altering exercise heat performance  
[AD-A110558] N82-26975
- Effects on heat tolerance of physical training in water and on land  
[AD-A110556] N82-26976
- EXOBIOLOGY**  
Publications of the exobiology program for 1981:  
A special bibliography  
[NASA-TM-84895] N82-26995
- EXPOSURE**  
Models for the estimation of incapacitation times following exposures to toxic gases or vapors  
[DE82-000619] N82-26979
- EXTRAHEMICULAR ACTIVITY**  
Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2] N82-26960
- Study of EVA operations associated with satellite services  
[NASA-CR-167614] N82-27986
- EXTRAHEMICULAR MOBILITY UNITS**  
Study of EVA operations associated with satellite services  
[NASA-CR-167614] N82-27986
- EYE EXAMINATIONS**  
Familial intermittent diplopia - A report of two cases  
N82-35916
- EYE MOVEMENTS**  
Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects  
N82-34965
- Human visual orientation --- Book  
N82-35272
- Measurement of eye movement with a ferromagnetic contact ring  
N82-35810
- A procedure for the analysis of nystagmus and other eye movements  
N82-35911
- Statistical techniques for instrument panel arrangement  
N82-36959
- A method for semi-automatic analysis of eye movements  
N82-36960
- Eye movement measurement in the assessment and training of visual performance  
N82-36962
- Eye movements and visual information processing  
[AD-A112399] N82-27967
- EYE PROTECTION**  
Holographic laser visor mock-up  
[AD-A112422] N82-27990

## F

- FACTOR ANALYSIS**  
The formation of homogeneous item sets when guessing is a factor in item responses  
[AD-A107134] N82-26986
- FACTORIAL DESIGN**  
Screening designs used to estimate the relative effects of display factors on dial reading  
N82-37183
- FAILURE ANALYSIS**  
Analysis and classification of human errors in troubleshooting live aircraft power plants  
N82-34970
- FATIGUE (BIOLOGY)**  
Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue  
N82-35671
- Fatigue and the adaptive possibilities of the organism during work  
N82-35835
- FATS**  
Superficial shell insulation in resting and exercising men in cold water  
N82-36034
- FATTY ACIDS**  
Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia  
N82-35902
- FEASIBILITY ANALYSIS**  
Evaluation of synthesized voice approach callouts /SYNCALL/  
N82-36967

- FEEDBACK**  
The production of specified electrocortical activity as a measurable task  
[AD-A111422] N82-26965
- FEMALES**  
Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports  
[AD-A110630] N82-26992
- FERROMAGNETIC MATERIALS**  
Measurement of eye movement with a ferromagnetic contact ring  
N82-35810
- FERTILIZERS**  
Reference book for the Nitrogen Industry Worker, volume 2 --- producing nitric acid and fertilizers  
[AD-A113749] N82-27991
- FIBRIN**  
Fibrinopeptide A after strenuous physical exercise at high altitude  
N82-37926
- FIBROBLASTS**  
Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
N82-35660
- FINITE DIFFERENCE THEORY**  
Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086] N82-26955
- FINITE ELEMENT METHOD**  
Finite element analysis of the visco-elastic interaction of the annulus fibrosis and nucleus pulposus within the human intervertebral joint  
[AD-A111161] N82-27971
- FLEXING**  
Pressure suit joint analyzer  
[NASA-CASE-ARC-11314-1] N82-26987
- FLIGHT CLOTHING**  
Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2] N82-26960
- FLIGHT CREWS**  
Health advice for aircrew on refugee flights  
N82-35915
- Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/  
N82-37968
- The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TM-76660] N82-27963
- Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report  
[AD-A107003] N82-27978
- FLIGHT SIMULATION**  
Studies on the interaction of pemoline and centrophenoxine with some flight factors  
N82-36688
- Effects of whole-body motion simulation on flight skill development  
[AD-A111115] N82-26984
- FLIGHT STRESS (BIOLOGY)**  
Studies on the interaction of pemoline and centrophenoxine with some flight factors  
N82-36688
- The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TM-76660] N82-27963
- Sleep and wakefulness handbook for flight medical officers  
[AGARD-AG-270(E)] N82-27972
- FLIGHT TRAINING**  
Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/  
N82-37968
- Effects of whole-body motion simulation on flight skill development  
[AD-A111115] N82-26984
- Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report  
[AD-A107003] N82-27978
- FLOUR (FOOD)**  
Contents of protein and amino acids in methanobacterial biomass  
N82-36011



## FLOW VELOCITY

Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere  
[AD-A107488] N82-26989

## FLUORESCENCE

Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
A82-35660

## FREQUENCY MEASUREMENT

The measurement of heart rate variability spectra with the help of a personal computer  
A82-35809

## FROSTBITE

Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system  
[AD-A111074] N82-26957

## G

## GAMMA RAYS

Emission computed tomography: The single photon approach  
[PB82-131285] N82-26980

## GAS DISSOCIATION

Bohr effect and slope of the oxygen dissociation curve after physical training  
A82-36032

## GAS EXCHANGE

Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031  
Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area  
A82-36036

## GAS MIXTURES

Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653

## GAS TRANSPORT

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise  
A82-35666

## GASTROINTESTINAL SYSTEM

Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract  
A82-35658

## GEOCHEMISTRY

Publications of the exobiology program for 1981: A special bibliography  
[NASA-TM-84895] N82-26995

## GLUCOSE

Effects of endogenous glucagon on glucose kinetics in shivering dogs  
A82-36029

## GLYCOGENS

Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
A82-36038  
Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969

## GLYCOLS

The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668] N82-26956

## GOGGLES

Prevalence of astigmatism among aviators and its limiting effect upon visual performance with the AN/PVS-5 flight vision goggles  
[AD-A112836] N82-27966

## GRAVITATIONAL EFFECTS

Gravity, and metabolic scale effects in mammals  
A82-36319

## GROUP DYNAMICS

Organizational climate: Another look at a potentially important constant  
[AD-A113953] N82-27982

## H

## HAZARDS

Holographic laser visor mock-up  
[AD-A112422] N82-27990

## HEAD (ANATOMY)

Head-temperature effects on physiology, comfort, and performance during hyperthermia  
A82-35901

## HEARING

The landing signal officer - Auditory aspects --- of aircraft carrier flight operations  
A82-35910

## HEART DISEASES

The role of stress in the pathogenesis of ischemic heart disease  
A82-35677

Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion  
A82-35680

Electrocardiographic diagnosis of the chronic pulmonary heart  
A82-35681

## HEART FUNCTION

The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm  
A82-35678

The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart  
A82-35679

Effect of habitual exercise on left ventricular response to exercise  
A82-36040

## HEART RATE

The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation  
A82-35676

The measurement of heart rate variability spectra with the help of a personal computer  
A82-35809

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Postural stability during slow-onset and rapid-onset hypoxia  
A82-35906

An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030

Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033

Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041

Perception of effort during isometric contractions as related to heart rate and blood pressure responses  
[AD-A111033] N82-26974

## HEAT

The biological effects of nonionizing radiation  
[AD-A111898] N82-27970

## HEAT ACCLIMATIZATION

Evolutionary significance of the adaptation of animals to heat  
A82-35663

Human adaptation in arid regions  
A82-35828

Strain on the regulation systems as a condition of successful adaptation to heat  
A82-35837

Effects on heat tolerance of physical training in water and on land  
[AD-A110556] N82-26976

Does heat acclimation lower the rate of metabolism elicited by muscular exercise  
[AD-A110555] N82-26977

Effectiveness of five water-cooled undergarments in reducing heat stress of vehicle operating in a hot wet or hot dry environment  
[AD-A107105] N82-26994

**HEAT STROKE**

Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958

**HEAT TOLERANCE**

Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958  
Effects of acute plasma volume expansion on altering exercise heat performance  
[AD-A110558] N82-26975  
Effects on heat tolerance of physical training in water and on land  
[AD-A110556] N82-26976

**HELMETS**

Advanced design linear noise-attenuating earphone-earcup system  
[AD-A110820] N82-26990

**HEMATOCRIT**

Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia  
N82-36035

**HEMATOPOIESIS**

Characteristics of hemopoiesis in athletes undergoing endurance-training  
N82-35670

**HEMODYNAMIC RESPONSES**

Blood circulation in weightlessness  
N82-35700

**HEMODYNAMICS**

Dynamics of blood flow rate in athletes upon changes in environmental conditions  
N82-35669  
Regional blood flow in the domestic fowl immediately following chronic acceleration  
N82-35909  
Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
N82-36689

**HEMOGLOBIN**

Bohr effect and slope of the oxygen dissociation curve after physical training  
N82-36032

**HEMOSTATICS**

The hemostasis system in man in high-altitude conditions  
N82-35832

**HERING-BREWER REFLEX**

Brain hypoxia and control of breathing - Role of the vagi  
N82-37928

**HIBERNATION**

Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction  
N82-36229

**HIGH ALTITUDE**

The hemostasis system in man in high-altitude conditions  
N82-35832  
Fibrinopeptide A after strenuous physical exercise at high altitude  
N82-37926

**HIGH ALTITUDE BALLOONS**

Man at extreme altitude  
N82-36026

**HIGH ALTITUDE BREATHING**

Differentiated ratings of perceived exertion are influenced by high altitude exposure  
[AD-A111075] N82-26967

**HIGH ALTITUDE ENVIRONMENTS**

Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969  
Medical and performance problems of acute high altitude-exposure  
[AD-A111062] N82-26970

**HIGH LEVEL LANGUAGES**

Linguistic decision structures for hierarchical systems  
N82-34968

**HIGH TEMPERATURE ENVIRONMENTS**

Evolutionary significance of the adaptation of animals to heat  
N82-35663  
Dependence of reactions of the organism to extremal factors on initial state  
N82-35839

Effectiveness of five water-cooled undergarments in reducing heat stress of vehicle operating in a hot wet or hot dry environment  
[AD-A107105] N82-26994

**HOMEOSTASIS**

Evolutionary significance of the adaptation of animals to heat  
N82-35663  
Physiological adaptations and maintenance of vegetative homeostasis  
N82-35826  
A classification of behavioral adaptation  
N82-35827

**HOMOGENEITY**

The formation of homogeneous item sets when guessing is a factor in item responses  
[AD-A107134] N82-26986

**HORIZONTAL ORIENTATION**

Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
N82-36033

**HORMONE METABOLISMS**

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise  
N82-35666

**HORMONES**

Hormonal mechanisms of adaptation and training --- Russian book  
N82-36976  
Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958

**HUMAN BEHAVIOR**

Behavioral and biological interactions with confined microsocieties in a programmed environment  
N82-35639  
A classification of behavioral adaptation  
N82-35827

**HUMAN BEINGS**

Human visual orientation --- Book  
N82-35272

**HUMAN BODY**

The combined effect of medicines  
N82-35665

**HUMAN FACTORS ENGINEERING**

An empirical equation of elementary motion --- of human body  
N82-35674  
Manned systems design: Methods, equipment, and applications; Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980  
N82-36951  
Methods - Past approaches, current trends and future requirements --- in human factors engineering  
N82-36952

The human operator simulator - An overview  
N82-36956  
Statistical techniques for instrument panel arrangement  
N82-36959

Analysis of human movements for workplace design  
N82-36966  
Screening designs used to estimate the relative effects of display factors on dial reading  
N82-37183

Using realistic sensor, target, and scene characteristics to develop a target acquisition model  
N82-37185  
Perceptual discriminability as a basis for selecting graphic symbols  
N82-37186

Direct and neighboring sensitivity changes produced by red and blue-white adapting fields  
[AD-A111880] N82-26993  
Design and validation of a tracking test for forming matched groups for continuous tracking experiments  
[PB-49] N82-27985

**HUMAN PATHOLOGY**

The use of trepanthalam in acute vestibulocochlear disorders in patients with meningococcal infection  
N82-35689

# HUMAN PERFORMANCE

# SUBJECT INDEX

Some questions open to discussion in clinical labyrinthology  
A82-35694

Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages  
A82-35696

Familial intermittent diplopia - A report of two cases  
A82-35916

**HUMAN PERFORMANCE**

Analysis and classification of human errors in troubleshooting live aircraft power plants  
A82-34970

A study on human tracking performance in a complex G field experiment  
A82-34971

Behavioral and biological interactions with confined microsocieties in a programmed environment  
A82-35639

Caloric methods for stimulation of the vestibular apparatus /Survey of the literature/  
A82-35697

The hemostasis system in man in high-altitude conditions  
A82-35832

Head-temperature effects on physiology, comfort, and performance during hyperthermia  
A82-35901

Exercise performance after ventilatory work  
A82-36037

Analysis of human movements for workplace design  
A82-36966

The production of specified electrocortical activity as a measurable task  
[AD-A111422]  
N82-26965

An ergometer for concentric and eccentric muscular contraction  
[AD-A111061]  
N82-26971

Latent trait model contributions to criterion-referenced testing technology  
[AD-A112048]  
N82-26985

Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms  
[AD-A111077]  
N82-27977

Empirical studies of procedural flaws, impasses, and repairs in procedural skills  
[AD-A113791]  
N82-27981

Organizational climate: Another look at a potentially important constant  
[AD-A113953]  
N82-27982

The human role in space  
[NASA-TM-82482]  
N82-27987

**HUMAN RESOURCES**

The human role in space  
[NASA-TM-82482]  
N82-27987

**HUMAN TOLERANCES**

Human adaptation in arid regions  
A82-35828

Stages of the adaptation of human lungs in conditions of the Far North  
A82-35829

Strain on the regulation systems as a condition of successful adaptation to heat  
A82-35837

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Noise and annoyance - A new methodology  
A82-37187

Sleep deprivation and exercise tolerance  
[AD-A113043]  
N82-26963

The beginnings of aeromedical acceleration research  
[AD-A111048]  
N82-26978

**HUMAN WASTES**

Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2]  
N82-26960

**HUMIDITY**

Effectiveness of five water-cooled undergarments in reducing heat stress of vehicle operating in a hot wet or hot dry environment  
[AD-A107105]  
N82-26994

**HYDROGEN ATOMS**

Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X]  
N82-26951

**HYPERCAPNIA**

Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia  
A82-37927

**HYPEROXIA**

Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia  
A82-35902

Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant  
A82-35908

**HYPERPNEA**

Exercise performance after ventilatory work  
A82-36037

Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
A82-36038

**HYPERTENSION**

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise  
A82-35666

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903

**HYPERTHERMIA**

Head-temperature effects on physiology, comfort, and performance during hyperthermia  
A82-35901

Splanchnic vasoconstriction in heat-stressed men - Role of renin-angiotensin system  
A82-36028

**HYPOBARIC ATMOSPHERES**

Measurement of cardiopulmonary performance during acute exposure to a 2440-m equivalent atmosphere  
A82-35904

**HYPOCAPNIA**

Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia  
A82-37930

**HYPOGLYCEMIA**

Effects of endogenous glucagon on glucose kinetics in shivering dogs  
A82-36029

**HYPOXEMIA**

Dependence of reactions of the organism to extremal factors on initial state  
A82-35839

**HYPOXIA**

Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress  
A82-35652

Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653

Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

The hemostasis system in man in high-altitude conditions  
A82-35832

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905

Postural stability during slow-onset and rapid-onset hypoxia  
A82-35906

Man at extreme altitude  
A82-36026

Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia  
A82-36035

Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area  
A82-36036

The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172

Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia  
A82-37927

Brain hypoxia and control of breathing - Role of the vagi  
A82-37928

Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia  
A82-37930

**I**

**IMAGES**  
Eye movements and visual information processing  
[AD-A112399] N82-27967

**IMAGING TECHNIQUES**  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X] N82-26951

**IMMUNOLOGY**  
Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction  
A82-36229

**IMPACT PREDICTION**  
Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086] N82-26955

**IMPLANTATION**  
Prosthetic occlusive device for an internal passageway  
[NASA-CASE-MFS-25640-1] N82-26962

**INDUSTRIES**  
Reference book for the Nitrogen Industry Worker, volume 2 --- producing nitric acid and fertilizers  
[AD-A113749] N82-27991

**INFECTIOUS DISEASES**  
Health advice for aircrew on refugee flights  
A82-35915

**INFESTATION**  
Predicting the timing and potential of the spring emergence of overwintered populations of *Heliothis* spp  
[NASA-CR-167444] N82-27962

**INFORMATION**  
Signal analysis at the periphery of the auditory system --- Russian book  
A82-35248

**INSECTS**  
Zoological effects of variations in atmospheric oxygen levels  
[NASA-CR-169020] N82-26954

Insects: A nutritional alternative  
[NASA-CR-169056] N82-26988

Predicting the timing and potential of the spring emergence of overwintered populations of *Heliothis* spp  
[NASA-CR-167444] N82-27962

**INSTRUMENT ORIENTATION**  
Statistical techniques for instrument panel arrangement  
A82-36959

**INTELLIGIBILITY**  
Advanced design linear noise-attenuating earphone-earcup system  
[AD-A110820] N82-26990

**INTERCEPTION**  
Objectives hierarchy for air intercept controller prototype training system  
[AD-A110847] N82-26981

**INTERVERTEBRAL DISKS**  
Finite element analysis of the visco-elastic interaction of the annulus fibrosis and nucleus pulposus within the human intervertebral joint  
[AD-A111161] N82-27971

**IONIZING RADIATION**  
Structural changes of the plasmatic membrane under the effect of ionizing radiation  
A82-35661

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903

**ISCHEMIA**  
Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise  
A82-35666

The role of stress in the pathogenesis of ischemic heart disease  
A82-35677

**J**

**JOINTS (ANATOMY)**  
Long bone and joint response to mechanical loading  
[AD-A111551] N82-27969

Finite element analysis of the visco-elastic interaction of the annulus fibrosis and nucleus pulposus within the human intervertebral joint  
[AD-A111161] N82-27971

**JOINTS (JUNCTIONS)**  
Pressure suit joint analyzer  
[NASA-CASE-ARC-11314-1] N82-26987

**JUDGMENTS**  
Human visual orientation --- Book  
A82-35272

Conditioned tilt naming - A modified absolute judgment method is used to measure the oblique effect  
A82-35768

Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms  
[AD-A111077] N82-27977

**K**

**KIDNEY DISEASES**  
Apparatus for disintegrating kidney stones  
[NASA-CASE-GSC-12652-1] N82-26961

**KIDNEYS**  
Apparatus for disintegrating kidney stones  
[NASA-CASE-GSC-12652-1] N82-26961

**KINEMATICS**  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980] N82-27965

**KNEE (ANATOMY)**  
Isokinetic, isometric, and isotonic strength relationships  
[AD-A111039] N82-26972

**KNOWLEDGE**  
Empirical studies of procedural flaws, impasses, and repairs in procedural skills  
[AD-A113791] N82-27981

**KOLNOGOROFF-SHERNOFF TEST**  
A study on human tracking performance in a complex G field experiment  
A82-34971

**KRYPTON ISOTOPES**  
An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation  
A82-36320

**L**

**LABORATORIES**  
Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes  
A82-35673

**LABYRINTH**  
Some questions open to discussion in clinical labyrinthology  
A82-35694

**LACTATES**  
Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
A82-36038

Influence of fiber type composition and capillary density on onset of blood lactate accumulation  
[AD-A111038] N82-26973

**LASER OUTPUTS**  
Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
A82-35660

**LASERS**  
Holographic laser visor mock-up  
[AD-A112422] N82-27990

# LEARNING

# SUBJECT INDEX

## LEARNING

- Aptitude requirements based on task difficulty:
  - Methodology for evaluation [AD-A110568] N82-26983
  - Empirical studies of procedural flaws, impasses, and repairs in procedural skills [AD-A113791] N82-27981

## LEARNING MACHINES

- Linguistic decision structures for hierarchical systems A82-34968

## LETHALITY

- Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda A82-35659

## LIFE SCIENCES

- United States and Soviet Life Sciences factors in long-duration space flights A82-35638
- USSR Space Life Sciences Digest, volume 2, no. 3 [NASA-CR-168582] N82-26952
- USSR Space Life Sciences Digest, volume 2, no. 4 [NASA-CR-168691] N82-26953

## LIFE SUPPORT SYSTEMS

- Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/ A82-37968

## LIGHTING EQUIPMENT

- Direct and neighboring sensitivity changes produced by red and blue-white adapting fields [AD-A111880] N82-26993

## LIMBS (ANATOMY)

- Long bone and joint response to mechanical loading [AD-A111551] N82-27969

## LINE OF SIGHT

- A method for semi-automatic analysis of eye movements A82-36960
- Eye movements and visual information processing [AD-A112399] N82-27967

## LINEAR ENERGY TRANSFER (LET)

- An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation A82-36320

## LINGUISTICS

- Linguistic decision structures for hierarchical systems A82-34968

## LIQUID COOLING

- Effectiveness of five water-cooled undergarments in reducing heat stress of vehicle operating in a hot wet or hot dry environment [AD-A107105] N82-26994

## LOADS (FORCES)

- Long bone and joint response to mechanical loading [AD-A111551] N82-27969

## LONG DURATION SPACE FLIGHT

- United States and Soviet Life Sciences factors in long-duration space flights A82-35638
- A day off in space A82-35698

## LONG TERM EFFECTS

- Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages A82-35696

## LUNG MORPHOLOGY

- Regional changes of pulmonary functions in inhabitants of the North A82-35830
- Mechanical properties of the lungs during acclimatization to altitude A82-36027
- Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia A82-36035
- Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area A82-36036

## LUNGS

- Stages of the adaptation of human lungs in conditions of the Far North A82-35829
- Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia A82-35902

- Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant A82-35908

## LYMPH

- Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction A82-36229

# M

## MAGNETIC COILS

- Measurement of eye movement with a ferromagnetic contact ring A82-35810

## MAGNETIC MEASUREMENT

- Measurement of eye movement with a ferromagnetic contact ring A82-35810

## MAGNETOCARDIOGRAPHY

- Superconducting magnetocardiograph A82-36260

## MAINTENANCE

- Analysis and classification of human errors in troubleshooting live aircraft power plants A82-34970

## MAINTENANCE TRAINING

- Training maintenance technicians for troubleshooting - Two experiments with computer simulations A82-37182

## MAMMALS

- Gravity, and metabolic scale effects in mammals A82-36319

## MAN MACHINE SYSTEMS

- A study on human tracking performance in a complex G field experiment A82-34971

- Manned systems design: Methods, equipment, and applications; Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980 A82-36951

- Methods - Past approaches, current trends and future requirements --- in human factors engineering A82-36952

- The human operator simulator - An overview A82-36956

- SAINT, a digital simulation language for the study of manned systems A82-36957

- A method for semi-automatic analysis of eye movements A82-36960

- Physiological monitoring and the concept of adaptive systems A82-36963

- Analysis of human movements for workplace design A82-36966

- Evaluating simulator validity A82-36968

- Crew workload prediction study [AD-A111948] N82-26991

- Effect of task duration on voice recognition system performance [AD-A107442] N82-27979

## MANNED SPACE FLIGHT

- United States and Soviet Life Sciences factors in long-duration space flights A82-35638

- The human role in space [NASA-TM-82482] N82-27987

## MEASURING INSTRUMENTS

- The determination of capillary resistance A82-35667

- Synchronized nystagmus calibrator A82-35695

## MEDICAL SERVICES

- Inflight medical facilities A82-35914

## MEMBRANE STRUCTURES

- Structural changes of the plasmatic membrane under the effect of ionizing radiation A82-35661

**MEMBRANES**

- Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages A82-35696
- Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant A82-35908

**MENINGITIS**

- The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection A82-35689

**MENTAL PERFORMANCE**

- The effect of threat on psychomotor and intellectual performance depending on characteristics of temperament A82-36691
- Narrowing of the visual field as an indicator of mental workload A82-36961
- The formation of homogeneous item sets when guessing is a factor in item responses [AD-A107134] N82-26986
- Effect of task duration on voice recognition system performance [AD-A107442] N82-27979

**METABOLISM**

- The effect of several pharmacologically active substances on the transformation of cystamine in mouse tissues --- and sulfur-containing antiradiation drug metabolism A82-35654
- Gravity, and metabolic scale effects in mammals A82-36319
- Does heat acclimation lower the rate of metabolism elicited by muscular exercise [AD-A110555] N82-26977

**METHANE**

- Contents of protein and amino acids in methanobacterial biomass A82-36011
- Methane flux in the Great Dismal Swamp A82-37423

**MICROCOMPUTERS**

- The measurement of heart rate variability spectra with the help of a personal computer A82-35809

**MICROSCOPES**

- Feasibility study: NMR imaging microscope [PB82-125915] N82-27973

**MICROWAVE FREQUENCIES**

- Auditory perception of radio-frequency electromagnetic fields A82-35811

**MINERALS**

- Plant diversity to support humans in a CELSS ground-based demonstrator [NASA-CR-166357] N82-27988

**MOLECULAR INTERACTIONS**

- The combined effect of medicines A82-35665

**MOLECULAR STRUCTURE**

- Beta decay and the origins of biological chirality - Theoretical results A82-37421

**MONOCULAR VISION**

- Conditioned tilt naming - A modified absolute judgment method is used to measure the oblique effect A82-35768

**MOON ILLUSION**

- Locus of the stimulus to visual accommodation - Where in the world, or where in the eye --- sources of visual perception errors A82-37184

**MOTION SICKNESS**

- Motion sickness, its prevention and treatment --- Russian book A82-36971

**MUSCLES**

- An ergometer for concentric and eccentric muscular contraction [AD-A111061] N82-26971
- Influence of fiber type composition and capillary density on onset of blood lactate accumulation [AD-A111038] N82-26973

**MUSCULAR FATIGUE**

- Exercise performance after ventilatory work A82-36037

- Muscle weakness following dynamic exercise in humans A82-37929
- Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise [AD-A111063] N82-26969

**MUSCULAR FUNCTION**

- Investigation of the functional state of the central nervous system and the motor apparatus for various regimes of rest and physical exercise A82-35668
- Effects of glycogen depletion and pedaling speed on 'anaerobic threshold' A82-36038

**Electromyography and applications**

A82-36965

- Muscle weakness following dynamic exercise in humans A82-37929

**MUSCULAR STRENGTH**

- Muscle weakness following dynamic exercise in humans A82-37929

- Isokinetic, isometric, and isotonic strength relationships [AD-A111039] N82-26972

**MUSCULOSKELETAL SYSTEM**

- Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports [AD-A110630] N82-26992

**MUTATIONS**

- Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda A82-35659

**MYOCARDIAL INFARCTION**

- The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart A82-35679

- The pharmacokinetic characteristics of trimetacain as compared to lidocain in patients with myocardial infarction A82-35682

- Mechanisms of the development of hypersensitivity to strophanthin in experimental myocardial infarction and its pharmacological correction A82-35683

**MYOCARDIUM**

- Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion A82-35680

**N****NASA PROGRAMS**

- United States and Soviet Life Sciences factors in long-duration space flights A82-35638

**NAVY**

- Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages A82-35696

**NEGATIVE IONS**

- The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands A82-36690

**NERVES**

- Kainic acid as a tool in brain research A82-35662
- Brain hypoxia and control of breathing - Role of the vagi A82-37928

**NERVOUS SYSTEM**

- An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation A82-36320
- Epidemiology feasibility study: Effects of noise on the cardiovascular system: Appendix B: Annotated bibliography. Literature. The effects of noise on the cardiovascular system [PB82-147760] N82-27975



Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease [PB82-147778] N82-27976

## NEUROPHYSIOLOGY

Kainic acid as a tool in brain research A82-35662

Omega potential: Quantitative index of states of brain and organism structures. I - The physiological significance of the omega potential when it is recorded from deep structures and from the scalp A82-35834

## EIGHT VISION

Prevalence of astigmatism among aviators and its limiting effect upon visual performance with the AN/PVS-5 flight vision goggles [AD-A112836] N82-27966

## NITRIC ACID

Reference book for the Nitrogen Industry Worker, volume 2 --- producing nitric acid and fertilizers [AD-A113749] N82-27991

## NITROGLYCERIN

The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart A82-35679

## NOISE (SOUND)

Epidemiology feasibility study: Effects of noise on the cardiovascular system [PB82-147752] N82-27974

Epidemiology feasibility study: Effects of noise on the cardiovascular system: Appendix B: Annotated bibliography. Literature. The effects of noise on the cardiovascular system [PB82-147760] N82-27975

Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease [PB82-147778] N82-27976

## NOISE INJURIES

State of the hearing function in diesel locomotive crewmen A82-35688

The landing signal officer - Auditory aspects --- of aircraft carrier flight operations A82-35910

## NOISE REDUCTION

Advanced design linear noise-attenuating earphone-earcup system [AD-A110820] N82-26990

## NOISE THRESHOLD

Advanced design linear noise-attenuating earphone-earcup system [AD-A110820] N82-26990

## NOISE TOLERANCE

Noise and annoyance - A new methodology A82-37187

Epidemiology feasibility study: Effects of noise on the cardiovascular system [PB82-147752] N82-27974

Epidemiology feasibility study: Effects of noise on the cardiovascular system: Appendix B: Annotated bibliography. Literature. The effects of noise on the cardiovascular system [PB82-147760] N82-27975

Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease [PB82-147778] N82-27976

## NUCLEAR MAGNETIC RESONANCE

Spin imaging equipment for small animal experiments [ISBN-951-41-0420-X] N82-26951

Feasibility study: NMR imaging microscope [PB82-125915] N82-27973

## NUTRITIONAL REQUIREMENTS

Insects: A nutritional alternative [NASA-CR-169056] N82-26988

Plant diversity to support humans in a CELSS ground-based demonstrator [NASA-CR-166357] N82-27988

## NYSTAGMUS

Synchronized nystagmus calibrator A82-35695

## O

## OBLIQUENESS

Conditioned tilt naming - A modified absolute judgment method is used to measure the oblique effect A82-35768

## OCCLUSION

Prosthetic occlusive device for an internal passageway [NASA-CASE-MPS-25640-1] N82-26962

## ON-LINE SYSTEMS

The Clinical Practice Library of Medicine (CPLM): An on-line biomedical computer library. System documentation [NASA-CR-169018] N82-26964

## OPERATOR PERFORMANCE

Psychophysiological analysis of periodic oscillations of performance quality within the limits of a work cycle A82-35833

Fatigue and the adaptive possibilities of the organism during work A82-35835

A procedure for the analysis of nystagmus and other eye movements A82-35911

The human operator simulator - An overview A82-36956

Screening designs used to estimate the relative effects of display factors on dial reading A82-37183

Effect of operator mental loading on voice recognition system performance [AD-A107477] N82-27980

## OPERATORS (PERSONNEL)

Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering [AD-A110797] N82-26982

## OPTICAL ACTIVITY

Beta decay and the origins of biological chirality - Experimental results A82-37420

Beta decay and the origins of biological chirality - Theoretical results A82-37421

## OPTIMAL CONTROL

Linguistic decision structures for hierarchical systems A82-34968

## ORGANIC CHEMISTRY

Publications of the exobiology program for 1981: A special bibliography [NASA-TM-84895] N82-26995

## ORGANIZATIONS

Organizational climate: Another look at a potentially important constant [AD-A113953] N82-27982

## ORTHOPEDICS

Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports [AD-A110630] N82-26992

## ORTHOSTATIC TOLERANCE

Effect of orthostatic stress on exercise performance after bedrest A82-35907

## OTOLOGY

Characteristics of brain electric activity in different otoneurologic syndromes with vestibular asymmetry A82-35693

## OXYGEN CONSUMPTION

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise A82-35666

Seasonal variations of human cardiorespiratory indices in the North A82-35838

Bohr effect and slope of the oxygen dissociation curve after physical training A82-36032

## OXYGEN METABOLISM

- Change in plasma cAMP and catecholamines in men  
subjected to the same relative amount of  
physical work stress A82-35912
- Exercise performance after ventilatory work  
A82-36037

## P

## PARTICLE SPIN

- Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X] N82-26951

## PASSAGEWAYS

- Prosthetic occlusive device for an internal  
passageway  
[NASA-CASE-MPS-25640-1] N82-26962

## PATHOGENESIS

- The role of stress in the pathogenesis of ischemic  
heart disease A82-35677

## PATHOLOGICAL EFFECTS

- Possibility of evaluating radiation injury to skin  
on the basis of changes in its functional state  
A82-35655
- Mechanisms of the development of hypersensitivity  
to strophanthin in experimental myocardial  
infarction and its pharmacological correction  
A82-35683

## PATTERN RECOGNITION

- Simulation of two forms of eye motion and its  
possible implication for the automatic  
recognition of three-dimensional objects A82-34965
- A procedure for the analysis of nystagmus and  
other eye movements A82-35911
- Perceptual discriminability as a basis for  
selecting graphic symbols A82-37186

## PERCEPTION

- Organizational climate: Another look at a  
potentially important constant  
[AD-A113953] N82-27982

## PERCEPTUAL ERRORS

- Locus of the stimulus to visual accommodation -  
Where in the world, or where in the eye ---  
sources of visual perception errors A82-37184

## PERFORMANCE TESTS

- The production of specified electrocortical  
activity as a measurable task  
[AD-A111422] N82-26965

## PERIODIC VARIATIONS

- Psychophysiological analysis of periodic  
oscillations of performance quality within the  
limits of a work cycle A82-35833

## PERIPHERAL CIRCULATION

- The bioenergetics of erythrocytes in inhabitants  
of the North A82-35831
- Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system A82-36028

## PERIPHERAL VISION

- Narrowing of the visual field as an indicator of  
mental workload A82-36961

## PERSONALITY TESTS

- The effect of threat on psychomotor and  
intellectual performance depending on  
characteristics of temperament A82-36691

## PERSONNEL SELECTION

- Attitude requirements based on task difficulty:  
Methodology for evaluation  
[AD-A110568] N82-26983

## PERSPIRATION

- An evaluation of localized sweating rates for  
predicting total body sweating rates  
[AD-A111902] N82-27968

## PETECHIA

- The determination of capillary resistance  
A82-35667

## PHARMACOLOGY

- The effect of several pharmacologically active  
substances on the transformation of cystamine in  
mouse tissues --- and sulfur-containing  
antiradiation drug metabolism A82-35654

- The first clinical experience with a new Soviet  
antiarrhythmic drug, the diethylamine analog of  
ethmosine, in patients with different disorders  
of the heart rhythm A82-35678

- The pharmacokinetic characteristics of trimetacain  
as compared to lidocain in patients with  
myocardial infarction A82-35682

- Mechanisms of the development of hypersensitivity  
to strophanthin in experimental myocardial  
infarction and its pharmacological correction  
A82-35683

- Studies on the interaction of pemoline and  
centrophenoxine with some flight factors  
A82-36688

## PHOTON DENSITY

- Emission computed tomography: The single photon  
approach  
[PB82-131285] N82-26980

## PHYSICAL CHEMISTRY

- Reference book for the Nitrogen Industry Worker,  
volume 2 --- producing nitric acid and fertilizers  
[AD-A113749] N82-27991

## PHYSICAL EXERCISE

- Changes of the oxygen transport function of the  
blood and some metabolic values in patients with  
hypertension and chronic ischemic heart diseases  
during ergometric exercise A82-35666

- Investigation of the functional state of the  
central nervous system and the motor apparatus  
for various regimes of rest and physical exercise  
A82-35668

- Recent developments in assessing the myocardial  
dystrophy encountered in athletes as a  
consequence of chronic physical overexertion  
A82-35680

- Measurement of cardiopulmonary performance during  
acute exposure to a 2440-m equivalent atmosphere  
A82-35904

- Effect of orthostatic stress on exercise  
performance after bedrest A82-35907

- Change in plasma cAMP and catecholamines in men  
subjected to the same relative amount of  
physical work stress A82-35912

- Man at extreme altitude A82-36026

- An automated, indirect assessment of cardiac  
output during rest and exercise A82-36030

- Parameters of ventilatory and gas exchange  
dynamics during exercise A82-36031

- Bohr effect and slope of the oxygen dissociation  
curve after physical training A82-36032

- Superficial shell insulation in resting and  
exercising men in cold water A82-36034

- Exercise performance after ventilatory work  
A82-36037

- Effects of glycogen depletion and pedaling speed  
on 'anaerobic threshold' A82-36038

- Attenuation of blood pressure increases in Dahl  
salt-sensitive rats by exercise A82-36039

- Effect of habitual exercise on left ventricular  
response to exercise A82-36040

- Fibrinopeptide A after strenuous physical exercise  
at high altitude A82-37926

- Muscle weakness following dynamic exercise in humans  
A82-37929

- Sleep deprivation and exercise tolerance  
[AD-A113043] N82-26963

- Sparing effect of chronic high-altitude exposure  
on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969

# PHYSICAL FITNESS

# SUBJECT INDEX

An ergometer for concentric and eccentric muscular contraction  
[AD-A111061] N82-26971

Perception of effort during isometric contractions as related to heart rate and blood pressure responses  
[AD-A111033] N82-26974

**PHYSICAL FITNESS**

Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress  
A82-35652

Characteristics of hemapoiesis in athletes undergoing endurance-training  
A82-35670

Cardio-respiratory physical training in water and on land  
[AD-A111064] N82-26968

Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969

**PHYSIOLOGICAL EFFECTS**

Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653

Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
A82-35660

Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664

The combined effect of medicines  
A82-35665

Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue  
A82-35671

Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion  
A82-35680

Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905

Man at extreme altitude  
A82-36026

Mechanical properties of the lungs during acclimatization to altitude  
A82-36027

Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033

Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia  
A82-36035

Exercise performance after ventilatory work  
A82-36037

Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039

Effect of habitual exercise on left ventricular response to exercise  
A82-36040

The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172

Gravity, and metabolic scale effects in mammals  
A82-36319

Fibrinopeptide A after strenuous physical exercise at high altitude  
A82-37926

Medical and performance problems of acute high altitude-exposure  
[AD-A111062] N82-26970

Models for the estimation of incapacitation times following exposures to toxic gases or vapors  
[DE82-000619] N82-26979

The biological effects of nonionizing radiation  
[AD-A111898] N82-27970

**PHYSIOLOGICAL FACTORS**

Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041

**PHYSIOLOGICAL RESPONSES**

Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation  
A82-35691

Physiological adaptations and maintenance of vegetative homeostasis  
A82-35826

Human adaptation in arid regions  
A82-35828

Stages of the adaptation of human lungs in conditions of the Far North  
A82-35829

The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831

Evaluation of the functional state existing in the adaptation to high-altitude conditions  
A82-35836

Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

Dependence of reactions of the organism to extremal factors on initial state  
A82-35839

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Postural stability during slow-onset and rapid-onset hypoxia  
A82-35906

A procedure for the analysis of nystagmus and other eye movements  
A82-35911

Splanchnic vasoconstriction in heat-stressed men - Role of renin-angiotensin system  
A82-36028

Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031

Physiological monitoring and the concept of adaptive systems  
A82-36963

Electrophysiological measurement techniques  
A82-36964

Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia  
A82-37930

The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TN-76660] N82-27963

Long bone and joint response to mechanical loading  
[AD-A111551] N82-27969

**PHYSIOLOGICAL TESTS**

Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

**PHYSIOLOGY**

An evaluation of localized sweating rates for predicting total body sweating rates  
[AD-A111902] N82-27968

**PILOT PERFORMANCE**

Postural stability during slow-onset and rapid-onset hypoxia  
A82-35906

The effect of threat on psychomotor and intellectual performance depending on characteristics of temperament  
A82-36691

Physiological monitoring and the concept of adaptive systems  
A82-36963

Using realistic sensor, target, and scene characteristics to develop a target acquisition model  
A82-37185

Design and validation of a tracking test for forming matched groups for continuous tracking experiments  
[FB-49] N82-27985

**PILOT TRAINING**

Effects of whole-body motion simulation on flight skill development  
[AD-A111115] N82-26984

**PLANETARY ENVIRONMENTS**

Publications of the exobiology program for 1981:  
A special bibliography  
[NASA-TN-84895] N82-26995

**PLANTS (BOTANY)**

The effect of space flight factors on quiescent  
nuclei of certain plant and animal test objects  
A82-37372

**PNEUMONIA**

Electrocardiographic diagnosis of the chronic  
pulmonary heart  
A82-35681

**POLYETHYLENES**

The subchronic inhalation toxicity of polyethylene  
glycol 200 in the rat and mouse  
[AD-A110668] N82-26956

**POLYMER CHEMISTRY**

Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964

**POPULATIONS**

Evolutionary significance of the adaptation of  
animals to heat  
A82-35663

**POSITIVE IONS**

The effect of positive and negative ions of air on  
the content of catecholamines in the brain and  
adrenal glands  
A82-36690

**POSITRONIUM**

Beta decay and the origins of biological chirality  
- Experimental results  
A82-37420

**POSTURE**

Postural vertigo as a specific symptom of  
Meniere's disease  
A82-35690  
Postural stability during slow-onset and  
rapid-onset hypoxia  
A82-35906

**PREDICTIONS**

An evaluation of localized sweating rates for  
predicting total body sweating rates  
[AD-A111902] N82-27968

**PRESSURE SUITS**

Pressure suit joint analyzer  
[NASA-CASE-AEC-11314-1] N82-26987

**PROBES**

Investigation by means of a fluorescent probe of  
changes in cellular membranes of fibroblasts of  
the Chinese hamster under laser and X-ray  
irradiation  
A82-35660

**PROGENY**

Investigation of the general fitness of the  
progeny of irradiated animals. III - The  
resistance of mice to irradiation, hypoxia,  
endotoxin, and physical stress  
A82-35652

**PROGRAMMING LANGUAGES**

SAINT, a digital simulation language for the study  
of manned systems  
A82-36957  
Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983

**PROPHYLAXIS**

Affections of the upper respiratory tracts in  
transport-fleet sailors and the prophylaxis of  
these affections on long voyages  
A82-35696  
Health advice for aircrew on refugee flights  
A82-35915  
Motion sickness, its prevention and treatment ---  
Russian book  
A82-36971

**PROPULSION SYSTEM PERFORMANCE**

Project STEAMER: 6. Advanced computer-aided  
instruction in propulsion engineering  
[AD-A110797] N82-26982

**PROSTHETIC DEVICES**

Prosthetic occlusive device for an internal  
passageway  
[NASA-CASE-MFS-25640-1] N82-26962

**PROTECTION**

Holographic laser visor mock-up  
[AD-A112422] N82-27990

**PROTECTIVE CLOTHING**

Effectiveness of five water-cooled undergarments  
in reducing heat stress of vehicle operating in  
a hot wet or hot dry environment  
[AD-A107105] N82-26994  
Development of a microclimate cooling system for  
combat vehicles  
[AD-A112017] N82-27989

**PROTEINS**

Contents of protein and amino acids in  
methanobacterial biomass  
A82-36011

Insects: A nutritional alternative  
[NASA-CR-169056] N82-26988  
Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988

**PSYCHOACOUSTICS**

Noise and annoyance - A new methodology  
A82-37187

**PSYCHOLOGICAL FACTORS**

Influential factors of negative effects in the  
isolated and confined environment  
A82-35641

**PSYCHOLOGY**

Organizational climate: Another look at a  
potentially important constant  
[AD-A113953] N82-27982

**PSYCHOMOTOR PERFORMANCE**

The effect of threat on psychomotor and  
intellectual performance depending on  
characteristics of temperament  
A82-36691

**PSYCHOPHYSIOLOGY**

Specialized laboratory for the educational and  
research activity of students and the  
psychodiagnostic study of athletes  
A82-35673

Psychophysiological analysis of periodic  
oscillations of performance quality within the  
limits of a work cycle  
A82-35833

Fatigue and the adaptive possibilities of the  
organism during work  
A82-35835

**PUBLIC HEALTH**

Health advice for aircrew on refugee flights  
A82-35915

**PULMONARY CIRCULATION**

Regional changes of pulmonary functions in  
inhabitants of the North  
A82-35830

Parameters of ventilatory and gas exchange  
dynamics during exercise  
A82-36031

Intrapulmonary blood flow redistribution during  
hypoxia increases gas exchange surface area  
A82-36036

**PULMONARY FUNCTIONS**

Regional changes of pulmonary functions in  
inhabitants of the North  
A82-35830

Measurement of cardiopulmonary performance during  
acute exposure to a 2440-m equivalent atmosphere  
A82-35904

Evidence for diminished sensitivity of the hamster  
pulmonary vasculature to hypoxia  
A82-36035

**PYROLYSIS**

Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964

**R****RADIATION DAMAGE**

Possibility of evaluating radiation injury to skin  
on the basis of changes in its functional state  
A82-35655

Bone-marrow haenopoiesis in dogs exposed to  
various repeated total-body nonuniform  
irradiations  
A82-35656

Modeling of the recovery of cells from radiation  
damage and the principle of effective-dose  
reduction. I - Models of the recovery of cells  
after acute irradiation  
A82-35657

## RADIATION DOSAGE

## SUBJECT INDEX

## RADIATION DOSAGE

Possibility of evaluating radiation injury to skin on the basis of changes in its functional state  
A82-35655

Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation  
A82-35657

## RADIATION EFFECTS

Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress  
A82-35652

Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653

Structural changes of the plasmatic membrane under the effect of ionizing radiation  
A82-35661

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903

An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation  
A82-36320

The biological effects of nonionizing radiation  
[AD-A111898] N82-27970

## RADIATION PROTECTION

Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653

## RADIATION SHIELDING

Holographic laser visor mock-up  
[AD-A112422] N82-27990

## RADIATION SICKNESS

Bone-marrow haemopoiesis in dogs exposed to various repeated total-body nonuniform irradiations  
A82-35656

Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract  
A82-35658

## RADIATION TOLERANCE

Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress  
A82-35652

## RADIOACTIVE DECAY

Beta decay and the origins of biological chirality - Experimental results  
A82-37420

## RADIOBIOLOGY

Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

Possibility of evaluating radiation injury to skin on the basis of changes in its functional state  
A82-35655

Bone-marrow haemopoiesis in dogs exposed to various repeated total-body nonuniform irradiations  
A82-35656

Structural changes of the plasmatic membrane under the effect of ionizing radiation  
A82-35661

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903

## RADIOIMMUNOASSAY

A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307

## RATES (PER TIME)

An evaluation of localized sweating rates for predicting total body sweating rates  
[AD-A111902] N82-27968

## RATINGS

Differentiated ratings of perceived exertion are influenced by high altitude exposure  
[AD-A111075] N82-26967

Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms  
[AD-A111077] N82-27977

## RATS

Acute heat/exercise stress in rats: Effects on fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958

## REACTION TIME

Head-temperature effects on physiology, comfort, and performance during hyperthermia  
A82-35901

Eye movements and visual information processing  
[AD-A112399] N82-27967

## READING

Screening designs used to estimate the relative effects of display factors on dial reading  
A82-37183

## REBREATHING

An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030

## REFLECTORS

Holographic laser visor mock-up  
[AD-A112422] N82-27990

## REFLEXES

Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033

## RELIABILITY

Organizational climate: Another look at a potentially important constant  
[AD-A113953] N82-27982

## RESEARCH AND DEVELOPMENT

Superconducting magnetocardiograph  
A82-36260

## RESISTANCE

The determination of capillary resistance  
A82-35667

## RESPIRATION

The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668] N82-26956

## RESPIRATORY DISEASES

Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages  
A82-35696

## RESPIRATORY PHYSIOLOGY

Stages of the adaptation of human lungs in conditions of the Far North  
A82-35829

Regional changes of pulmonary functions in inhabitants of the North  
A82-35830

Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031

Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia  
A82-37927

## RESPIRATORY RATE

Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840

Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
A82-36038

## RESPIRATORY SYSTEM

Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

Cardio-respiratory physical training in water and on land  
[AD-A111064] N82-26968

## REST

An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030

Superficial shell insulation in resting and exercising men in cold water  
A82-36034

Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041

**RETINAL ADAPTATION**  
The constancy of stereoscopic depth perception  
[AD-A111484]  
N82-27984

**RHYTHM (BIOLOGY)**  
Rare cases of serious disturbances in cardiac rhythm during a hypoxic functional test  
A82-35684

**ROBOTS**  
Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects  
A82-34965

**ROTATING ENVIRONMENTS**  
The use of nondamping sinusoidal rotation in the study of vestibular function  
A82-35692

**RUNNING**  
Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue  
A82-35671  
Discriminative biomechanical characteristics in middle-distance running  
A82-35672

**S**

**SALYUT SPACE STATION**  
A day off in space  
A82-35698

**SCALE EFFECT**  
Gravity, and metabolic scale effects in mammals  
A82-36319

**SEISMIC WAVES**  
Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086]  
N82-26955

**SENSORIMOTOR PERFORMANCE**  
Investigation of the functional state of the central nervous system and the motor apparatus for various regimes of rest and physical exercise  
A82-35668  
Analysis of human movements for workplace design  
A82-36966  
Local serial correlation in behavioral states in the mouse  
[AD-A111021]  
N82-26959

**SENSORY DISCRIMINATION**  
Mass estimation and discrimination during brief periods of zero gravity  
A82-35769

**SHIVERING**  
Effects of endogenous glucagon on glucose kinetics in shivering dogs  
A82-36029

**SIGNAL ANALYSIS**  
Signal analysis at the periphery of the auditory system --- Russian book  
A82-35248

**SIGNAL PROCESSING**  
Evaluation of synthesized voice approach callouts /SYNCALL/  
A82-36967

**SIGNS AND SYMPTOMS**  
Influential factors of negative effects in the isolated and confined environment  
A82-35641  
Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation  
A82-35691

**SKIN (ANATOMY)**  
Possibility of evaluating radiation injury to skin on the basis of changes in its functional state  
A82-35655  
The determination of capillary resistance  
A82-35667

**SKIN TEMPERATURE (BIOLOGY)**  
Superficial shell insulation in resting and exercising men in cold water  
A82-36034

**SLEEP**  
Local serial correlation in behavioral states in the mouse  
[AD-A111021]  
N82-26959

**SLEEP DEPRIVATION**  
Sleep deprivation and exercise tolerance  
[AD-A113043]  
N82-26963  
Sleep and wakefulness handbook for flight medical officers  
[AGARD-AG-270 (E)]  
N82-27972

**SOCIAL ISOLATION**  
Behavioral and biological interactions with confined microsocieties in a programmed environment  
A82-35639  
Influential factors of negative effects in the isolated and confined environment  
A82-35641

**SODIUM CHLORIDES**  
Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039

**SPACE EXPLORATION**  
The human role in space  
[NASA-TM-82482]  
N82-27987

**SPACE FLIGHT FEEDING**  
Insects: A nutritional alternative  
[NASA-CR-169056]  
N82-26988

**SPACE FLIGHT STRESS**  
Influential factors of negative effects in the isolated and confined environment  
A82-35641  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372

**SPACE MAINTENANCE**  
Study of EVA operations associated with satellite services  
[NASA-CR-167614]  
N82-27986

**SPACE PERCEPTION**  
Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects  
A82-34965  
Locus of the stimulus to visual accommodation - Where in the world, or where in the eye --- sources of visual perception errors  
A82-37184  
The constancy of stereoscopic depth perception  
[AD-A111484]  
N82-27984

**SPACEBORNE EXPERIMENTS**  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372

**SPACECRAFT CABIN ATMOSPHERES**  
Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905

**SPACECRAFT ENVIRONMENTS**  
Influential factors of negative effects in the isolated and confined environment  
A82-35641

**SPEECH**  
Evaluation of synthesized voice approach callouts /SYNCALL/  
A82-36967

**SPEECH RECOGNITION**  
Objectives hierarchy for air intercept controller prototype training system  
[AD-A110847]  
N82-26981  
Effect of task duration on voice recognition system performance  
[AD-A107442]  
N82-27979  
Effect of operator mental loading on voice recognition system performance  
[AD-A107477]  
N82-27980

**SPIN TESTS**  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X]  
N82-26951

**SPINE**  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980]  
N82-27965  
Finite element analysis of the visco-elastic interaction of the annulus fibrosis and nucleus pulposus within the human intervertebral joint  
[AD-A111161]  
N82-27971



## SQUID (DETECTORS)

## SUBJECT INDEX

## SQUID (DETECTORS)

Superconducting magnetocardiograph  
A82-36260

## STABILITY

Empirical studies of procedural flaws, impasses,  
and repairs in procedural skills  
[AD-A113791] N82-27981

## STATISTICAL ANALYSIS

Statistical techniques for instrument panel  
arrangement  
A82-36959

## STEREOCHEMISTRY

Beta decay and the origins of biological chirality  
- Theoretical results  
A82-37421

## STEREOSCOPY

The constancy of stereoscopic depth perception  
[AD-A111484] N82-27984

## STRESS (PHYSIOLOGY)

Investigation of the general fitness of the  
progeny of irradiated animals. III - The  
resistance of mice to irradiation, hypoxia,  
endotoxin, and physical stress  
A82-35652

Protective effect of a gaseous hypoxic mixture  
under the combined effect on the organism of  
radiation and physical stress  
A82-35653

Early diagnosis of overstrain of the  
cardiovascular system in athletes engaging in  
cyclic forms of sport  
A82-35664

Recent developments in assessing the myocardial  
dystrophy encountered in athletes as a  
consequence of chronic physical overexertion  
A82-35680

Strain on the regulation systems as a condition of  
successful adaptation to heat  
A82-35837

Dependence of reactions of the organism to  
extremal factors on initial state  
A82-35839

Measurement of cardiopulmonary performance during  
acute exposure to a 2440-m equivalent atmosphere  
A82-35904

Effect of orthostatic stress on exercise  
performance after bedrest  
A82-35907

Change in plasma cAMP and catecholamines in men  
subjected to the same relative amount of  
physical work stress  
A82-35912

Exercise performance after ventilatory work  
A82-36037

Muscle weakness following dynamic exercise in humans  
A82-37929

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system  
[PB82-147752] N82-27974

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system: Appendix B:  
Annotated bibliography. Literature. The  
effects of noise on the cardiovascular system  
[PB82-147760] N82-27975

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system. Appendix C:  
Review of non-noise related research of  
cardiovascular disease  
[PB82-147778] N82-27976

## STRESS (PSYCHOLOGY)

The role of stress in the pathogenesis of ischemic  
heart disease  
A82-35677

The effect of threat on psychomotor and  
intellectual performance depending on  
characteristics of temperament  
A82-36691

Effect of operator mental loading on voice  
recognition system performance  
[AD-A107477] N82-27980

## STRESS ANALYSIS

Does heat acclimation lower the rate of metabolism  
elicited by muscular exercise  
[AD-A110555] N82-26977

## STUDENTS

Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983

## SUBTRACTION

Empirical studies of procedural flaws, impasses,  
and repairs in procedural skills  
[AD-A113791] N82-27981

## SULFUR COMPOUNDS

The effect of several pharmacologically active  
substances on the transformation of cystamine in  
mouse tissues --- and sulfur-containing  
antiradiation drug metabolism  
A82-35654

## SUPERCONDUCTIVITY

Superconducting magnetocardiograph  
A82-36260

## SURFACE NAVIGATION

Evaluating simulator validity  
A82-36968

## SURFACTANTS

Pulmonary oxygen toxicity - Possible role of  
ammonia in desorbing lung surfactant  
A82-35908

## SURVIVAL EQUIPMENT

Operator indoctrination during introduction of new  
or modified aviation life support systems /ALSS/  
A82-37968

## SYMBOLS

Perceptual discriminability as a basis for  
selecting graphic symbols  
A82-37186

## SYMPATHETIC NERVOUS SYSTEM

Sympathetic and parasympathetic cardiac control in  
athletes and nonathletes at rest  
A82-36041

## SYNTHESIS (CHEMISTRY)

Reference book for the Nitrogen Industry Worker,  
volume 2 --- producing nitric acid and fertilizers  
[AD-A113749] N82-27991

## SYNTHETIC FUELS

Toxicology of high energy fuels  
[AD-A111686] N82-26966

## SYSTEMS ENGINEERING

Manned systems design: Methods, equipment, and  
applications; Proceedings of the Conference,  
Freiburg im Breisgau, West Germany, September  
22-25, 1980  
A82-36951

Methods - Past approaches, current trends and  
future requirements --- in human factors  
engineering  
A82-36952

## SYSTEMS SIMULATION

The human operator simulator - An overview  
A82-36956

SAINT, a digital simulation language for the study  
of manned systems  
A82-36957

## T

## TACHYCARDIA

The diagnosis and treatment of heart-rhythm  
disorders - The role of intracardial  
electrophysiological investigation  
A82-35676

## TACTICS

Objectives hierarchy for air intercept controller  
prototype training system  
[AD-A110847] N82-26981

## TANKS (COMBAT VEHICLES)

Development of a microclimate cooling system for  
combat vehicles  
[AD-A112017] N82-27989

## TARGET ACQUISITION

Using realistic sensor, target, and scene  
characteristics to develop a target acquisition  
model  
A82-37185

## TARGET RECOGNITION

Eye movement measurement in the assessment and  
training of visual performance  
A82-36962

Using realistic sensor, target, and scene  
characteristics to develop a target acquisition  
model  
A82-37185

## TECHNOLOGICAL FORECASTING

Methods - Past approaches, current trends and  
future requirements --- in human factors  
engineering  
A82-36952

**TECHNOLOGY ASSESSMENT**

- Methods - Past approaches, current trends and future requirements --- in human factors engineering  
A82-36952
- Evaluation of synthesized voice approach callouts /SYNCALL/  
A82-36967

**TEMPERATURE DEPENDENCE**

- Seasonal variations of human cardiorespiratory indices in the North  
A82-35838

**TEMPERATURE EFFECTS**

- Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

**TESTS**

- Latent trait model contributions to criterion-referenced testing technology [AD-A112048]  
N82-26985

**THERAPY**

- The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation  
A82-35676
- Motion sickness, its prevention and treatment --- Russian book  
A82-36971

**THERMAL COMFORT**

- Head-temperature effects on physiology, comfort, and performance during hyperthermia  
A82-35901

**THERMOELASTICITY**

- Auditory perception of radio-frequency electromagnetic fields  
A82-35811

**THERMOREGULATION**

- Human adaptation in arid regions  
A82-35828
- Strain on the regulation systems as a condition of successful adaptation to heat  
A82-35837
- Splanchnic vasoconstriction in heat-stressed men - Role of renin-angiotensin system  
A82-36028
- Superficial shell insulation in resting and exercising men in cold water  
A82-36034

**THRESHOLDS (PERCEPTION)**

- Auditory perception of radio-frequency electromagnetic fields  
A82-35811

**THYMUS GLAND**

- Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651

**TIME DEPENDENCE**

- Strain on the regulation systems as a condition of successful adaptation to heat  
A82-35837
- Bohr effect and slope of the oxygen dissociation curve after physical training  
A82-36032
- Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039
- Effect of habitual exercise on left ventricular response to exercise  
A82-36040

**TISSUES (BIOLOGY)**

- The biological effects of nonionizing radiation [AD-A111898]  
N82-27970

**TOMOGRAPHY**

- Emission computed tomography: The single photon approach [PB82-131285]  
N82-26980

**TORQUEMETERS**

- Pressure suit joint analyzer [NASA-CASE-ARC-11314-1]  
N82-26987

**TOXICITY**

- Kainic acid as a tool in brain research  
A82-35662
- Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia  
A82-35902
- The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse [AD-A110668]  
N82-26956

- Models for the estimation of incapacitation times following exposures to toxic gases or vapors [PB82-000619]  
N82-26979
- Toxicity of thermal degradation products of spacecraft materials [NASA-CR-167615]  
N82-27964

**TOXICOLOGY**

- Toxicology of high energy fuels [AD-A111686]  
N82-26966

**TRACKING (POSITION)**

- Design and validation of a tracking test for forming matched groups for continuous tracking experiments [PB-49]  
N82-27985

**TRAINING ANALYSIS**

- Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report [AD-A107003]  
N82-27978

**TRAINING DEVICES**

- Eye movement measurement in the assessment and training of visual performance  
A82-36962
- Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/  
A82-37968
- Objectives hierarchy for air intercept controller prototype training system [AD-A110847]  
N82-26981

**TRAINING EVALUATION**

- Analysis and classification of human errors in troubleshooting live aircraft power plants  
A82-34970
- Evaluation of the functional state existing in the adaptation to high-altitude conditions  
A82-35836

**TRAINING SIMULATORS**

- Evaluating simulator validity  
A82-36968
- Training maintenance technicians for troubleshooting - Two experiments with computer simulations  
A82-37182

**TRANSFER OF TRAINING**

- Analysis and classification of human errors in troubleshooting live aircraft power plants  
A82-34970

**TRANSPLANTATION**

- Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction  
A82-36229

**TSUNAMI WAVES**

- Impact of an asteroid or comet in the ocean and extinction of terrestrial life [NASA-CR-169086]  
N82-26955

**U****U.S.S.R. SPACE PROGRAM**

- United States and Soviet Life Sciences factors in long-duration space flights  
A82-35638
- USSR Space Life Sciences Digest, volume 2, no. 3 [NASA-CR-168582]  
N82-26952
- USSR Space Life Sciences Digest, volume 2, no. 4 [NASA-CR-168691]  
N82-26953

**ULTRASONIC TESTS**

- The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart  
A82-35679

**ULTRASONICS**

- Apparatus for disintegrating kidney stones [NASA-CASE-GSC-12652-1]  
N82-26961

**UNDERWATER TESTS**

- Cardio-respiratory physical training in water and on land [AD-A111064]  
N82-26968

**USER MANUALS (COMPUTER PROGRAMS)**

- The Clinical Practice Library of Medicine (CPLM): An on-line biomedical computer library. System documentation [NASA-CR-169018]  
N82-26964

## V

## VALVES

Prosthetic occlusive device for an internal  
passageway  
[NASA-CASE-MFS-25640-1] N82-26962

## VASCULAR SYSTEM

Evidence for diminished sensitivity of the hamster  
pulmonary vasculature to hypoxia N82-36035

## VASOCONSTRICTION

Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system N82-36028

## VASOCONSTRICTOR DRUGS

The effect of several pharmacologically active  
substances on the transformation of cystamine in  
mouse tissues --- and sulfur-containing  
antiradiation drug metabolism N82-35654

## VEGETABLES

Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988

## VENTILATION

Development of a microclimate cooling system for  
combat vehicles  
[AD-A112017] N82-27989

## VERTIGO

Postural vertigo as a specific symptom of  
Meniere's disease N82-35690

## VESTIBULAR NYSTAGMUS

The use of nondamping sinusoidal rotation in the  
study of vestibular function N82-35692  
Characteristics of brain electric activity in  
different otoneurologic syndromes with  
vestibular asymmetry N82-35693

## VESTIBULAR TESTS

The use of trepanthalam in acute vestibulocochlear  
disorders in patients with meningococcal infection  
N82-35689

## VESTIBULUS

Classification of vestibular disorders as a  
function of the phase of the disease and the  
degree of vestibular compensation N82-35691  
Caloric methods for stimulation of the vestibular  
apparatus /Survey of the literature/ N82-35697

## VIBRATION EFFECTS

State of the hearing function in diesel locomotive  
crewmembers N82-35688

## VIBRATION PERCEPTION

State of the hearing function in diesel locomotive  
crewmembers N82-35688

## VISCOELASTICITY

Fracture and viscoelastic characteristics of the  
human cervical spine kinematics of the 3  
actuator system N82-27965  
[AD-A110980]  
Finite element analysis of the visco-elastic  
interaction of the annulus fibrosis and nucleus  
pulposus within the human intervertebral joint  
[AD-A111161] N82-27971

## VISION

Eye movements and visual information processing  
[AD-A112399] N82-27967

## VISORS

Holographic laser visor mock-up  
[AD-A112422] N82-27990

## VISUAL ACCOMMODATION

Locus of the stimulus to visual accommodation -  
Where in the world, or where in the eye ---  
sources of visual perception errors N82-37184

## VISUAL ACUITY

Prevalence of astigmatism among aviators and its  
limiting effect upon visual performance with the  
AN/PVS-5 flight vision goggles  
[AD-A112836] N82-27966

## VISUAL DISCRIMINATION

Conditioned tilt naming - A modified absolute  
judgment method is used to measure the oblique  
effect N82-35768

Narrowing of the visual field as an indicator of  
mental workload N82-36961

## VISUAL FIELDS

Narrowing of the visual field as an indicator of  
mental workload N82-36961

## VISUAL PERCEPTION

Human visual orientation --- Book N82-35272  
Familial intermittent diplopia - A report of two  
cases N82-35916  
Eye movements and visual information processing  
[AD-A112399] N82-27967  
The constancy of stereoscopic depth perception  
[AD-A111484] N82-27984

## VISUAL STIMULI

Locus of the stimulus to visual accommodation -  
Where in the world, or where in the eye ---  
sources of visual perception errors N82-37184

## VISUAL TASKS

Statistical techniques for instrument panel  
arrangement N82-36959  
A method for semi-automatic analysis of eye  
movements N82-36960  
Narrowing of the visual field as an indicator of  
mental workload N82-36961  
Eye movement measurement in the assessment and  
training of visual performance N82-36962

## VITAMINS

Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988

## VOCAL CORDS

Comparison of human vocal cord movements during  
isocapnic hypoxia and hypercapnia N82-37927

## VOICE COMMUNICATION

Effect of task duration on voice recognition  
system performance  
[AD-A107442] N82-27979

## VOICE DATA PROCESSING

Evaluation of synthesized voice approach callouts  
/SYNCALL/ N82-36967

## VOLUME

Mechanical properties of the lungs during  
acclimatization to altitude N82-36027  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975

## W

## WAKEFULNESS

Local serial correlation in behavioral states in  
the mouse N82-26959  
[AD-A111021]  
Sleep and wakefulness handbook for flight medical  
officers N82-27972  
[AGARD-AG-270(E)]

## WASTE DISPOSAL

Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2] N82-26960

## WAVEFORMS

A procedure for the analysis of nystagmus and  
other eye movements N82-35911

## WEIGHT (MASS)

Mass estimation and discrimination during brief  
periods of zero gravity N82-35769

## WEIGHTLESSNESS

Blood circulation in weightlessness N82-35700

**WEIGHTLESSNESS SIMULATION**

- Mass estimation and discrimination during brief periods of zero gravity A82-35769
- Effects of horizontal body casting on the baroreceptor reflex control of heart rate A82-36033

**WORK CAPACITY**

- Discriminative biomechanical characteristics in middle-distance running A82-35672
- Psychophysiological analysis of periodic oscillations of performance quality within the limits of a work cycle A82-35833
- Fatigue and the adaptive possibilities of the organism during work A82-35835
- Evaluation of the functional state existing in the adaptation to high-altitude conditions A82-35836
- Effect of habitual exercise on left ventricular response to exercise A82-36040
- Electromyography and applications A82-36965

**WORK-REST CYCLE**

- Investigation of the functional state of the central nervous system and the motor apparatus for various regimes of rest and physical exercise A82-35668
- A day off in space A82-35698

**WORKLOADS (PSYCHOPHYSIOLOGY)**

- Narrowing of the visual field as an indicator of mental workload A82-36961
- Physiological monitoring and the concept of adaptive systems A82-36963
- Crew workload prediction study [AD-A111948] N82-26991

**X****X RAY IRRADIATION**

- Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation A82-35660


**Page Intentionally Left Blank**

# PERSONAL AUTHOR INDEX

AEROSPACE MEDICINE AND BIOLOGY / *A Continuing Bibliography (Suppl. 237)*

OCTOBER 1982

## Typical Personal Author Index Listing



The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

- ABDVAKHITOVA, A. K.**  
Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
A82-35660
- ADAMS, B. M.**  
Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia  
A82-36035
- ABRENS, T. J.**  
Impact of an asteroid or comet in the ocean and extinction of terrestrial life  
[NASA-CR-169086] N82-26955
- AIDARALIEV, A. D.**  
Evaluation of the functional state existing in the adaptation to high-altitude conditions  
A82-35836
- AKOEV, I. G.**  
Structural changes of the plasmatic membrane under the effect of ionizing radiation  
A82-35661
- AKOPIAN, N. S.**  
The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172
- AKULININ, A. I.**  
Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages  
A82-35696
- ALAVERDIAN, A. M.**  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- ALLEN, L. J.**  
Finite element analysis of the visco-elastic interaction of the annulus fibrosis and nucleus pulposus within the human intervertebral joint  
[AD-A111161] N82-27971
- ALPEROVICH, B. R.**  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- ALTHAN, I. A.**  
Signal analysis at the periphery of the auditory system  
A82-35248

- ANDREEV, A. D.**  
Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation  
A82-35657
- ANHOLM, J. D.**  
Effect of habitual exercise on left ventricular response to exercise  
A82-36040
- ANTIPOV, V. V.**  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372
- ARMSTRONG, J. W.**  
Effect of task duration on voice recognition system performance  
[AD-A107442] N82-27979  
Effect of operator mental loading on voice recognition system performance  
[AD-A107477] N82-27980
- ASHMARIN, I. IU.**  
The effect of nitroglycerine on the functional state of the left ventricle in patients with acute myocardial infarction according to ultrasonic studies of the heart  
A82-35679
- ASKOVA, L. N.**  
Synchronized nystagmus calibrator  
A82-35695
- ASLING, C. W.**  
A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307
- AVELLINI, B. A.**  
Cardio-respiratory physical training in water and on land  
[AD-A111064] N82-26968  
Effects on heat tolerance of physical training in water and on land  
[AD-A110556] N82-26976  
Does heat acclimation lower the rate of metabolism elicited by muscular exercise  
[AD-A110555] N82-26977
- AVTSYN, A. P.**  
Stages of the adaptation of human lungs in conditions of the Far North  
A82-35829

## B

- BAERTSCH, P.**  
Fibrinopeptide A after strenuous physical exercise at high altitude  
A82-37926
- BAKER, C. J.**  
Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system  
[AD-A111074] N82-26957
- BAKLAVADZHIAN, O. G.**  
The effect of acute hypoxia on the EEG and unit impulse activity of neurons of different brain structures in rats  
A82-36172
- BALDWIN, B.**  
Toxicity of thermal degradation products of spacecraft materials  
[NASA-CR-167615] N82-27964
- BALON, T. W.**  
Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039

- BANASZKIEWICZ, W.**  
The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
A82-36690
- BARABANOV, A. G.**  
Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes  
A82-35673
- BARNES, G. R.**  
A procedure for the analysis of nystagmus and other eye movements  
A82-35911
- BARTLETT, D., JR.**  
Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia  
A82-37927
- BATHMAN, J. B.**  
The biological effects of nonionizing radiation [AD-A111898]  
N82-27970
- BAUMAN, C.**  
Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports [AD-A110630]  
N82-26992
- BEKETOVA, I. L.**  
Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise  
A82-35666
- BENTON, E. V.**  
An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation  
A82-36320
- BERINGER, D. B.**  
The production of specified electrocortical activity as a measurable task [AD-A111422]  
N82-26965
- BERNAT, R.**  
The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
A82-36690
- BILLING, J. E.**  
An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030
- BILLMAN, G. E.**  
Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033
- BLAGOVESHCHENSKAYA, N. S.**  
Classification of vestibular disorders as a function of the phase of the disease and the degree of vestibular compensation  
A82-35691
- BLISTANOVA, L. S.**  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- BLUTH, B. J.**  
Influential factors of negative effects in the isolated and confined environment  
A82-35641
- BOENING, D.**  
Bohr effect and slope of the oxygen dissociation curve after physical training  
A82-36032
- BOIARSKII, G. P.**  
State of the hearing function in diesel locomotive crewmen  
A82-35688
- BOJENKO, S.**  
Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
A82-36689
- BONNEY, C. H.**  
Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903
- BOMORA, M.**  
Mechanical properties of the lungs during acclimatization to altitude  
A82-36027
- BRADY, J. V.**  
Behavioral and biological interactions with confined microsocieties in a programmed environment  
A82-35639
- BRAUNMAN, K. M.**  
Bohr effect and slope of the oxygen dissociation curve after physical training  
A82-36032
- BRAUN, J. M.**  
Isokinetic, isometric, and isotonic strength relationships [AD-A111039]  
N82-26972
- BRAUTIGAN, C. E.**  
A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307
- BRESLER, S. E.**  
Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda  
A82-35659
- BRITON, A. I.**  
Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653
- BROOKS, G. A.**  
Effects of glycogen depletion and pedaling speed on 'anaerobic threshold'  
A82-36038
- BRUENNER, H.**  
The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes [NASA-TM-76660]  
N82-27963
- BRUMBERG, I. E.**  
Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract  
A82-35658
- BRUSOVANIK, E. P.**  
The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831
- BUDAGOV, E. S.**  
Structural changes of the thymus of irradiated animals that were also subjected to heat trauma  
A82-35651
- BUNGO, M. W.**  
Measurement of cardiopulmonary performance during acute exposure to a 2440-m equivalent atmosphere  
A82-35904
- BURTCH, L. D.**  
Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905
- BURTCH, L. D.**  
Aptitude requirements based on task difficulty: Methodology for evaluation [AD-A110568]  
N82-26983
- BUTTERBAUGH, L. C.**  
Crew workload prediction study [AD-A111948]  
N82-26991
- BUZINNIK, M. M.**  
State of the hearing function in diesel locomotive crewmen  
A82-35688

## C

- CALL, D. W.**  
Operator indoctrination during introduction of new or modified aviation life support systems /ALSS/  
A82-37968
- CALLAHAN, P. X.**  
A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity  
A82-36307
- CAPEN, R. L.**  
Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area  
A82-36036



- CARPENTER, J.  
Effect of habitual exercise on left ventricular response to exercise  
A82-36040
- CHAPMAN, R. W.  
Brain hypoxia and control of breathing - Role of the vagi  
A82-37928
- CHEN, H.-I.  
Exercise performance after ventilatory work  
A82-36037
- CHERN, H. J.  
Holographic laser visor mock-up  
[AD-A112422] N82-27990
- CHOU, C.-K.  
Auditory perception of radio-frequency electromagnetic fields  
A82-35811
- CHRISTEN, P. G.  
Perceptual discriminability as a basis for selecting graphic symbols  
A82-37186
- CHUBB, G. P.  
SAINT, a digital simulation language for the study of manned systems  
A82-36957
- CHUMAKOV, V. P.  
State of the hearing function in diesel locomotive crewmen  
A82-35688
- CIAVARELLI, A. P.  
Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report  
[AD-A107003] N82-27978
- CLARK, S. D.  
Regional blood flow in the domestic fowl immediately following chronic acceleration  
A82-35909
- COHEN, J. S.  
Development of a microclimate cooling system for combat vehicles  
[AD-A112017] N82-27989
- COLES, M. G. H.  
The production of specified electrocortical activity as a measurable task  
[AD-A111422] N82-26965
- CONKIN, J.  
Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905
- CONVERTINO, V. A.  
Effect of orthostatic stress on exercise performance after bedrest  
A82-35907
- COOPER, A. E.  
The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668] N82-26956
- COHNACK, R. H.  
The constancy of stereoscopic depth perception  
[AD-A111484] N82-27984
- CORREALS, J. V.  
Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2] N82-26960
- COSSO, G. H.  
Noise and annoyance - A new methodology  
A82-37187
- COTE, R. W., III  
An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030
- COYLE, E. F.  
An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030
- CROOK, J. W.  
The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668] N82-26956
- CUMMINGS, E. G.  
The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668] N82-26956
- CYMERMAN, A.  
Differentiated ratings of perceived exertion are influenced by high altitude exposure  
[AD-A111075] N82-26967
- Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969
- ## D
- DABROWA, B.  
Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
A82-36689
- DAMELIO, P. E.  
An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation  
A82-36320
- DANIELS, W. L.  
Influence of fiber type composition and capillary density on onset of blood lactate accumulation  
[AD-A111038] N82-26973
- DAVIES, C. T. M.  
Muscle weakness following dynamic exercise in humans  
A82-37929
- DAVIES, D. G.  
Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia  
A82-37930
- DAVIES, G. R. W.  
Inflight medical facilities  
A82-35914
- DAVIS, J. A.  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031
- DAVIDOV, B. I.  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372
- DAWE, P. S.  
Absorbent product and articles made therefrom  
[NASA-CASE-MSC-18223-2] N82-26960
- DAY, P. P., JR.  
Methane flux in the Great Dismal Swamp  
A82-37423
- DEASON, G. A.  
Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere  
[AD-A107488] N82-26989
- DEGOTARDI, P. R.  
Inflight medical facilities  
A82-35914
- DELOWE, H. L.  
The effect of space flight factors on quiescent nuclei of certain plant and animal test objects  
A82-37372
- DEMENT, W. C.  
Local serial correlation in behavioral states in the mouse  
[AD-A111021] N82-26959
- DENNISON, B. A.  
Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation  
A82-35903
- DEVINCENZI, D. L.  
Publications of the exobiology program for 1981: A special bibliography  
[NASA-TM-84895] N82-26995
- DICKEY, D. T.  
Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033
- DIGHTON, D. H.  
Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041
- DILLE, J. R.  
Familial intermittent diplopia - A report of two cases  
A82-35916
- DIUMIN, O. V.  
Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages  
A82-35696
- DOBBS, T. L.  
Holographic laser visor mock-up  
[AD-A112422] N82-27990

- DONNELLY, K.**  
USSR Space Life Sciences Digest, volume 2, no. 4  
[NASA-CR-168691] N82-26953
- DRAGOMIRETSKII, V. D.**  
Affections of the upper respiratory tracts in  
transport-fleet sailors and the prophylaxis of  
these affections on long voyages  
A82-35696
- DRIVAS, A.**  
Conditioned tilt naming - A modified absolute  
judgment method is used to measure the oblique  
effect  
A82-35768
- DUFOUR, P. A.**  
Insects: A nutritional alternative  
[NASA-CR-169056] N82-26988
- DURSTINE, J. L.**  
Attenuation of blood pressure increases in Dahl  
salt-sensitive rats by exercise  
A82-36039
- DZHOGAN, L. K.**  
The determination of capillary resistance  
A82-35667

## E

- EASTMAN, D. R.**  
Postural stability during slow-onset and  
rapid-onset hypoxia  
A82-35906
- EDELHMAN, H. H.**  
Brain hypoxia and control of breathing - Role of  
the vagi  
A82-37928
- EDWARDS, W. T.**  
Fracture and viscoelastic characteristics of the  
human cervical spine kinematics of the 3  
actuator system  
[AD-A110980] N82-27965
- EPREHENKO, M. P.**  
Motion sickness, its prevention and treatment  
A82-36971
- EIKMAN, R. A.**  
Emission computed tomography: The single photon  
approach  
[PB82-131285] N82-26980
- EMURIAN, H. H.**  
Behavioral and biological interactions with  
confined microsocieties in a programmed  
environment  
A82-35639
- ENGLE, A. E.**  
Long bone and joint response to mechanical loading  
[AD-A111551] N82-27969
- ENGLAND, S. J.**  
Comparison of human vocal cord movements during  
isocapnic hypoxia and hypercapnia  
A82-37927
- ESCOURROU, P.**  
Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system  
A82-36028
- EVANS, W. J.**  
Sparing effect of chronic high-altitude exposure  
on muscle glycogen utilization during exercise  
[AD-A111063] N82-26969
- EVDOKIMOV, V. G.**  
Seasonal variations of human cardiorespiratory  
indices in the North  
A82-35838
- EVSTIGNEVA, L. A.**  
Changes of the oxygen transport function of the  
blood and some metabolic values in patients with  
hypertension and chronic ischemic heart diseases  
during ergometric exercise  
A82-35666
- EWY, G. A.**  
An automated, indirect assessment of cardiac  
output during rest and exercise  
A82-36030

## F

- FARRAND, R. L.**  
The subchronic inhalation toxicity of polyethylene  
glycol 200 in the rat and mouse  
[AD-A110668] N82-26956

- FARRELL, P. A.**  
An automated, indirect assessment of cardiac  
output during rest and exercise  
A82-36030
- FERRETTI, G.**  
Superficial shell insulation in resting and  
exercising men in cold water  
A82-36034
- FISCHEE, J. T.**  
Mechanical properties of the lungs during  
acclimatization to altitude  
A82-36027
- FLYNN, S. F.**  
Familial intermittent diplopia - A report of two  
cases  
A82-35916
- FODEL, V.**  
Superconducting magnetocardiograph  
A82-36260
- FOMENKO, B. S.**  
Structural changes of the plasmatic membrane under  
the effect of ionizing radiation  
A82-35661
- FONSECA, G. P.**  
Effectiveness of five water-cooled undergarments  
in reducing heat stress of vehicle operating in  
a hot wet or hot dry environment  
[AD-A107105] N82-26994
- FORBUS, K.**  
Project STEAMER: 6. Advanced computer-aided  
instruction in propulsion engineering  
[AD-A110797] N82-26982
- FORCHON, J.**  
Effects of endogenous glucagon on glucose kinetics  
in shivering dogs  
A82-36029
- FORTNEY, S. M.**  
Effects on heat tolerance of physical training in  
water and on land  
[AD-A110556] N82-26976
- FOSTER, C.**  
Effect of habitual exercise on left ventricular  
response to exercise  
A82-36040
- FOSTER, S.**  
Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964
- FRANCESCOVI, R.**  
Acute heat/exercise stress in rats: Effects on  
fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958
- FRASER, W. D.**  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975
- FRATANTUONO, J.**  
Development of a microclimate cooling system for  
combat vehicles  
[AD-A112017] N82-27989
- FRAZIER, J. W.**  
A study on human tracking performance in a complex  
G field experiment  
A82-34971
- FREINK, A. I.**  
Human adaptation in arid regions  
A82-35828
- FREMINET, A.**  
Effects of endogenous glucagon on glucose kinetics  
in shivering dogs  
A82-36029
- FREUND, P. R.**  
Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system  
A82-36028
- FRIDMAN, S. D.**  
Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749] N82-27991
- FRIEDMAN, D. S.**  
Apparatus for disintegrating kidney stones  
[NASA-CASE-GSC-12652-1] N82-26961

## G

- GAERTNER, K.-P.  
Electromyography and applications A82-36965
- GALAMBOS, R.  
Auditory perception of radio-frequency electromagnetic fields A82-35811
- GALCHENKO, V. F.  
Contents of protein and amino acids in methanobacterial biomass A82-36011
- GAUTIER, B.  
Mechanical properties of the lungs during acclimatization to altitude A82-36027
- GAZENKO, O. G.  
Blood circulation in weightlessness A82-35700
- GRISSELMAN, R. E.  
Perceptual discriminability as a basis for selecting graphic symbols A82-37186
- GENDENSHTEIN, E. I.  
Mechanisms of the development of hypersensitivity to strophanthin in experimental myocardial infarction and its pharmacological correction A82-35683
- GENIN, A. M.  
Blood circulation in weightlessness A82-35700
- GESSAMAN, J. A.  
An evaluation of localized sweating rates for predicting total body sweating rates [AD-A111902] N82-27968
- GIDLEY, D. W.  
Beta decay and the origins of biological chirality - Experimental results A82-37420
- GILL, R. T.  
Locus of the stimulus to visual accommodation - Where in the world, or where in the eye A82-37184
- GLENN, P. A.  
The human operator simulator - An overview A82-36956
- GOLDBERG, L. I.  
Perception of effort during isometric contractions as related to heart rate and blood pressure responses [AD-A111033] N82-26974
- GOLDWATER, D. J.  
Effect of orthostatic stress on exercise performance after bedrest A82-35907
- GOLITSYN, S. P.  
The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation A82-35676
- GOLZBERG, K. L.  
Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress A82-35652
- GOMER, P. E.  
Physiological monitoring and the concept of adaptive systems A82-36963
- GORBEEA, D.  
Development of a microclimate cooling system for combat vehicles [AD-A112017] N82-27989
- GORLOV, V. G.  
Bone-marrow haemopoiesis in dogs exposed to various repeated total-body nonuniform irradiations A82-35656
- GORODETSKII, V. V.  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport A82-35664

- GRAHAM, J. H.  
Linguistic decision structures for hierarchical systems A82-34968
- GRAMS, R. R.  
The Clinical Practice Library of Medicine (CPLM): An on-line biomedical computer library. System documentation [NASA-CR-169018] N82-26964
- GRASSINO, A.  
Mechanical properties of the lungs during acclimatization to altitude A82-36027
- GRINDELAND, R. E.  
A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity A82-36307
- GUSEINOV, F. A.  
Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue A82-35671
- GUY, A. W.  
Auditory perception of radio-frequency electromagnetic fields A82-35811
- GUZ, A.  
Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest A82-36041
- GUZHAN, A. W.  
Freeze-thaw induced damage to endothelial cells in vitro. 1. Development of a suitable system [AD-A11074] N82-26957

## H

- HALL, S. B.  
The human role in space [NASA-TM-82482] N82-27987
- HALLEY, R.  
Objectives hierarchy for air intercept controller prototype training system [AD-A110847] N82-26981
- HAMBLETON, R. K.  
Latent trait model contributions to criterion-referenced testing technology [AD-A112048] N82-26985
- HANNHART, B.  
Mechanical properties of the lungs during acclimatization to altitude A82-36027
- HARRIS, J. M.  
Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports [AD-A110630] N82-26992
- HARRISS, R. C.  
Methane flux in the Great Dismal Swamp A82-37423
- HARTSTACK, A. W.  
Predicting the timing and potential of the spring emergence of overwintered populations of *Heliothis* spp [NASA-CR-167444] N82-27962
- HAYES, W. C.  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system [AD-A110980] N82-27965
- HEGSTROM, R. A.  
Beta decay and the origins of biological chirality - Theoretical results A82-37421
- HEINTZELMAN, M.  
Exercise performance after ventilatory work A82-36037
- HEITKAMP, D. H.  
The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse [AD-A110668] N82-26956
- HELLMAN, C. K.  
Effect of habitual exercise on left ventricular response to exercise A82-36040
- HILLS, B. A.  
Pulmonary oxygen toxicity - Possible role of ammonia in desorbing lung surfactant A82-35908

- HOFF, J. E.  
Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988
- HOFFMAN, L. P.  
Regional blood flow in the domestic fowl  
immediately following chronic acceleration  
A82-35909
- HOLLY, P. P.  
Direct and neighboring sensitivity changes  
produced by red and blue-white adapting fields  
[AD-A111880] N82-26993
- HOLNESS, D. E.  
Postural stability during slow-onset and  
rapid-onset hypoxia  
A82-35906
- HOLZHAUSEN, K.-P.  
Analysis of human movements for workplace design  
A82-36966
- HOOKS, J. T., JR.  
Objectives hierarchy for air intercept controller  
prototype training system  
[AD-A110847] N82-26981
- HORRIGAN, D. J., JR.  
Investigation of the combined effects of bedrest  
and mild hypoxia  
A82-35905
- HORSTMAN, D. E.  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975
- HOTT, P. D.  
The subchronic inhalation toxicity of polyethylene  
glycol 200 in the rat and mouse  
[AD-A110668] N82-26956
- HOUSE, W. V.  
Feasibility study: NMR imaging microscope  
[PB82-125915] N82-27973
- HOVI, V.  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X] N82-26951
- HOWARD, I. P.  
Human visual orientation  
A82-35272
- HOWE, J. E.  
Plant diversity to support humans in a CELSS  
ground-based demonstrator  
[NASA-CR-166357] N82-27988
- HOWLEY, E. T.  
Change in plasma CAMP and catecholamines in men  
subjected to the same relative amount of  
physical work stress  
A82-35912
- HUBBARD, R. W.  
Effects of acute plasma volume expansion on  
altering exercise heat performance  
[AD-A110558] N82-26975
- HUGHES, E. F.  
Effects of glycogen depletion and pedaling speed  
on 'anaerobic threshold'  
A82-36038
- HULL, J. C.  
Locus of the stimulus to visual accommodation -  
where in the world, or where in the eye  
A82-37184

## I

- IACONA, V. D.  
Development of a microclimate cooling system for  
combat vehicles  
[AD-A112017] N82-27989
- IAKOVLEV, V. E.  
Evaluation of the functional state existing in the  
adaptation to high-altitude conditions  
A82-35836
- IAKUNIN, N. A.  
Discriminative biomechanical characteristics in  
middle-distance running  
A82-35672
- ILIUKHINA, V. A.  
Omega potential: Quantitative index of states of  
brain and organism structures. I - The  
physiological significance of the omega  
potential when it is recorded from deep  
structures and from the scalp  
A82-35834

- IMANALIEV, D. E.  
Evaluation of the functional state existing in the  
adaptation to high-altitude conditions  
A82-35836
- ISABAEVA, V. A.  
The hemostasis system in man in high-altitude  
conditions  
A82-35832
- ISH-SHALOM, J.  
Measurement of eye movement with a ferromagnetic  
contact ring  
A82-35810
- IVANISHVILI, L. O.  
The effect of nitroglycerine on the functional  
state of the left ventricle in patients with  
acute myocardial infarction according to  
ultrasonic studies of the heart  
A82-35679
- IVANOV, M. V.  
Contents of protein and amino acids in  
methanobacterial biomass  
A82-36011
- JACKSON, E. B.  
Advanced design linear noise-attenuating  
earphone-earcup system  
[AD-A110820] N82-26990
- JAMES, L. E.  
Organizational climate: Another look at a  
potentially important constant  
[AD-A113953] N82-27982
- JANOSKI, S. S.  
Crew workload prediction study  
[AD-A111948] N82-26991
- JOHNSON, D. G.  
Splanchnic vasoconstriction in heat-stressed men -  
Role of renin-angiotensin system  
A82-36028
- JOHNSON, G. W.  
The human role in space  
[NASA-TM-82482] N82-27987
- JOHNSON, W. B.  
Analysis and classification of human errors in  
troubleshooting live aircraft power plants  
A82-34970
- Training maintenance technicians for  
troubleshooting - Two experiments with computer  
simulations  
A82-37182
- JONES, B. E.  
Anatomic perspective of the female athlete: An  
approach to musculoskeletal profiling of women  
in sports  
[AD-A110630] N82-26992

## K

- KALANDAROVA, M. P.  
Bone-marrow haemopoiesis in dogs exposed to  
various repeated total-body nonuniform  
irradiations  
A82-35656
- KALININ, V. L.  
Investigation of the radio-protective effect of  
cystamine on a model of thermally induced  
prophage lambda  
A82-35659
- KARAPETIAN, M. A.  
The effect of acute hypoxia on the EEG and unit  
impulse activity of neurons of different brain  
structures in rats  
A82-36172
- KARPUKHINA, A. M.  
Psychophysiological analysis of periodic  
oscillations of performance quality within the  
limits of a work cycle  
A82-35833
- KARTASHOV, N. G.  
Dynamics of blood flow rate in athletes upon  
changes in environmental conditions  
A82-35669
- KASTER, J.  
Eye movement measurement in the assessment and  
training of visual performance  
A82-36962

- KATONA, P. G.**  
Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest  
A82-36041
- KAVERINA, N. V.**  
The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethnosine, in patients with different disorders of the heart rhythm  
A82-35678
- KEHLER, T. P.**  
Intelligent tutoring for programming tasks: Using plan analysis to generate better hints  
[AD-A114020]  
N82-27983
- KEIL, J. E.**  
Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease  
[PB82-147778]  
N82-27976
- KENNO, K. A.**  
Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039
- KETKIN, A. T.**  
Seasonal variations of human cardiorespiratory indices in the North  
A82-35838
- KEYSTONE, J. S.**  
Health advice for aircrew on refugee flights  
A82-35915
- KHLOMENOK, A. P.**  
An empirical equation of elementary motion  
A82-35674
- KHLOMENOK, P. N.**  
An empirical equation of elementary motion  
A82-35674
- KHOLODOV, ZH. K.**  
An empirical equation of elementary motion  
A82-35674
- KHROMOV, L. N.**  
The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831
- KIM, H. J.**  
Prevalence of astigmatism among aviators and its limiting effect upon visual performance with the AN/PVS-5 flight vision goggles  
[AD-A112836]  
N82-27966
- KLEIN, K. E.**  
The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TM-76660]  
N82-27963
- KLEYKE, V. A.**  
Reference book for the Nitrogen Industry Worker, volume 2  
[AD-A113749]  
N82-27991
- KLOEK, G.**  
Zoological effects of variations in atmospheric oxygen levels  
[NASA-CR-169020]  
N82-26954
- KNAPIK, J. J.**  
Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063]  
N82-26969
- KNAPKIN, J. J.**  
Isokinetic, isometric, and isotonic strength relationships  
[AD-A111039]  
N82-26972
- KNAPKIN, J. J.**  
Anatomic perspective of the female athlete: An approach to musculoskeletal profiling of women in sports  
[AD-A110630]  
N82-26992
- KNUTH, S. L.**  
Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia  
A82-37927
- KNUTTGEN, H. G.**  
An ergometer for concentric and eccentric muscular contraction  
[AD-A111061]  
N82-26971
- KOIVULA, E. K.**  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X]  
N82-26951
- KOLCHEV, KH.**  
Characteristics of brain electric activity in different otoneurologic syndromes with vestibular asymmetry  
A82-35693
- KOHU, M. E. S.**  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X]  
N82-26951
- KOPKA, L.**  
Electrophysical and hemodynamic factors conditioning cardiac arrhythmias during centrifuging  
A82-36689
- KOPIEV, M. I.**  
Reference book for the Nitrogen Industry Worker, volume 2  
[AD-A113749]  
N82-27991
- KORNEV, A. V.**  
The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831
- KOWLER, E.**  
Eye movements and visual information processing  
[AD-A112399]  
N82-27967
- KRAFT, L. M.**  
An electron-microscopic study of the brain of the fruit fly, *Drosophila melanogaster*, exposed to high-LET krypton /Kr-84/ particle radiation  
A82-36320
- KRAISS, K.-P.**  
Manned systems design: Methods, equipment, and applications; Proceedings of the Conference, Freiburg im Breisgau, West Germany, September 22-25, 1980  
A82-36951
- KRUEGER, W.**  
Design and validation of a tracking test for forming matched groups for continuous tracking experiments  
[PB-49]  
N82-27985
- KUCHEBENKO, N. G.**  
Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653
- KUDIN, A. N.**  
The combined effect of medicines  
A82-35665
- KUEHNE, M. L.**  
Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039
- KUKES, V. G.**  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- KUKLINSKI, P.**  
The evaluation of studies of flight personnel of the German Luftansa on the question of stress during flights on the short European routes  
[NASA-TM-76660]  
N82-27963
- KUPCINSKAS, M.**  
Development of a microclimate cooling system for combat vehicles  
[AD-A112017]  
N82-27989
- KUROCHINA, O. I.**  
Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653
- KUTLAKHNEDOV, I. A.**  
Modeling of the recovery of cells from radiation damage and the principle of effective-dose reduction. I - Models of the recovery of cells after acute irradiation  
A82-35657
- L**
- LAABS, G. J.**  
Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms  
[AD-A111077]  
N82-27977
- LAMARRA, M.**  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031
- LANDEE, B. M.**  
Perceptual discriminability as a basis for selecting graphic symbols  
A82-37186

- LANE, H. E.  
The human operator simulator - An overview  
A82-36956
- LANFORD, H. G.  
Objectives hierarchy for air intercept controller  
prototype training system  
[AD-A110847] N82-26981
- LAPAEV, E. V.  
The use of nondamping sinusoidal rotation in the  
study of vestibular function  
A82-35692
- LAPSHINA, G. G.  
Postural vertigo as a specific symptom of  
Meniere's disease  
A82-35690
- LAWRENCE, W. H.  
Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964  
Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964
- LELLI, J.  
Fracture and viscoelastic characteristics of the  
human cervical spine kinematics of the 3  
actuator system  
[AD-A110980] N82-27965
- LEVAKOVSKII, P. L.  
Investigation of the functional state of the  
central nervous system and the motor apparatus  
for various regimes of rest and physical exercise  
A82-35668
- LEVISON, W. H.  
Effects of whole-body motion simulation on flight  
skill development  
[AD-A111115] N82-26984
- LEVITAN, B. M.  
Measurement of cardiopulmonary performance during  
acute exposure to a 2440-m equivalent atmosphere  
A82-35904
- LEWIS, C. S.  
USSR Space Life Sciences Digest, volume 2, no. 3  
[NASA-CR-168582] N82-26952  
USSR Space Life Sciences Digest, volume 2, no. 4  
[NASA-CR-168691] N82-26953
- LEWIS, P. A. W.  
Local serial correlation in behavioral states in  
the mouse  
[AD-A111021] N82-26959
- LIKHACHEVA, O. A.  
Fatigue and the adaptive possibilities of the  
organism during work  
A82-35835
- LILES, J. H.  
Change in plasma CAHF and catecholamines in men  
subjected to the same relative amount of  
physical work stress  
A82-35912
- LILLY, C.  
The subchronic inhalation toxicity of polyethylene  
glycol 200 in the rat and mouse  
[AD-A110668] N82-26956
- LIPSCOMB, H. S.  
Aptitude requirements based on task difficulty:  
Methodology for evaluation  
[AD-A110568] N82-26983
- LOPEZ, J. D.  
Predicting the timing and potential of the spring  
emergence of overwintered populations of  
Heliothis spp  
[NASA-CR-167444] N82-27962
- M**
- MACIEJCZYK, J.  
The effect of threat on psychomotor and  
intellectual performance depending on  
characteristics of temperament  
A82-36691
- MACNAUGHTON, H. G.  
Toxicology of high energy fuels  
[AD-A111686] N82-26966
- MAGEE, H.  
Acute heat/exercise stress in rats: Effects on  
fluid and electrolyte regulatory hormones  
[AD-A110559] N82-26958
- MABER, J. T.  
Medical and performance problems of acute high  
altitude-exposure  
[AD-A111062] N82-26970
- MALDONADO, R. J.  
Head-temperature effects on physiology, comfort,  
and performance during hyperthermia  
A82-35901
- MALIKOV, B. A.  
Changes of the oxygen transport function of the  
blood and some metabolic values in patients with  
hypertension and chronic ischemic heart diseases  
during ergometric exercise  
A82-35666
- MALKIN, V. B.  
Rare cases of serious disturbances in cardiac  
rhythm during a hypoxic functional test  
A82-35684
- MARACHEV, A. G.  
Regional changes of pulmonary functions in  
inhabitants of the North  
A82-35830  
The bioenergetics of erythrocytes in inhabitants  
of the North  
A82-35831
- MARIANOVICH, A. T.  
Strain on the regulation systems as a condition of  
successful adaptation to heat  
A82-35837
- MARKE, E.  
Studies on the interaction of pemoline and  
centrophenoxine with some flight factors  
A82-36688
- MARTIN, B.  
Exercise performance after ventilatory work  
A82-36037
- MARTIN, B. J.  
Sleep deprivation and exercise tolerance  
[AD-A113043] N82-26963
- MATHIAS, H. M.  
Effect of dietary fat on pulmonary enzymes and  
toxicity during normobaric hyperoxia  
A82-35902
- MATIN, E.  
Conditioned tilt naming - A modified absolute  
judgment method is used to measure the oblique  
effect  
A82-35768
- MATVEEV, L. N.  
Electrocardiographic diagnosis of the chronic  
pulmonary heart  
A82-35681  
Regional changes of pulmonary functions in  
inhabitants of the North  
A82-35830  
The bioenergetics of erythrocytes in inhabitants  
of the North  
A82-35831
- MATVIENKO, L. A.  
Characteristics of hemopoiesis in athletes  
undergoing endurance-training  
A82-35670
- MAUDSLEY, R. H.  
Isokinetic, isometric, and isotonic strength  
relationships  
[AD-A111039] N82-26972
- MAXWELL, D. W.  
The landing signal officer - Auditory aspects  
A82-35910
- MAZUROV, O. N.  
Specialized laboratory for the educational and  
research activity of students and the  
psychodiagnostic study of athletes  
A82-35673
- MCINTYRE, L.  
Health advice for aircrew on refugee flights  
A82-35915
- MCLEAN, H.  
Sympathetic and parasympathetic cardiac control in  
athletes and nonathletes at rest  
A82-36041
- MCHURTRY, I. P.  
Evidence for diminished sensitivity of the hamster  
pulmonary vasculature to hypoxia  
A82-36035
- MCNEAL, S. B.  
Influential factors of negative effects in the  
isolated and confined environment  
A82-35641

- MEDVEDEV, S. N.**  
Regional changes of pulmonary functions in  
inhabitants of the North  
A82-35830
- MEDVEDEV, V. I.**  
A classification of behavioral adaptation  
A82-35827
- MERSON, P. Z.**  
The role of stress in the pathogenesis of ischemic  
heart disease  
A82-35677
- MELNIKOV, B. P.**  
Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749] N82-27991
- MELNIKOV, Y. Y.**  
Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749] N82-27991
- METELITSA, V. I.**  
The pharmacokinetic characteristics of trimecain  
as compared to lidocain in patients with  
myocardial infarction  
A82-35682
- MEYERHOFF, J. L.**  
Behavioral and biological interactions with  
confined microsocieties in a programmed  
environment  
A82-35639
- MEZHEVIKIN, V. V.**  
Cultivation of the luminescent bacterium  
Photobacterium leiognathi with control by  
luminescence  
A82-35687
- MICHAELIS, P. R.**  
Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983
- MICKLEY, G. A.**  
Radiogenic changes in the behavior and physiology  
of the spontaneously hypertensive rat - Evidence  
for a dissociation between acute hypotension and  
incapacitation  
A82-35903
- MIKHAILOV, M. G.**  
Discriminative biomechanical characteristics in  
middle-distance running  
A82-35672
- MILIC-EMILI, J.**  
Mechanical properties of the lungs during  
acclimatization to altitude  
A82-36027
- MILLER, J. R.**  
Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983
- MILOVANOV, A. P.**  
Stages of the adaptation of human lungs in  
conditions of the Far North  
A82-35829
- MINAIRE, Y.**  
Effects of endogenous glucagon on glucose kinetics  
in shivering dogs  
A82-36029
- MINOVICH, M. A.**  
Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749] N82-27991
- MIQUEL, J.**  
An electron-microscopic study of the brain of the  
fruit fly, *Drosophila melanogaster*, exposed to  
high-LET krypton /Kr-84/ particle radiation  
A82-36320
- MISEROCCHI, G.**  
Mechanical properties of the lungs during  
acclimatization to altitude  
A82-36027
- MOONAW, M. E.**  
Noise and annoyance - A new methodology  
A82-37187
- MORAAL, J.**  
Manned systems design: Methods, equipment, and  
applications; Proceedings of the Conference,  
Freiburg im Breisgau, West Germany, September  
22-25, 1980  
A82-36951
- Evaluating simulator validity  
A82-36968

- MOSS, G. E.**  
Holographic laser visor mock-up  
[AD-A112422] N82-27990
- MOUGEY, E. H.**  
Behavioral and biological interactions with  
confined microsocieties in a programmed  
environment  
A82-35639
- MURRAY, W. B.**  
Intelligent tutoring for programming tasks: Using  
plan analysis to generate better hints  
[AD-A114020] N82-27983

## N

- NASH, J. O.**  
Study of EVA operations associated with satellite  
services  
[NASA-CR-167614] N82-27986
- NECHIPORENKO, V. P.**  
State of the hearing function in diesel locomotive  
crewmembers  
A82-35688
- NEFEDOVA, I. D.**  
Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749] N82-27991
- NESTEROV, A. I.**  
Contents of protein and amino acids in  
methanobacterial biomass  
A82-36011
- NICHOLSON, A. M.**  
Sleep and wakefulness handbook for flight medical  
officers  
[AGARD-AG-270(E)] N82-27972
- NOLAN, W. P.**  
Brain extracellular fluid pH and blood flow during  
isocapnic and hypocapnic hypoxia  
A82-37930
- NORTON, A. C.**  
An automated, indirect assessment of cardiac  
output during rest and exercise  
A82-36030
- HOWELL, L. H.**  
Objectives hierarchy for air intercept controller  
prototype training system  
[AD-A110847] N82-26981
- BUCKOLS, M. I.**  
Carbon dioxide absorption characteristics of high  
performance Sodasorb at 1 atmosphere  
[AD-A107488] N82-26989
- NUGENT, W. A.**  
Performance test objectivity: A comparison of  
rater accuracy and reliability using three  
observation forms  
[AD-A111077] N82-27977
- NUNNELEY, S. A.**  
Head-temperature effects on physiology, comfort,  
and performance during hyperthermia  
A82-35901

## O

- O'CONNOR, J.**  
Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615] N82-27964
- OKEEFE, J. D.**  
Impact of an asteroid or comet in the ocean and  
extinction of terrestrial life  
[NASA-CR-169086] N82-26955
- OKSHAN, P. H.**  
Spin imaging equipment for small animal experiments  
[ISBN-951-41-0420-X] N82-26951
- OLISOV, V. S.**  
Some questions open to discussion in clinical  
labyrinthology  
A82-35694
- ORAV, E. J.**  
Local serial correlation in behavioral states in  
the mouse  
[AD-A111021] N82-26959

## P

- PAGE, N.**  
Gravity, and metabolic scale effects in mammals  
A82-36319



## PAINTER, P. C.

Change in plasma cAMP and catecholamines in men subjected to the same relative amount of physical work stress

A82-35912

## PANDOLF, K. B.

Differentiated ratings of perceived exertion are influenced by high altitude exposure

N82-26967

Cardio-respiratory physical training in water and on land

N82-26968

Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise

N82-26969

Perception of effort during isometric contractions as related to heart rate and blood pressure responses

N82-26974

Effects on heat tolerance of physical training in water and on land

N82-26976

Does heat acclimation lower the rate of metabolism elicited by muscular exercise

N82-26977

## PANELL, R. C.

Performance test objectivity: A comparison of rater accuracy and reliability using three observation forms

N82-27977

## PARAS, P.

Emission computed tomography: The single photon approach

N82-26980

## PARKER, G. A.

Radiogenic changes in the behavior and physiology of the spontaneously hypertensive rat - Evidence for a dissociation between acute hypotension and incapacitation

A82-35903

## PARKHOMENKO, I. M.

Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation

A82-35660

## PATTERSON-ALLEN, P.

A specific radioimmunoassay for osteocalcin with advantageous species crossreactivity

A82-36307

## PATTON, J. P.

An ergometer for concentric and eccentric muscular contraction

N82-26971

## PAUL, M. A.

Postural stability during slow-onset and rapid-onset hypoxia

A82-35906

## PELEKHOV, P.

A day off in space

A82-35698

## PESLIN, R.

Mechanical properties of the lungs during acclimatization to altitude

A82-36027

## PETUKHOV, B. N.

Fatigue and the adaptive possibilities of the organism during work

A82-35835

## PIATOVSKAIA, N. M.

Comparative evaluation of the efficiency of radio-protectors on the basis of criteria of the protection of bone marrow and the gastrointestinal tract

A82-35658

## PIOTROWSKII, V. K.

The pharmacokinetic characteristics of trimacain as compared to lidocain in patients with myocardial infarction

A82-35682

## PITRELLA, P. D.

Design and validation of a tracking test for forming matched groups for continuous tracking experiments

N82-27985

## PIVRIKAS, V. I.

Caloric methods for stimulation of the vestibular apparatus /Survey of the literature/

A82-35697

## PLAKHATNIUK, V. I.

Bare cases of serious disturbances in cardiac rhythm during a hypoxic functional test

A82-35684

## PLEASANT, L. G.

Publications of the exobiology program for 1981: A special bibliography

N82-26995

## POLLOCK, M. L.

Effect of habitual exercise on left ventricular response to exercise

A82-36040

## PONOMAREVA, T. A.

The hemostasis system in man in high-altitude conditions

A82-35832

## POOCK, G. K.

Effect of task duration on voice recognition system performance

N82-27979

Effect of operator mental loading on voice recognition system performance

N82-27980

## POPOV, S. N.

Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport

A82-35664

## POPOVA, V. N.

Changes of the oxygen transport function of the blood and some metabolic values in patients with hypertension and chronic ischemic heart diseases during ergometric exercise

A82-35666

## PORLIER, J. A. G.

Postural stability during slow-onset and rapid-onset hypoxia

A82-35906

## POWELL, E.

Mechanical properties of the lungs during acclimatization to altitude

A82-36027

## PROPERT, D. M.

Epidemiology feasibility study: Effects of noise on the cardiovascular system. Appendix C: Review of non-noise related research of cardiovascular disease

N82-27976

## PRUSOV, P. K.

Dynamics of blood flow rate in athletes upon changes in environmental conditions

A82-35669

## PSHENNIKOVA, M. G.

The role of stress in the pathogenesis of ischemic heart disease

A82-35677

## PUMKINEN, M.

Spin imaging equipment for small animal experiments

N82-26951

## PURER, A.

Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere

N82-26989

## R

## RADKE, H.

A method for semi-automatic analysis of eye movements

A82-36960

## RAPP, J. P.

Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise

A82-36039

## RAPPOPORT, I. A.

Possibility of evaluating radiation injury to skin on the basis of changes in its functional state

A82-35655

## RAU, G.

Electrophysiological measurement techniques

A82-36964

## READER, D. C.

Head-temperature effects on physiology, comfort, and performance during hyperthermia

A82-35901

## RECKASE, M. D.

The formation of homogeneous item sets when guessing is a factor in item responses

N82-26986

- RENNIE, D. W.**  
Superficial shell insulation in resting and exercising men in cold water  
A82-36034
- REPPERGER, D. W.**  
A study on human tracking performance in a complex G field experiment  
A82-34971
- RESCHKE, M. P.**  
Mass estimation and discrimination during brief periods of zero gravity  
A82-35769
- RIABINTSEV, F. P.**  
Variation of the biomechanical characteristics of an 800-m run under the influence of fatigue  
A82-35671
- RIABOKON, O. S.**  
The pharmacokinetic characteristics of trimecain as compared to lidocain in patients with myocardial infarction  
A82-35682
- RICH, A.**  
Beta decay and the origins of biological chirality - Experimental results  
A82-37420
- RICHARDSON, G. S.**  
Local serial correlation in behavioral states in the mouse  
[AD-A11021]  
N82-26959
- ROBERTSON, R. M.**  
The landing signal officer - Auditory aspects  
A82-35910
- ROBERTS, B.**  
Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering  
[AD-A110797]  
N82-26982
- ROGERS, D. B.**  
A study on human tracking performance in a complex G field experiment  
A82-34971
- ROGERS, V. R.**  
Direct and neighboring sensitivity changes produced by red and blue-white adapting fields  
[AD-A111880]  
N82-26993
- ROMPELMAN, O.**  
The measurement of heart rate variability spectra with the help of a personal computer  
A82-35809
- ROSCOE, S. M.**  
Locus of the stimulus to visual accommodation - Where in the world, or where in the eye  
A82-37184
- ROSS, H. E.**  
Mass estimation and discrimination during brief periods of zero gravity  
A82-35769
- ROUSE, W. B.**  
Analysis and classification of human errors in troubleshooting live aircraft power plants  
A82-34970
- Training maintenance technicians for troubleshooting - Two experiments with computer simulations  
A82-37182
- ROWELL, D. W.**  
Crew workload prediction study  
[AD-A111948]  
N82-26991
- ROWELL, L. B.**  
Splanchnic vasoconstriction in heat-stressed men - Role of renin-angiotensin system  
A82-36028
- ROY, A.**  
Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects  
A82-34965
- ROZENSHTEBAUKH, L. V.**  
The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm  
A82-35678
- RUFF, S.**  
The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TM-76660]  
N82-27963
- S**
- SALAHATOV, V. A.**  
Psychophysiological analysis of periodic oscillations of performance quality within the limits of a work cycle  
A82-35833
- SANDLER, B.**  
Effect of orthostatic stress on exercise performance after bedrest  
A82-35907
- Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033
- SANFORD, C.**  
Toxicity of thermal degradation products of spacecraft materials  
[NASA-CR-167615]  
N82-27964
- SANTIAGO, T. V.**  
Brain hypoxia and control of breathing - Role of the vagi  
A82-37928
- SARIDIS, G. M.**  
Linguistic decision structures for hierarchical systems  
A82-34968
- SAVKA, M. N.**  
Effects of acute plasma volume expansion on altering exercise heat performance  
[AD-A110558]  
N82-26975
- Does heat acclimation lower the rate of metabolism elicited by muscular exercise  
[AD-A110555]  
N82-26977
- SCHATTE, C. L.**  
Effect of dietary fat on pulmonary enzymes and toxicity during normobaric hyperoxia  
A82-35902
- SCHICK, F. V.**  
A method for semi-automatic analysis of eye movements  
A82-36960
- SCHMIDT, D. H.**  
Effect of habitual exercise on left ventricular response to exercise  
A82-36040
- SCHMIDT, E. K.**  
Fibrinopeptide A after strenuous physical exercise at high altitude  
A82-37926
- SEBACHER, D. I.**  
Methane flux in the Great Dismal Swamp  
A82-37423
- SERNOV, L. B.**  
Mechanisms of the development of hypersensitivity to strophanthin in experimental myocardial infarction and its pharmacological correction  
A82-35683
- SHAFRAN, L. M.**  
Affections of the upper respiratory tracts in transport-fleet sailors and the prophylaxis of these affections on long voyages  
A82-35696
- SHAINARDANOV, R. M.**  
The use of trenthalam in acute vestibulocochlear disorders in patients with meningococcal infection  
A82-35689
- Synchronized nystagmus calibrator  
A82-35695
- SHAPIRO, Y.**  
Cardio-respiratory physical training in water and on land  
[AD-A111064]  
N82-26968
- Effects on heat tolerance of physical training in water and on land  
[AD-A110556]  
N82-26976
- Does heat acclimation lower the rate of metabolism elicited by muscular exercise  
[AD-A110555]  
N82-26977
- SHARONOVA, T. N.**  
Reference book for the Nitrogen Industry Worker, volume 2  
[AD-A113749]  
N82-27991
- SHARP, D. S.**  
Influence of fiber type composition and capillary density on onset of blood lactate accumulation  
[AD-A111038]  
N82-26973

- SHARP, J. C.  
United States and Soviet Life Sciences factors in long-duration space flights  
A82-35638
- SHERPHEED, R. E.  
Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise  
A82-36039
- SHINKAREV, S. G.  
Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes  
A82-35673
- SHIVACHEVA, T. M.  
Cell-mediated immune reactions in ground squirrels in winter lethargy - Two-way transplantation reaction  
A82-36229
- SHUGUSHEV, KH. KH.  
The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm  
A82-35678
- SIBERNAGEL, B. L.  
Using realistic sensor, target, and scene characteristics to develop a target acquisition model  
A82-37185
- SILUANOVA, V. A.  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- SIMPSON, C. A.  
Evaluation of synthesized voice approach callouts /SYNCALL/  
A82-36967
- SLOVIN, A. D.  
Physiological adaptations and maintenance of vegetative homeostasis  
A82-35826
- SMETNEV, A. S.  
The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation  
A82-35676
- The first clinical experience with a new Soviet antiarrhythmic drug, the diethylamine analog of ethmosine, in patients with different disorders of the heart rhythm  
A82-35678
- SMIRNOVA, E. B.  
The pharmacokinetic characteristics of trimecain as compared to lidocain in patients with myocardial infarction  
A82-35682
- SMITH, A. H.  
Gravity, and metabolic scale effects in mammals  
A82-36319
- SMITH, B.  
Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering [AD-A110797]  
N82-26982
- SMITH, G. J.  
Models for the estimation of incapacitation times following exposures to toxic gases or vapors [DE82-000619]  
N82-26979
- SNESAREV, N. K.  
Dynamics of blood flow rate in athletes upon changes in environmental conditions  
A82-35669
- SNIJDERS, J. B. I. M.  
The measurement of heart rate variability spectra with the help of a personal computer  
A82-35809
- SOKOLOV, S. P.  
The diagnosis and treatment of heart-rhythm disorders - The role of intracardial electrophysiological investigation  
A82-35676
- SOKOLOVA, T. N.  
Investigation by means of a fluorescent probe of changes in cellular membranes of fibroblasts of the Chinese hamster under laser and X-ray irradiation  
A82-35660
- SOKOLOVA, V. P.  
Reference book for the Nitrogen Industry Worker, volume 2 [AD-A113749]  
N82-27991
- SOKOVA, E. V.  
Early diagnosis of overstrain of the cardiovascular system in athletes engaging in cyclic forms of sport  
A82-35664
- SOLDATOV, I. B.  
Synchronized nystagmus calibrator  
A82-35695
- SOROKOVOI, V. I.  
The bioenergetics of erythrocytes in inhabitants of the North  
A82-35831
- STEAD, L.  
Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering [AD-A110797]  
N82-26982
- STEINBERG, C.  
Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering [AD-A110797]  
N82-26982
- STEPANOVA, L. P.  
Fatigue and the adaptive possibilities of the organism during work  
A82-35835
- STEVENS, A.  
Project STEAMER: 6. Advanced computer-aided instruction in propulsion engineering [AD-A110797]  
N82-26982
- STOPPER, G. R.  
Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report [AD-A107003]  
N82-27978
- STONE, B. M.  
Sleep and wakefulness handbook for flight medical officers [AGARD-AG-270(E)]  
N82-27972
- STONE, H. L.  
Effects of horizontal body casting on the baroreceptor reflex control of heart rate  
A82-36033
- STRABURZYNSKI, G.  
The effect of positive and negative ions of air on the content of catecholamines in the brain and adrenal glands  
A82-36690
- STRAUB, P. W.  
Fibrinopeptide A after strenuous physical exercise at high altitude  
A82-37926
- STEELKOV, R. B.  
Protective effect of a gaseous hypoxic mixture under the combined effect on the organism of radiation and physical stress  
A82-35653
- STRIEB, M. I.  
The human operator simulator - An overview  
A82-36956
- SUDAKOVA, V. O.  
Possibility of evaluating radiation injury to skin on the basis of changes in its functional state  
A82-35655
- SULINO-SANUILLLO, Z. K.  
Dependence of reactions of the organism to extremal factors on initial state  
A82-35839
- SULTANOV, P. P.  
Human adaptation in arid regions  
A82-35828
- SUMERKIN, S. V.  
Specialized laboratory for the educational and research activity of students and the psychodiagnostic study of athletes  
A82-35673
- SUSLOVA, I. N.  
Investigation of the radio-protective effect of cystamine on a model of thermally induced prophage lambda  
A82-35659
- SUTRO, L. L.  
Simulation of two forms of eye motion and its possible implication for the automatic recognition of three-dimensional objects  
A82-34965

## SWIECICKI, W.

Studies on the interaction of pemoline and  
centrophenoxine with some flight factors  
A82-36688

## SYTINSKII, I. A.

Kainic acid as a tool in brain research  
A82-35662

## T

## TARNOPOLSKAIA, L. G.

The effect of several pharmacologically active  
substances on the transformation of cystamine in  
mouse tissues  
A82-35654

## TEITELBAUM, H.

Radiogenic changes in the behavior and physiology  
of the spontaneously hypertensive rat - Evidence  
for a dissociation between acute hypotension and  
incapacitation  
A82-35903

## TEMKIN, L. P.

An automated, indirect assessment of cardiac  
output during rest and exercise  
A82-36030

## TENNEY, J. B., JR.

Prosthetic occlusive device for an internal  
passageway  
[NASA-CASE-MPS-25640-1]  
N82-26962

## TESCH, P. A.

Influence of fiber type composition and capillary  
density on onset of blood lactate accumulation  
[AD-A111038]  
N82-26973

## THOMPSON, S.

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system  
[PB82-147752]  
N82-27974

## THOMPSON, S. J.

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system: Appendix B:  
Annotated bibliography. Literature. The  
effects of noise on the cardiovascular system  
[PB82-147760]  
N82-27975

Epidemiology feasibility study: Effects of noise  
on the cardiovascular system. Appendix C:  
Review of non-noise related research of  
cardiovascular disease  
[PB82-147778]  
N82-27976

## THOMSON, S. A.

The subchronic inhalation toxicity of polyethylene  
glycol 200 in the rat and mouse  
[AD-A110668]  
N82-26956

## TIUPA, V. V.

Variation of the biomechanical characteristics of  
an 800-m run under the influence of fatigue  
A82-35671

## TOPMILLER, D. A.

Methods - Past approaches, current trends and  
future requirements  
A82-36952

## TRAVIN, IU. G.

Variation of the biomechanical characteristics of  
an 800-m run under the influence of fatigue  
A82-35671

## TREST, F.

Bohr effect and slope of the oxygen dissociation  
curve after physical training  
A82-36032

## TRUSAL, L. R.

Freeze-thaw induced damage to endothelial cells in  
vitro. 1. Development of a suitable system  
[AD-A111074]  
N82-26957

## TURNER, J. E.

Toxicity of thermal degradation products of  
spacecraft materials  
[NASA-CR-167615]  
N82-27964

## TURNER, S. C.

Effects of glycogen depletion and pedaling speed  
on 'anaerobic threshold'  
A82-36038

## TUROVSKII, V. S.

Kainic acid as a tool in brain research  
A82-35662

## U

## UDAROVA, N. S.

Fatigue and the adaptive possibilities of the  
organism during work  
A82-35835

## UDERMAN, A. A.

Recent developments in assessing the myocardial  
dystrophy encountered in athletes as a  
consequence of chronic physical overexertion  
A82-35680

## UGOLEV, A. A.

The role of stress in the pathogenesis of ischemic  
heart disease  
A82-35677

## ULINA, V. A.

Reference book for the Nitrogen Industry Worker,  
volume 2  
[AD-A113749]  
N82-27991

## USHAKOV, B. P.

Evolutionary significance of the adaptation of  
animals to heat  
A82-35663

## V

## VALLE, V.

Conditioned tilt naming - A modified absolute  
judgment method is used to measure the oblique  
effect  
A82-35768

## VAN HOUSE, J.

Beta decay and the origins of biological chirality  
- Experimental results  
A82-37420

## VAN PATTEN, R. E.

A study on human tracking performance in a complex  
G field experiment  
A82-34971

## VAN SPRONSEN, C. J.

The measurement of heart rate variability spectra  
with the help of a personal computer  
A82-35809

## VANLEHN, K.

Empirical studies of procedural flaws, impasses,  
and repairs in procedural skills  
[AD-A113791]  
N82-27981

## VASILEVA, ZH.

Characteristics of brain electric activity in  
different otoneurologic syndromes with  
vestibular asymmetry  
A82-35693

## VAUGHN, L. K.

Anatomic perspective of the female athlete: An  
approach to musculoskeletal profiling of women  
in sports  
[AD-A110630]  
N82-26992

## VEICSTEINAS, A.

Superficial shell insulation in resting and  
exercising men in cold water  
A82-36034

## VIERAS, P.

Radiogenic changes in the behavior and physiology  
of the spontaneously hypertensive rat - Evidence  
for a dissociation between acute hypotension and  
incapacitation  
A82-35903

## VIRU, A. A.

Hormonal mechanisms of adaptation and training  
A82-36976

## VOELKEL, H. P.

Evidence for diminished sensitivity of the hamster  
pulmonary vasculature to hypoxia  
A82-36035

## VOGEL, J. A.

An ergometer for concentric and eccentric muscular  
contraction  
[AD-A111061]  
N82-26971

## VONBECKH, H. J.

The beginnings of aeromedical acceleration research  
[AD-A111048]  
N82-26978

## VONTIENHAUSEN, G.

The human role in space  
[NASA-TM-82482]  
N82-27987

## VOROBEV, O. A.

The use of nondamping sinusoidal rotation in the  
study of vestibular function  
A82-35692

- VOROBTSOVA, I. E.  
Investigation of the general fitness of the progeny of irradiated animals. III - The resistance of mice to irradiation, hypoxia, endotoxin, and physical stress  
A82-35652
- VOSS, M.  
Narrowing of the visual field as an indicator of mental workload  
A82-36961
- VYUKAL, B. C.  
Pressure suit joint analyzer  
[NASA-CASE-ARC-11314-1]  
N82-26987
- ## W
- WAGNER, W. W., JR.  
Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area  
A82-36036
- WALIGORA, J. E.  
Investigation of the combined effects of bedrest and mild hypoxia  
A82-35905
- WALKER, B. R.  
Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia  
A82-36035
- WARD, S. A.  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031
- WASSERMAN, K.  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031
- WATLER, J. F., JR.  
Crew workload prediction study  
[AD-A111948]  
N82-26991
- WATTENBARGER, J. F.  
Carbon dioxide absorption characteristics of high performance Sodasorb at 1 atmosphere  
[AD-A107486]  
N82-26989
- WEBBON, B. W.  
Pressure suit joint analyzer  
[NASA-CASE-ARC-11314-1]  
N82-26987
- WEGMANN, H. M.  
The evaluation of studies of flight personnel of the German Lufthansa on the question of stress during flights on the short European routes  
[NASA-TN-76660]  
N82-27963
- WEIDNER, W. J.  
Regional blood flow in the domestic fowl immediately following chronic acceleration  
A82-35909
- WEIMER, J. T.  
The subchronic inhalation toxicity of polyethylene glycol 200 in the rat and mouse  
[AD-A110668]  
N82-26956
- WELSH, K. W.  
Familial intermittent diplopia - A report of two cases  
A82-35916
- WEST, J. B.  
Man at extreme altitude  
A82-36026
- WHERRY, R. J.  
The human operator simulator - An overview  
A82-36956
- WHIPP, B. J.  
Parameters of ventilatory and gas exchange dynamics during exercise  
A82-36031
- WHITE, A. A.  
Fracture and viscoelastic characteristics of the human cervical spine kinematics of the 3 actuator system  
[AD-A110980]  
N82-27965
- WHITE, D. J.  
Perception of effort during isometric contractions as related to heart rate and blood pressure responses  
[AD-A111033]  
N82-26974
- WHITE, H. J.  
Muscle weakness following dynamic exercise in humans  
A82-37929

- WHITEHURST, H. O.  
Screening designs used to estimate the relative effects of display factors on dial reading  
A82-37183
- WIDDEL, H.  
Eye movement measurement in the assessment and training of visual performance  
A82-36962
- WIERWILLE, W. W.  
Statistical techniques for instrument panel arrangement  
A82-36959
- WILDE, H. D.  
Study of EVA operations associated with satellite services  
[NASA-CR-167614]  
N82-27986
- WILLIAMS, A. E.  
Training improvements for the Tactical Aircrew Training System (TACTS): Project summary report  
[AD-A107003]  
N82-27978
- WILLIAMS, C. E.  
The landing signal officer - Auditory aspects  
A82-35910
- WILMORE, J. H.  
An automated, indirect assessment of cardiac output during rest and exercise  
A82-36030
- WISSMAN, D. J.  
Aptitude requirements based on task difficulty: Methodology for evaluation  
[AD-A110568]  
N82-26983
- WITZ, J. A.  
Predicting the timing and potential of the spring emergence of overwintered populations of *Heliothis* spp.  
[NASA-CR-167444]  
N82-27962
- WRIGHT, J. E.  
Isokinetic, isometric, and isotonic strength relationships  
[AD-A111039]  
N82-26972

## Y

- YOUNG, A. J.  
Differentiated ratings of perceived exertion are influenced by high altitude exposure  
[AD-A111075]  
N82-26967
- Sparing effect of chronic high-altitude exposure on muscle glycogen utilization during exercise  
[AD-A111063]  
N82-26969

## Z

- ZAGRIADSKII, V. P.  
Dependence of reactions of the organism to extreme factors on initial state  
A82-35839
- ZARAKOVSKII, G. M.  
Psychophysiological analysis of periodic oscillations of performance quality within the limits of a work cycle  
A82-35833
- ZATSIORSKII, V. M.  
Discriminative biomechanical characteristics in middle-distance running  
A82-35672
- ZAVORUEV, V. V.  
Cultivation of the luminescent bacterium *Photobacterium leiognathi* with control by luminescence  
A82-35687
- ZEEVI, Y. Y.  
Measurement of eye movement with a ferromagnetic contact ring  
A82-35810
- ZEMTSOVSKII, E. V.  
Recent developments in assessing the myocardial dystrophy encountered in athletes as a consequence of chronic physical overexertion  
A82-35680
- ZGODA, N. V.  
Rate of change of physiological functions as an index of the degree of adaptation  
A82-35840
- ZITSEWITZ, P. W.  
Beta decay and the origins of biological chirality - Experimental results  
A82-37420

1 Report No NASA SP-7011(237)	2 Government Accession No	3 Recipient's Catalog No	
4 Title and Subtitle AEROSPACE MEDICINE AND BIOLOGY A Continuing Bibliography (Supplement 237)		5 Report Date October 1982	
		6. Performing Organization Code	
7 Author(s)		8 Performing Organization Report No	
9 Performing Organization Name and Address  National Aeronautics and Space Administration Washington, D.C. 20546		10. Work Unit No	
		11 Contract or Grant No	
12 Sponsoring Agency Name and Address		13 Type of Report and Period Covered	
		14 Sponsoring Agency Code	
15. Supplementary Notes			
16 Abstract  <p style="text-align: center;">This bibliography lists 224 reports, articles and other documents introduced into the NASA scientific and technical information system in September 1982.</p>			
17. Key Words (Suggested by Author(s)) Aerospace Medicine Bibliographies Biological Effects		18. Distribution Statement  Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20 Security Classif (of this page) Unclassified	21 No of Pages 78	22. Price* \$7.00 HC

\* For sale by the National Technical Information Service, Springfield, Virginia 22161

NASA-Langley, 1982



## PUBLIC COLLECTIONS OF NASA DOCUMENTS

### DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

#### CALIFORNIA

University of California, Berkeley

#### COLORADO

University of Colorado, Boulder

#### DISTRICT OF COLUMBIA

Library of Congress

#### GEORGIA

Georgia Institute of Technology, Atlanta

#### ILLINOIS

The John Crerar Library, Chicago

#### MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

#### MISSOURI

Linda Hall Library, Kansas City

#### NEW YORK

Columbia University, New York

#### OKLAHOMA

University of Oklahoma, Bizzell Library

#### PENNSYLVANIA

Carnegie Library of Pittsburgh

#### WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "\*" following the accession number) are also received by the following public and free libraries:

#### CALIFORNIA

Los Angeles Public Library

San Diego Public Library

#### COLORADO

Denver Public Library

#### CONNECTICUT

Hartford Public Library

#### MARYLAND

Enoch Pratt Free Library, Baltimore

#### MASSACHUSETTS

Boston Public Library

#### MICHIGAN

Detroit Public Library

#### MINNESOTA

Minneapolis Public Library and Information Center

#### NEW JERSEY

Trenton Public Library

#### NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

#### OHIO

Akron Public Library

Cincinnati and Hamilton County Public Library

Cleveland Public Library

Dayton Public Library

Toledo and Lucas County Public Library

#### TEXAS

Dallas Public Library

Fort Worth Public Library

#### WASHINGTON

Seattle Public Library

#### WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

### EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "\*" and "#", from: ESA - Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.



National Aeronautics and  
Space Administration

Washington, D.C.  
20546

Official Business

Penalty for Private Use, \$300

THIRD-CLASS BULK RATE

Postage and Fees Paid  
National Aeronautics and  
Space Administration  
NASA-451



10 1 SP-7011, 821027 S90569AU 850609  
NASA  
SCIEN & TECH INFO FACILITY  
ATTN: ACCESSIONING DEPT  
P O BOX 8757 BWI ARPRT  
BALTIMORE MD 21240

**NASA**

POSTMASTER: If Undeliverable (Section 158  
Postal Manual) Do Not Return

---